#### **NOTICE INVITING e-TENDER**

Online Tender documents are invited for Supply & Installation of UTM/Firewall in department Head Quarter, GoWB in Kolkata from reputed System Integrators having sufficient experience and credentials for successful completion of "Similar Nature" of work in a Government Department/PSU/Autonomous Body or any reputed organization. Bidder must have adequate Service Engineer for providing on-site warranty service within the stipulated time.

1.	Tender No. & Date	WTL/PAR/UTM/17-18/038 dated 08.02.2018		
2.	Tender Version No.	1.0		
3.	Brief description of material	Supply & Installation of UTM/Firewall in department Head		
		Quarter, GoWB in Kolkata.		
4.	Tender Fee	Rs.5000.00 (Rupees Five thousand only)		
5.	Earnest Money Deposit	Rs.100000.00 (Rupees One lakhs only) in the form of		
		Demand Draft from any Scheduled bank in favour of Webel		
		Technology Limited payable at Kolkata		
6.	Date of Downloading/Sale of Tender	08.02.2018		
	document			
7.	Pre-Bid Meeting date & time	15.02.2018 at 11.30 Hrs		
		Only two persons for each intending bidder's		
		organization will be allowed to attend the Pre Bid Meeting.		
		The person should have proper authorization in		
		respective company Letter Head.		
		Only queries as per format (Section - O) reaching		
		WTL by 13.02.2018 at 16.00 Hrs will be taken for		
		decision.		
		• Queries will be sent to Manager (Purchase)		
		( <u>wtlpurchase@gmail.com</u> ) and copy to Ms. Soma Dey		
		( <u>soma@wb.gov.in</u> ) /Ms. Anita Dey		
		(wtladey@gmail.com).		
8.	Bid Submission Start date & time	20.02.2018 at 15.00 Hrs		
9.	Last date & time of EMD & Tender Fee	28.02.2018 at 11.00 Hrs		
10	submission	00.00.0010 + 10.00 H		
10.	Last date & time of Bid Submission	26.02.2018 at 12.00 Hrs		
11.	Date & time of Technical Bid Opening	28.02.2018 at 12.00 Hrs		
12.	Venue of Pre-Bid Meeting & submission of			
	EMD & Tender Fee	(A Govt. of West Bengal Undertaking)		
		Plot - 5, Block - BP, Sector - V, Salt Lake City,		
10	Contact vacuum	Kolkata – 700091.		
13.	Contact person	Mr. Arunava Saha, Contact no. 23673403-06, Ext. 212		
		Ms. Anita Dey, Contact no. 23673403-06, Ext. 231		
		Ms. Soma De, Contact no. (033) 23392277		

In the event of e-filling, intending bidder may download the tender documents from the website https://wbtenders.gov.in directly with the help of Digital Signature Certificate. Necessary cost of tender (tender fees) may be remitted through Demand Draft issued from any Scheduled Bank in favour of "Webel Technology Limited", payable at Kolkata and also to be documented through e-filling. Cost of Earnest Money Deposit (EMD) may be remitted through Demand Draft issued from any Scheduled Bank in favour of "Webel Technology Limited", payable at Kolkata and also to be documented through e-filling. The original Demand Draft against tender fee & Earnest Money Deposit (EMD) should be submitted physically to the Manager (Purchase)/Manager (Finance), Webel Technology Limited, Plot – 5, Block – BP, Sector-V, Salt Lake City, Kolkata-700 091 under sealed cover on or before 11.00 Hrs of 28.02.2018.

- 1. Both Techno Commercial Bid and Financial Bid are to be submitted concurrently duly digitally signed in the website <a href="https://wbtenders.gov.in">https://wbtenders.gov.in</a>
- 2. Tender documents may be downloaded from website and submission of Techno Commercial Bid and Financial Bid will be done as per Time Schedule stated in Section C of this Tender Document.
- 3. The Financial Bid of the prospective Bidder will be considered only if the Techno Commercial Bid of the bidder is found qualified by the Tender Committee. The decision of the 'Tender Committee' will be final and absolute in this respect. The list of Qualified Bidders will be displayed in the website.

### **CONTENTS OF THE TENDER DOCUMENT**

The Tender document comprises of the following:

SECTION – A	SCOPE OF WORK
SECTION – B	DATE AND TIME SHEDULE
SECTION – C	ELIGIBILITY CRITERIA
SECTION – D	INSTRUCTION TO BIDDER
SECTION – E	TECHNO COMMERCIAL EVALUATION & AWARDING OF CONTRACT
SECTION – F	BID FORM
SECTION – G	GUIDANCE FOR E-TENDERING
SECTION – H	BILL OF MATERIAL
SECTION – I	TECHNICAL SPECIFICATION WITH COMPLIANCE STATEMENT
SECTION – J	DETAILS OF ORDERS EXECUTED BY BIDDER
SECTION – K	FINANCIAL CAPABILITY OF BIDDER
SECTION – L	BIDDER'S DETAILS
SECTION – M	PRE-BID MEETING QUERY
SECTION – N	SUPPORT SERVICE CENTER & MANPOWER DETAILS OF BIDDER
SECTION - O	LIST OF CLIENTS OF SIMILAR ORDERS
SECTION – P	MANUFACTURER'S AUTHORIZATION FORM
SECTION – Q	PROFORMA FOR PERFORMANCE BANK GUARANTEE
SECTION - R	NIT DECLARATION

#### **SECTION - A**

#### **SCOPE OF WORK**

#### **ABOUT WBSWAN**

West Bengal State Wide Area Network (WBSWAN) is the triple play backbone network for data, voice and video communication throughout the state of West Bengal. Over this network Intranet, Internet and various e-Governance, e-office related activity of the Government of West Bengal are being carried out.

WBSWAN network provides Data, Voice & Video Communication facilities from State Head Quarters at Kolkata up to all District (DHQ), Sub Division (SDHQ) and Block Headquarters (BHQ) over dedicated circuits leased from BSNL. The District Head Quarters are connected to the State Head Quarters in Writers' Building as well as Webel Bhavan, Salt Lake over dual fiber optic links (in fail-over mode), ensuring a smooth operation in case of failure of one SHQ due to some major problem / natural disaster, etc.

#### **Project Objective**

We have already implemented WBSWAN link for e-office application access in 65 Government departments/offices in Kolkata. However integration of WBSWAN link along with existing internet connectivity (from different ISP) at 15 departments in an around Kolkata is our main project objective in this tender.

#### **Proposed Solution**

As per our technical observation, we found that the internet connectivity and WBSWAN link (for e-office only) were not switching traffic on respective links automatically. Hence manual intervention is required to configure at above mentioned two services. In these circumstances, we would propose a firewall / UTM devices which can integrate or automate the above process without any interference at user level. Besides, another few security services can also be implemented for the department, e.g Firewall, Web Content Filtering, Anti malware protection, Load Balancing of more than one ISP connectivity etc. Moreover we observed that there is more than one separate internet connectivity available at some of these offices for individual / group use. We propose to implement single or more internet connectivity along with e-office application (for WBSWAN link only) of higher bandwidth like BSNL GPON or any other ISP by the department.

#### Solution

- Integration of existing Internet or any other better Internet along with the WBSWAN link for e-Office access.
- Securing Internet services through UTM (Unified Threat Management) device which will deliver real-time network security protection against sophisticated application layer and content-based attacks. These attacks can include viruses, spyware, worms, Trojans, software vulnerabilities and other malicious code. This heightened level of gateway protection addresses, multiple threat access points and thoroughly scans all network layers.
- 3. The facility will include the ability to link the office LAN to as many as 5 or more Internet Service Providers (ISPs) using configurable WAN connections on the device.
- 4. Load balancing options will be there which will include basic failover, round robin and spillover. The spillover method enables administrators to set a bandwidth threshold on a WAN interface and

- when that threshold is exceeded, new traffic flows are allocated to alternate WAN interfaces in a round robin manner.
- 5. Proper application automation can be implemented at security gateway device.
- 6. Whenever end users will access e-office production / demo server, the traffic will pass through the WBSWAN link.
- 7. Whenever end users will access any public sites / Internet, the traffic will pass through the primary/dedicated ISP links.
- 8. If department would like to implement another failover link for Internet / e-office, then the same can also be implemented now or as per their convenience.
- 9. Automatic load-balancing of either of the traffic can be done at this security device .
- 10. Moreover, the device can alleviate the security threats or many types of vulnerable attacks from Internet.

#### Technical features which can be facilitated through newly proposed network

#### **Firewall**

- Stateful packet inspection
- Reassembly-Free Deep Packet Inspection
- DDoS attack protection

#### Web content filtering

- URL filtering
- Anti-proxy technology
- Keyword blocking
- Bandwidth manage CFS rating categories
- Unified policy model with app control
- Content Filtering Client


#### **Anti-malware**

- Stream-based malware scanning
- Gateway anti-virus
- · Gateway anti-spyware
- Bi-directional inspection
- No file size limitation
- · Cloud malware database

#### **Networking**

- · Port security
- Dynamic routing (RIP/OSPF/BGP)
- NAT
- DHCP server
- Bandwidth management
- Port redundancy
- VPN

### **Proposed Network Diagram**



Bidder should propose all requisite cables / materials, requisite patch cords, etc for successful implementation of the solution. Cost implication, if any, for procurement of above mentioned material should be included in the solution.

Please note that installation and commissioning of solution with 3 years onsite comprehensive warranty.

**WBSWAN Integration:** Supply, install & integration with existing system of WBSWAN is the scope of L1 bidder.

**Acceptance:** After successful installation & Commissioning, installation report prepared by WTL (Webel Technology Limited), signed and sealed by appropriate authority of the concerned departments.

#### SECTION - B

#### **ELIGIBILITY CRITERIA**

- 1. The bidder must be a company registered under Companies Act, 1956/2013 or Partnership or LLP or OPC or Proprietary Firm. Documentary evidence to be submitted.
- 2. The bidder should have their presence in Kolkata with own office. Valid proof should be submitted along with the bid.
- 3. The bidder should have valid GST Registration Number & PAN. Bidder shall have to submit photocopy of the documents.
- 4. The bidder shall have executed "Similar Nature" of single order of an amount not less than Rs.20.00 Lakhs in last three financial years (considering FY 2014-15, 2015-16 & 2016-17) in Government Department/PSU/Autonomous Body or any reputed organization. Reference order copy for the project to be provided.

Or

The bidder shall have execute "Similar Nature" of three orders of an amount not less than Rs.45.00 Lakhs in total in last three financial years (considering FY - 2014-15, 2015-16 & 2016-17) in Government Department/PSU/Autonomous Body/Any reputed organization. References order copy for the project to be provided.

- 5. Bidder should have local call center number. Call Center details with number & detailed escalation matrix to be submitted.
- 6. The bidder should have an annual turnover of not less than Rs. 2.50 Crore each in the three financial years (FY 2014-15, 2015-16 & 2016-17). Bidder shall have to submit photocopy of Audited Accounts in support of their claim.
- 7. Bidder should submit Earnest Money Deposit (EMD) of Rs. 1,00,000.00 (Rupees One Lakhs only) in the form of Demand Draft from any Scheduled Bank in favour of Webel Technology Limited payable at Kolkata.
- 8. Bidder should submit Tender Fee of of Rs. 5,000.00 (Rupees Five thousand only) in the form of Demand Draft from any Scheduled Bank in favour of Webel Technology Limited payable at Kolkata.
- 9. Manufacturer's tender specific authorizations for UTM Firewall must be submitted as per format enclosed (Section P).
- 10. The bidder shall have Quality Certificate (ISO 9001:2008). Copy of valid Certificate to be submitted.
- 11. The Bidder must have Support Service Center with manpower in Kolkata so that any call reported is attended within the response time. The detailed Support Service with manpower for bidder should be submitted as per format (Section –N)
- 12. The bidder shall submit Bid Form (Section F) duly signed by the authorized signatory of the company as per the format enclosed. Deviation in format may not be accepted.
- 13. The bidder shall not have been blacklisted by any State/Central Government or PSU Organization or bilateral/multilateral funding agencies for breach of ethical conduct or fraudulent practices as on date of submission of the proposal. Declaration on bidder's letter head to be submitted.

### SECTION - C

### **DATE AND TIME SCHEDULE**

Sl. No.	Particulars	Date & Time
1	Date of uploading of N.I.T. & other Documents (online) (Publishing Date)	08.02.2018
2	Documents download/sale start date (Online)	08.02.2018
3	Last Date and time of sending the queries (Offline)	13.02.2018 at 16.00 hrs
4	Pre Bid Meeting at WTL Office (Off Line)	15.02.2018 at 11.30 hrs
5	Corrigendum, if any will be published (On Line)	-
6	Bid Submission start date & time (On line)	20.02.2018 at 15.00 hrs
7	Last Date & time of submission of original Demand Draft/Pay Order for cost of Earnest Money Deposit (Off line)	28.02.2018 at 11.00 hrs
8	Last Date & time of submission of original Demand Draft/Pay Order for Tender Fee	28.02.2018 at 11.00 hrs
9	Bid Submission closing date & time (On line)	26.02.2018 at 12.00 hrs
10	Bid opening date & time for Technical Proposals (Online)	28.02.2018 at 12.00 hrs
11	Date of uploading the final list of Technically Qualified Bidder (online) after disposal of appeals, if any	-
12	Date for opening of Financial Bid (Online)	-

#### **SECTION - D**

#### **INSTRUCTION TO BIDDER**

#### 1. **DEFINITIONS**

In this document, the following terms shall have following respective meanings:

- "Acceptance Test Document" means a document, which defines procedures for testing the functioning of installed system. The document will be finalized with the contractor within 7 days of issuance of the Letter of Award/Confirm Work Order.
- "Agreement" means the Agreement to be signed between the successful bidder and WTL including all attachments, appendices, all documents incorporated by reference thereto together with any subsequent modifications, the RFP, the bid offer, the acceptance and all related correspondences, clarifications, presentations.
- "Bidder" means any firm offering the solution(s), service(s) and /or materials required in the RFP. The word Bidder when used in the pre award period shall be synonymous with Bidder, and when used after award of the Contract shall mean the successful Bidder with whom WTL signs the agreement for supply, install, commission and render services for the systems.
- "Contract" is used synonymously with Agreement.
- "Contract Price" means the price to be paid to the Contractor for providing the Solution, in accordance with the payment terms.
- "Contractor" means the Bidder whose bid to perform the Contract has been accepted by Tender Committee and is named as such in the Letter of Award.
- "Default Notice" shall mean the written notice of Default of the Agreement issued by one Party to the other.
- "Installation" shall mean Supply & Installation of UTM/Firewall in department Head Quarter, GoWB in Kolkata.
- "Fraudulent Practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a Contract and includes collusive practice among Bidders (prior to or after Bid submission) designed to establish Bid prices at artificial noncompetitive levels and to deprive the benefits of free and open competition.
- "Good Industry Practice" shall mean the exercise of that degree of skill, diligence and prudence which would reasonably and ordinarily be expected from a reasonably skilled and experienced Operator engaged in the same type of undertaking under the same or similar circumstances.
- "Government" / "Gov. of W. Bengal" means the Government of West Bengal.
- "GoI" shall stand for the Government of India.
- "GoWB" means Government of West Bengal
- "WTL" means Webel Technology Limited a Gov. of W. Bengal undertaking.
- "Personnel" means persons hired by the Bidder as employees and assigned to the performance of the Infrastructure Solution or any part thereof.
- "Project" means Supply & Installation of UTM/Firewall in department Head Quarter, GoWB in Kolkata.

"Project Plan" means the document to be developed by the Contractor and approved by WTL, based on the requirements of the Contract and the Preliminary Project Plan included in the Contractor's bid. For the sake of clarity, the Agreed and Finalised Project Plan" refers to the version of the Project Plan submitted by the contractor after receiving the letter of Award and the same approved by WTL. The project plan may be changed/ modified during the course of the project. Should the Project Plan conflict with the provisions of the Contract in any way, the relevant provisions of the Contract, including any amendments, shall prevail.

"Services" means the work to be performed by the Bidder pursuant to this Contract, as described in the detailed Scope of Work.

"Similar Nature" includes Supply & Installation of UTM/Firewall in department Head Quarter, GoWB in Kolkata.

"Interest rate" means "364 days Government of India (GoI) Treasury Bills" rate.

"Law" shall mean any Act, notification, bye law, rules and regulations, directive, ordinance, order or instruction having the force of law enacted or issued by the Central Government and/or the Government of West Bengal or any other Government or regulatory authority or political subdivision of government agency.

**"LOI"** means issuing of Letter of Intent shall constitute the intention of the WTL to place the Purchase Order with the successful bidder.

"Operator" means the company providing the services under Agreement.

"Period of Agreement" means 3 years from the date of Final acceptance of the Project.

"Requirements" shall mean and include schedules, details, description, statement of technical data, performance characteristics, standards (Indian as well as International) as applicable and specified in the Contract.

"Service" means provision of Contracted service viz., operation, maintenance and associated services for DEPLOYED SYSTEMS as per Section titled "Scope of Work"

"Termination Notice" means the written notice of termination of the Agreement issued by WTL.

"Uptime" means the time period when specified services are available with specified technical and service standards as mentioned in section titled WARRANTY SUPPORT" "%Uptime" means ratio of 'up time' (in minutes) as mentioned in section titled "Warranty support"

"Service Down Time" (SDT) means the time period when specified services with specified technical and operational requirements as mentioned in section titled "WARRANTY SUPPORT"" are not available to Gov. of W. Bengal and its user departments and organizations.

#### 2. PRE BID MEETING

Pre Bid Meeting will be held on 15.02.2018 at 11.30 hrs at premises of WTL. Bidder can send their queries as per format (Section - M) to Manager (Purchase) (wtlpurchase@gmail.com) and copy to Ms. Soma Dey (soma@wb.gov.in) / Ms. Anita Dey (wtladety@gmail.com). Only the queries received within the stipulated date prior to the Pre Bid Meeting will be answered. The entrance to the Pre Bid Meeting will be limited to two persons per bidder and carrying valid authorization letter on official letter head bearing company seal.

#### 3. COST OF BIDDING

The bidder shall bear all costs associated with the preparation and submission of the bid and WTL will no case be responsible for those costs regardless of the conduct or outcome of the bidding process.

#### 4. BID DOCUMENT

Bidder is expected to examine all instructions, forms, terms and requirement in the bid document. The invitation to bid together with all its attachment thereto shall be considered to be read, understood and accepted by the bidder unless deviations are specifically stated in the seriatim by the bidder. Failure to furnish all information required by the bid document or a bid not substantially responsive to the bid document in every respect may result of the bid.

#### 5. AMENDMENT OF BID DOCUMENT

At any time prior to the deadline for submission of proposals, WTL reserves the right to add/modify/delete any portion of this document by issuance of an Corrigendum, which would be published on the website and will also be made available to the all the Bidder who have been issued the tender document. The Corrigendum shall be binding on all bidders and will form part of the bid documents.

#### 6. MODIFICATION AND WITHDRAWAL OF BIDS

The bidder cannot modify or withdraw its bid after submission.

#### 7. LANGUAGE OF BID & CORRESPONDENCE

The proposal will be prepared by the Bidder in English language only. All the documents relating to the proposal (including brochures) supplied by the firm should also be in English, and the correspondence between the Bidder & WTL will be in English language only. The correspondence by fax/E-mail must be subsequently confirmed by a duly signed formal copy.

#### 8. BIDDER'S SOLUTION

The bidders are requested to study the Bill of Material supplied with this document carefully. While working out the solution the bidder has to work with the broad minimum specification provided in the tender documents, conforming to the model, make and Part number (wherever provided). While submitting the bid the bidder has to detail out all components needed to complete the system BOM. The bidder is required quote for each item retaining all major components/sub system detailed and specified. As the contractor will be responsible for smooth functioning of the system, availability of spares during the tenure of the warranty period have to be take care by the contractor to maintain the quaranteed uptime.

#### 9. EARNEST MONEY DEPOSIT (EMD)

The firm shall furnish an EMD of Rs.1,00,000.00 (Rupees One lakhs only) in the form of a demand draft from a Scheduled Bank payable at Kolkata and in favour of Webel Technology Limited. Any bid not accompanied with the EMD shall be rejected. The validity of EMD instrument will be initially 3 months, have to extend, if required.

#### 10. FORFEITURE OF EMD

EMD made by Bidder may be forfeited under the following conditions:

If Bidder withdraws the proposal before the expiry of validity period.

During the evaluation process, if a Bidder indulges in any such activity as would jeopardize the process, the decision of WTL regarding forfeiture of EMD shall be final and shall not be called upon question under any circumstances.

If Bidder violates any of the provisions of the terms and conditions of the proposal.

In the case of a successful Bidder, if Bidder fails to:

- a) Accept the work order along with the terms and conditions.
- b) Furnish performance security.
- c) Violates any of the work conditions of this proposal or indulges in any such activities as would jeopardize the work.

d) Submitting false/misleading information/declaration/documents/proof/etc.

The decision of WTL regarding forfeiture of EMD shall be final and shall not be called upon to question under any circumstances, besides, forfeiture of EMD even the Bidder will be deferred from participating in any job for a period of one year.

#### 11. FORMS AND FORMATS

The various inputs for the Techno Commercial as Financial Bids are to be submitted in the format specified. The bidder shall use the form, wherever specified, to provide relevant information. If form does not provide space for any required information, space at the end of the form or additional sheets shall be used to convey the said information. For all other cases, the bidder shall design a form to hold the required information.

#### 12. LACK OF INFORMATION TO BIDDER

The bidder shall be deemed to have carefully examined the Bid document to his entire satisfaction. Any lack of information shall not relieve the bidder of his responsibility to fulfill his obligation under the bid. If bidder has any queries relating to bid document then he can send the queries before the Pre Bid Meeting.

#### 13. CONTRACT EXECUTION

On receipt of the Letter of Award the contractor should submit a Performance Bank Guarantee (PBG) equivalent to 10% of the total contract value within three weeks from the date of receipt of Letter of Award/Order. The PBG should be valid for six month more than the warranty period. All delivery of the material will have to be completed within 45 days from the date of acceptance of contract and the contractor has to ensure all activities leading to the commissioning of the contract to be completed within 90 days from the date of award. Subsequent to the award of contract, the contractor will have to arrange for the requisite material as per BOM.

#### 14. TIME SCHEDULE FOR DELIVERY & INSTALLATION

The total delivery & installation will have to be completed within 4 weeks from the date of Order.

#### 15. LIQUIDATED DAMAGE

The job includes the supply and installation of materials mentioned in the tender document. In the event of failure to meet the job completion in stipulated date/time liquidated damage may be imposed on the contractor for sum not less than 0.5% of the contract value for undelivered/installed items, each week or part thereof, subject to a ceiling of 10% of the total contract value (including all taxes & duties and other charges). In the event of LD exceeds 10% of the order value, WTL reserves the right to terminate the contract and WTL will get the job completed by any other competent party. The difference of cost incurred by WTL will be recovered from the contractor and PBG will be invoked.

#### 16. LIABILITY

In case of a default on bidder's part or other liability, WTL shall be entitled to recover damages from the Contractor. In each such instance, regardless of the basis on which WTL is entitled to claim damages from the Contractor (including fundamental breach, negligence, misrepresentation, or other contract or tort claim), Contractor shall be liable for no more than:

- Payment referred to in the Patents and Copyrights clause.
- Liability for bodily injury (including death) or damage to real property and tangible personal property limited to that cause by the Contractor's negligence.
- As to any other actual damage arising in any situation involving nonperformance by Contractor
  pursuant to or in any way related to the subject of this Agreement, the charge paid by WTL for the
  individual product or Service that is the subject of the Claim. However, the contractor shall not be
  liable for
- For any indirect, consequential loss or damage, lost profits, third party loss or damage to property or loss of or damage to data.

For any direct loss or damage that exceeds the total payment for Contract Price made or expected to be made to the Contractor hereunder.

#### 17. PATENTS & COPYRIGHT

If a third party claims that a product delivered by the Contractor to WTL infringes that party's patent or copyright, the Contractor shall defend WTL against that claim at Contractor's expense and pay all costs, damages, and attorney's fees that a court finally awards or that are included in a settlement approved by the Contractor, provided that WTL.

- Promptly notifies Contractor in writing of the claim
- Allows Contractor to control and co-operate with Contractor in the defense and any related settlement negotiations.

Remedies: If such a claim is made or appears likely to be made, WTL would permit Contractor to enable WTL to continue to use the product, or to modify it, or replace it with one that is at least functionally equivalent. If Contractor determines that none of these alternatives is reasonably available, WTL agrees to return the product to Contractor on Contractor's written request. Contractor will then give WTL a credit equal to for a machine. WTL's net book value (provided WTL has followed generally accepted accounting principles for a generally available software product produced by Contractor (Program) the amount paid by WTL or 12 months charges (whichever is lesser) and for materials the amount paid by WTL for the materials. These will be Contractor's entire obligation regarding any claim of infringement.

#### 18. SUSPENSION OF WORK

WTL shall have the power at any time and from time to time by notice to the Contractor to delay or suspend the progress of the work or any part of the work due to any other adequate reasons and on receipt of such notice the contractor shall forthwith suspend further progress of the work until further notice from WTL. The Contractor shall recommence work immediately after receiving a notice to do so from WTL. The whole or any part of the time lost for such delay or suspension shall, if WTL in its absolute discretion thinks fit, but not otherwise, be added to the time allowed for completion.

#### 19. TERMS OF PAYMENT

Payment terms will be on back-to-back basis, i.e., payment will be made only on receipt of payment from relevant customer.

#### 20. GOVERNING LAWS

This contract should be governed by and interpreted by Arbitration clause in accordance with Laws in force in India. The courts at Kolkata shall have exclusive jurisdiction in all matters arising under the contract. The selected vendor shall keep himself fully informed of all current national, state and municipal law and ordinances. The selected vendor shall at their own expense, obtain all necessary permits and license and pay all fees and taxes required by law. These will be selected vendor's entire obligation regarding any claim of infringement. The selected vendor hereto agrees that it shall comply with all applicable union, state and local laws, ordinances, regulations and codes in performing its obligations hereunder, including the procurement of licenses, permits certificates and payment of taxes where required. The selected vendor shall establish and maintain all proper records (particularly, but without limitation, accounting records) required by any law, code/practice of corporate policy applicable to it from time to time including records and returns as applicable under labor legislation.

#### 21. CORRUPT OR FRAUDULENT PRATICES

The Tender Committee requires that the bidders under this Tender observe the highest standards of ethics during the procurement and execution of such contracts. For this purpose the definition of corrupt and fraudulent practices will follow the provisions of the relevant laws in force. The Tender Committee will reject a proposal for award if it detects that the bidder has engaged in corrupt or fraudulent practices in competing for the contract in question. The Tender Committee will declare a firm ineligible, either indefinitely or for a stated period of time, if it at any time determines that the firm has engaged in corrupt and fraudulent practices in competing for, or in executing, a contract.

#### 22. BINDING CLAUSE

All decisions taken by the Tender Committee regarding the processing of this tender and award of contract shall be final and binding on all parties concerned. The Tender Committee reserves the right:

· To vary, modify, revise, amend or change any of the terms and conditions mentioned above and,

• To reject any or all the Tender/s without assigning any reason whatsoever thereof or to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder(s) or any obligation to inform the affected bidder(s) of the grounds for such decision.

#### 23. WORKMEN'S COMPENSATION

In every case in which by virtue of the provision of the workmen's compensation Act 1923 or any other relevant acts and rules, compensation to a workmen employed by the contractor, is payable, then this should be done by the Contractor. If WTL is obliged to make any compensation under the said rules and acts, then the amount shall be recovered without prejudice, from the bills and due of the Contractor. WTL shall not be bound to contest any claim made against the Contractor in respect of workmen's compensation.

#### 24. CONTRACTOR'S EMPLOYEES

The Contractor shall comply with the provision of all labour legislation including the requirement of the payment of Wage Act 1936 and the rules framed there under and modifications thereof in respect of men employed by him in carrying out the contract. The Contractor must ensure that he complies with PF, ESI regulation for all his deployed employees. The Contractor shall see that all authorized Sub Contractors under him similarly complied with the above requirement.

#### 25. SAFETY MEASURES

The Contractor shall in the course of execution of the work take all necessary precaution for the protection of all persons and property. The Contractor shall take adequate measures to protect the work and present accident during the work. In the event of any accident to any person or persons or damage or injury of any description to any person or property due to failure on the part of the contractor in taking proper precautionary measures the contractor shall be responsible for and must make good the loss the damage at his own cost to the satisfaction of the department and employees of the department shall be indemnified from all claims or liabilities arising there from or any expenses incurred on account thereof.

#### 26. EQUIPMENT

All tools & tackles necessary for the work shall have to be procured by the contractor unless other wise specified elsewhere in these tender documents. The equipment used by the contractor for a particular work must be appropriate for the type of work. The contractor shall maintain the equipment used on the work properly so that they are in good working condition. In no case shall the contractor use defective or imperfect equipment in the work. The contractor shall arrange to replace or repair all defective equipment so that the progress of the work is not hampered. No defective equipment should be left at the site of work and the department shall not be responsible for any loss or damage to any of these equipments during the course of the execution of the work.

#### 27. SUB-CONTRACT

The purchaser (WTL) does not recognize the existence of Sub-Contractors. The Contractor's responsibility is not transferable.

#### 28. TERMINATION FOR DEFAULT

WTL may without prejudice to any other remedy or right of claim for breach of contract by giving not less than 30 days written notice of default sent to the contractor, terminate the order in whole or in part. If the contractor materially fails to render any or all the services within the time period specified in the contract or any extension thereof granted by WTL in writing and fails to remedy its failure within a period of thirty days after receipt of default notice from WTL. If the project (delivery, commissioning as well as warranty maintenance support is not carried out according to specification due to deficiency in service as per terms of the contract. In such case WTL will invoke the amount held back from the contractor as PBG.

#### 29. BANKRUPTCY

If the contractor becomes bankrupt or have a receiving order made against him or compound with his creditors or being a corporation commence to be wound up, not being a voluntary winding up for the purpose only or amalgamation or reconstruction, or carry on their business under a receiver for the benefit of their creditors or any of them, WTL shall be at liberty to terminate the engagement forthwith without any notice in writing to the contractor or to the liquidator or receiver or to any person in whom the contractor may become vested and without any compensation to give such liquidator or receiver or other person the option of carrying out the engagement subject to their providing a guarantee for the due and faithful performance of the engagement up to an amount to be determined by WTL.

#### 30. FORCE MAJEURE

It is hereby defined as any cause, which is beyond the control of the Contractor or WTL as the case may be, which such party could not foresee or with a reasonable amount of diligence could not have foreseen and which substantially affect the performance of the contract, such as

- War, Hostilities or warlike operations (whether a state of war be declared or not), invasion, act of foreign enemy and civil war.
- Rebellion, revolution, insurrection, mutiny, usurpation of civil or military, government, conspiracy, riot, civil commotion and terrorist area.
- Confiscation, nationalization, mobilization, commandeering or requisition by or under the order of
  any government or de facto authority or ruler, or any other act or failure to act of any local state or
  national government authority.
- Strike, sabotage, lockout, embargo, import restriction, port congestion, lack of usual means of public transportation and communication, industrial dispute, shipwreck, shortage of power supply epidemics, quarantine and plague.
- Earthquake, landslide, volcanic activity, fire flood or inundation, tidal wave, typhoon or cyclone, hurricane, nuclear and pressure waves or other natural or physical disaster.

If either party is prevented, hindered or delayed from or in performing any of its obligations under the Contract by an event of Force Majeure, then it shall notify the other in writing of the occurrence of such event and the circumstances of the event of Force Majeure within fourteen days after the occurrence of such event. The party who has given such notice shall be excused from the performance or punctual performance of its obligations under the Contract for so long as the relevant event of Force Majeure continues and to the extent that such party's performance is prevented, hindered or delayed.

The party or parties affected by the event of Force Majeure shall use reasonable efforts to mitigate the effect of the event of Force Majeure upto its or their performance of the Contract and to fulfill its or their obligation under the Contract but without prejudice to either party's right to terminate the Contract.

No delay or nonperformance by either party to this Contract caused by the occurrence of any event of Force Majeure shall.

- Constitute a default or breach of the contract.
- Give rise to any claim fro damages or additional cost or expense occurred by the delay or nonperformance. If, and to the extent, that such delay or nonperformance is caused by the occurrence of an event of Force Majeure.

#### 31. INSURANCE COVERAGE

Appropriate insurance to cover all solution components for the transit period and until the time of its acceptance at the respective site is to be taken by the contractor. As the contractor will carry the risk for the material in his books during transit, the contractor should arrange insurance for the total system as period from the dispatch till Acceptance Test is successfully achieved. Further the contractor is to take all required insurance coverage in respect of all its personnel who shall be working on this engagement.

#### 32. WARRANTY

The Bidder/OEM will warranty for all equipments/ services for 3 years from the date of implementation/ acceptance and that the products supplied under the contract are newly made and are free from defects in the design, engineering and workmanship. The bidder would be responsible for the up keep, reinstallation, configuration, re-configuration, tuning, documenting and maintenance of the infrastructure and necessary deliverables under the scope of work during the entire warranty period of three years for all items of BOM from the date of final acceptance of the system by the customer. The bidder shall not, without the express prior written consent of WTL, assign to any third party of the contract or part thereof.

Service support for the entire warranty period will be on site and comprehensive (including spares) and free of cost for the entire warranty period.

#### 33. WARRANTY SUPPORT

The total system will be warranted against bad workmanship and manufacturing defects for 36 months from the date of acceptance of the system whole or part. Service support for the entire warranty period will be on site and comprehensive (including spares and all other support) and free of cost for the entire warranty period. The bidder should have a call centre in Kolkata. The contact details of the call centre must be furnished along with the bid. Any call logged with the service centre must be given a running docket number to the person reporting the call. Maximum response time – Next Business day. Call resolution time – 48 hrs maximum. If the uptime goes below the prescribed limit in any quarter, the same will be noted. At the scheduled end of the warranty period the total of such deviation will be done and the contractor will have to extend the warranty support by the default time. Penalty shall be deducted for deviation of warranty support.

#### 34. PERFORMANCE BANK GUARANTEE (PBG)

As a guarantee for timely delivery, installation and commissioning of equipment as well as performance of on-site warranty support, as mentioned in Bill of Material, from the date of final acceptance of systems and pertaining to proper running of the systems, the bidder will have to submit 10% of the contract value as security in the form of Performance Bank Guarantee from any nationalized bank as per format enclosed (Section – T).

#### 35. SI/BIDDER/CONTRACTOR'S RESPONSIBILITIES

Refer Section - A

#### 36. NO WAIVER OF RIGHTS

Neither the inspection by WTL or any of their agents nor any order by WTL for payment of money or any payment for or acceptance of the whole or any part of the works by WTL, nor any extension of time, nor any possession taken by WTL shall operate as a waiver of any provision of the contract or of any power reserved to WTL, or any right to damages here in provided, nor shall any waiver of any breach in the contract be held to be a waiver of any other subsequent breach.

#### 37. ENFORCEMENT OF TERMS

The failure of either party to enforce at any time any of the provision of this contract or any rights in respect thereto or to exercise any option here in provided shall in no way be construed to be a waiver to such provisions, rights or options or in any way to affect the validity of the contract. The exercise by either party of any of its rights herein shall not preclude or prejudice either party from exercising the same or any other right it may have hereunder.

#### 38. PERIOD OF VALIDITY OF OFFER

For the purpose of placing the order, the proposals shall remain valid till 180 days. During the period of validity of proposals, the rates quoted shall not change. In exceptional circumstances, WTL may ask for extension of the period of validity and such a request shall be binding on Bidders. WTL's request and the response to such a request by various Bidders shall be in writing. A Bidder agreeing to such an extension will not be permitted to increase its rates.

#### 39. TAXES & DUTIES

- The prices shall be inclusive of all taxes & levies including GST and other statutory duties as applicable. Rate of taxes should be indicated separately in the Price Bid.
- Contract Price specified in Price Bid should be based on the taxes & duties and charges prevailing at the date one day prior to the last date of Bid submission.
- Statutory deduction, wherever applicable, shall be made from invoice as per government rules. Necessary certificate will be issued for such deductions.
- Bidder submitting a bid shall produce valid statutory documents / certificates with respect to GST, Income Tax, ROC, Prof. Tax, Trade Licence, etc. All such documents / certificates shall remain valid on the last date of tender submission.

- In case of inter-state transaction, WTL will provide "Waybill". However, statutory charges, if any will be borne by the bidder.
- GST component of the invoice of the bidder may be kept on hold in case there is any mismatch / irregularity in GST return filling on the part of the bidder.

#### 40. DISCREPANCIES IN BID

- Discrepancy between description in words and figures, the rate which corresponds to the words quoted by the bidder shall be taken as correct.
- Discrepancy in the amount quoted by the bidder due to calculation mistake of the unit rate then the unit rate shall be regarded as firm.
- Discrepancy in totaling or carry forward in the amount quoted by the bidder shall be corrected.

#### 41. BID DUE DATE

The tender shall be submitted not later than the due date and time specified in the Important Dates Sheet. WTL may as its discretion on giving reasonable notice by fax, or any other written communication to all prospective bidders who have been issued the bid documents, extend the bid due date, in which case all rights and obligations of the WTL and the bidders, previously subject to the bid due date, shall thereafter be subject to the new bid due date as extended.

#### 42. LATE BID

Any proposal received after the deadline for submission of proposals may not be accepted.

#### 43. OPENING OF BID BY WTL

Bids shall be opened and downloaded in the presence of Tender Committee and Bidder's representative (maximum 2) may attend, which is not compulsory. The bidder's representatives who are present shall sign a register evidencing their attendance and produce necessary authorization. The bidder's name, Bid modifications or withdrawals, discounts and the presence or absence of relevant Bid Security and such other details as WTL office at his/her discretion, may consider appropriate, shall be announced at the opening. WTL shall open the bid security at mentioned time.

#### 44. CONTACTING WTL

Bidder shall not approach WTL officers beyond office hours and/or outside WTL office premises from the time of the Bid opening to the time of finalization of successful bidder. Any effort by bidder to influence WTL office in the decision on Bid evaluation, Bid comparison or finalization may result in rejection of the Bidder's offer. If the bidder wishes to bring additional information to the notice of WTL, it should be in writing.

#### 45. WTL'S RIGHT TO REJECT ANY OR ALL BIDS

WTL reserves the right to reject any bid and to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected bidder(s) or any obligation to inform the affected bidder(s) of the grounds for such decision.

#### **46. BID CURRENCIES**

Prices shall be quoted in Indian Rupees, inclusive of all prevailing taxes, levies, duties, cess etc.

#### 47. PRICE

- Price should be quoted in the BOQ format only. No deviation is acceptable.
- Price quoted should be firm, inclusive of packing, forwarding, insurance and freight charges.
- Percentage/specified amount of taxes & duties should be clearly mentioned otherwise WTL reserves the right to reject such vague offer.
- Price to be quoted inclusive of supply, installation & commissioning charges.

#### 48. CANVASSING

Canvassing or support in any form for the acceptance of any tender is strictly prohibited. Any bidder doing so will render him liable to penalties, which may include removal of this name from the register of approved Contractors.

#### 49. NON-TRANSFERABILITY OF TENDER

This tender document is not transferable.

#### 50. FORMATS AND SIGNING OF BID

The original and all copies of the proposals shall be neatly typed and shall be signed by an authorized signatory(ies) on behalf of the Bidder. The authorization shall be provided by written Power of Attorney accompanying the proposal. All pages of the proposal, except for un-amended printed literature, shall be initialed by the person or persons signing the proposal. The proposal shall contain no interlineations, erase or overwriting. In order to correct errors made by the Bidder, all corrections shall be done & initialed with date by the authorized signatory after striking out the original words/figures completely.

#### 51. WITHDRAWAL OF BID

Bid cannot be withdrawn during the interval between their submission and expiry of Bid's validity period. Fresh Bid may be called from eligible bidders for any additional item(s) of work not mentioned herein, if so required.

#### **52. INTERPRETATION OF DOCUMENTS**

If any bidder should find discrepancies or omission in the specifications or other tender documents, or if he should be in doubt as to the true meaning of any part thereof, he shall make a written request to the tender inviting authority for correction/clarification or interpretation or can put in a separate sheet along with his technical bid document.

#### 53. SPLITTING OF THE CONTRACT AND CURTAILMENT OF WORK

WTL reserve the right to split up and distribute the work among the successful bidders and to curtail any item of work in the schedule partly or fully.

#### **54. PREPARATION OF TENDER**

Tender shall be submitted in accordance with the following instructions:

- a) Tenders shall be submitted in the prescribed forms. Digital signatures shall be used. Where there is conflict between the words and the figures, the words shall govern.
- b) All notations must be in ink or type written. No erasing or overwriting will be permitted. Mistakes may be crossed out and corrections typed or written with ink adjacent thereto and must be initialed in ink by the person or persons signing the tender.
- c) Tenders shall not contain any recapitulation of the work to be done. Alternative proposals will not be considered unless called for. No written, oral, telegraphic or telephonic proposals for modifications will be acceptable.
- d) Tenders shall be uploaded as notified on or before the date and time set for the opening of tenders in the Notice Inviting Tenders.
- e) Tenders subject to any conditions or stipulations imposed by the bidder are liable to be rejected.
- f) Each and every page of the tender document must be signed with company seal by the bidder.

#### 55. CLARIFICATION OF BIDS

During evaluation of the bids, the Customer/Tender Committee, at its discretion may ask the bidder for clarification of its bid. The request for the clarification and the response shall be in writing (fax/email) and no change in the substance of the bid shall seek offered or permitted.

#### 56. COMPLIANCE WITH LAW

The contractor hereto agrees that it shall comply with all applicable union, state and local laws, ordinances, regulations and codes in performing its obligations hereunder, including the procurement of licenses, permits certificates and payment of taxes where required.

The contractor shall establish and maintain all proper records (particularly, but without limitation, accounting records) required by any law, code/practice of corporate policy applicable to it from time to time including records and returns as applicable under labor legislation.

#### **57. ERASURES OR ALTERNATIONS**

The offers with overwriting and erasures may make the tender liable for rejection if each of such overwriting/erasures/manuscript ions is not only signed by the authorized signatory of the bidder. There should be no hand-written material, corrections or alterations in the offer. Technical details must be completely filled up. Correct technical information of the product being offered must be filled in. Filling up of the information using terms such as "OK", "accepted", "noted", "as given in brochure/manual" is not acceptable. The Customer may treat offers not adhering to these guidelines as unacceptable. The Customer may, at its discretion, waive any minor non-conformity or any minor irregularity in the offer. This shall be binding on all bidders and the Tender Committee reserves the right for such waivers.

#### 58. FINAL INSPECTION

Final inspection will be carried by the authorized representative from WTL.

#### 59. LOCATION DETAILS

15 Government Department/Offices in Kolkata. Exact office address for each location will be intimated to L1 biider.

#### **60. SITE INSPECTION**

Bidder can inspect (at their own cost) the sites if required, for which they have to take necessary permission from WTL in writing. WTL will take at least four days to organize such permission.

#### 61. QUALITY CONTROL

- The contractor is obliged to work closely with WTL act within its authority and abide by directive issued by them on implementation activities.
- The contractor will abide by the safety measures and free WTL from all demands or responsibilities arising from accident/loss of life, the cause of which is due to their negligence. The bidder will pay all indemnities arising from such incidents and will not hold WTL responsible.
- The contractor will treat as confidential all data and information about the system, obtained in the execution of its responsibilities in strict confidence and will not reveal such information to any party without the prior written approval of WTL.
- WTL reserves the right to inspect all phases of contractor's operation to ensure conformity to the
  specifications. WTL shall have engineers, inspectors or other duly authorized representatives
  made known to the contractor, present during the progress of the work and such representatives
  shall have free access to the work at all times. The presence or absence of representatives of
  WTL does not relieve the contractor of the responsibility for quality control in all phases.
- The Court of Kolkata only will have the jurisdiction to deal with and decide any legal matters or dispute whatsoever arising out of the contract.

#### **62. DEEMED ACCEPTANCE**

Deliverables will be deemed to be fully and finally accepted by Department in the event Department has not submitted such Deliverable Review Statement to Bidder/Implementation Partner before the expiration of the 30-days review period, or when Department uses the deliverable in its business, whichever occurs earlier ("Deemed Acceptance").

#### **63. GENERAL TERMS**

- a) All the pages of the bid document including documents submitted therein must be duly signed and stamped failing which the offer shall be liable to be rejected.
- b) All the documents to be submitted by the bidder along with their offer should be duly authenticated by the person signing the offer and if at any point of time during procurement process or subsequently it is detected that documents submitted are forged/tampered/manipulated in any way, the total responsibility lies with the bidder and WTL reserves the full right to take action as may be deemed fit including rejection of the offer and such case is to be kept recorded for any future dealing with them.
- c) No Technical/Commercial clarification will be entertained after opening of the tender.

- d) Overwriting and erasures may make the tender liable for rejection if each of such overwriting/erasures/manuscription is not only signed by the authorized signatory of the bidder. All overwriting should be separately written and signed by the authorized signatory of the bidder.
- e) Quantity mentioned in the tender document is indicative only and orders shall be placed subject to actual requirement. WTL reserve the right to increase or decrease the quantity specified in the tender.
- f) WTL reserve the right to reject or accept or withdraw the tender in full or part as the case may be without assigning the reasons thereof. No dispute of any kind can be raised the right of buyer in any court of law or elsewhere.
- g) WTL reserve the right to ask for clarification in the bid documents submitted by the bidder. Documents may be taken if decided by the committee.
- h) No dispute by the bidders in regard to Technical/Commercial points will be entertained by WTL and decision taken by the Tender Committee will be final.
- i) Discrepancy in the amount quoted by the bidder due to calculation mistake, the unit rate shall be regarded as firm and the totaling or carry in the amount quoted by the bidder shall be corrected accordingly.
- The price offers shall remain firm within the currency of contract and no escalation of price will be allowed.
- k) The acceptance of the tender will rest with the accepting authority who is not bound to accept the lowest or any tender and reserves the right to reject in part or in full any or all tender(s) received and to split up the work among participants without assigning any reason thereof.
- 1) The customer/WTL at its discretion may extend the deadline for the submission of Bids.
- m) The Court of Kolkata only will have the jurisdiction to deal with and decide any legal matters or dispute whatsoever arising out of the contract.

#### SECTION - E

#### TECHNO COMMERCIAL EVALUATION & AWARDING OF CONTRACT

#### 1. EVALUATION PROCEDURE

- The Eligibility Criteria (Section C) will be evaluated by Tender Committee and those qualify will be considered for further evaluation.
- The Tender Committee shall verify the Technical Specification (Technical Specification with Compliance Statement, Section I) Deviation in specification shall not be allowed. Bidder qualified in Technical Specification shall be considered for further evaluation.
- After qualifying in Technical Specification, qualified bidders will only be considered for Financial Bid evaluation.

#### 2. FINAL EVALUATION

Financial Proposal of the bidders qualifying in the evaluation of Technical Specification will be evaluated. The bidder who has qualified in the Technical Specification and returns with lowest quote (L1) in Financial Bid will normally be awarded the contract subject to Post Qualification.

#### 3. AWARDING OF CONTRACT

An affirmative Post Qualification determination will be prerequisite for award of the contract to the most overall responsive bidder. A negative determination will result in rejection of bidder's bid, in which event the WTL will proceed to the next lowest evaluated bidder to make a similar determination of that bidder's capability to perform satisfactorily. WTL will award the contract to the successful bidder whose bid has been determined to be substantially responsive after final negotiation may held with the most responsive bidder, if required. This is a turnkey job in a nature, so bidder(s) to quote all the items mentioned in the tender document, which can ensure single point contact / sole responsibility of the bidder(s) towards project execution. The successful bidder (s) will have to give security deposit in the form of Performance Bank Guarantee.

#### 4. POST OUALIFICATION

The determination will evaluate the Bidder's financial, technical, design, integration, customization, production, management and support capabilities and will be based on an examination of the documentary evidence of the Bidder's qualification, as well as other information WTL deems necessary and appropriate. This determination may include visits or interviews with the Bidder's client's reference in its bid, site inspection, and any other measures. At the time of post-qualification, Department of Par& e-Governance may also carry out tests to determine that the performance or functionality of the Information System offered meets those stated in the detailed Technical Specification.

#### **SECTION - F**

#### **BID FORM**

(Bidders are requested to furnish the Bid Form in the Format given in this section, filling the entire Blank and to be submitted on Letter Head in original)

To Webel Technology Limited Plot – 5, Block – BP, Sector - V, Salt Lake City, Kolkata – 700091.

Sub: Supply & Installation of UTM/Firewall in department Head Quarter, GoWB in Kolkata.

Dear Sir,

- 1. We the undersigned bidder/(s), having read and examined in details the specifications and other documents of the subject tender no. WTL/PAR/UTM/17-18/038 dated 08.02.2018, do hereby propose to execute the job as per specification as set forth in your Bid documents.
- 2. The prices of all items stated in the bid are firm during the entire period of job irrespective of date of completion and not subject to any price adjusted as per in line with the bidding documents. All prices and other terms & conditions of this proposal are valid for a period of 180 (one hundred eighty) days from the date of opening of bid. We further declare that prices stated in our proposal are in accordance with your bidding.
- 3. We confirm that our bid prices include all other taxes and duties and levies applicable on bought out components, materials, equipments and other items and confirm that any such taxes, duties and levies additionally payable shall be to our account.
- 4. Earnest Money Deposit: We have enclosed EMD in the form of Demand draft for a sum of Rs. 1,40,000/- (DD no. \_\_\_\_\_\_ dated \_\_\_\_\_ drawn on \_\_\_\_\_).
- 5. We declare that items shall be executed strictly in accordance with the specifications and documents irrespective of whatever has been stated to the contrary anywhere else in our proposal. Further, we agree that additional conditions, deviations, if any, found in the proposal documents other than those stated in our deviation schedule, save that pertaining to any rebates offered shall not be given effect to.
- 6. If this proposal is accepted by you, we agree to provide services and complete the entire work, in accordance with schedule indicated in the proposal. We fully understand that the work completion schedule stipulated in the proposal is the essence of the job, if awarded.
- 7. We further agree that if our proposal is accepted, we shall provide a Performance Bank Guarantee of the value equivalent to ten percent (10%) of the Order value as stipulated in Financial Bid (BOQ).
- 8. We agree that WTL reserves the right to accept in full/part or reject any or all the bids received or split order within successful bidders without any explanation to bidders and his decision on the subject will be final and binding on Bidder.

Dated, this	day of	2018
Thanking you we rem	nain	

Yours faithfully	
Signature	
Name in full	
Designation	
	Signature & Authorized Verified by
	Signature
	Name in full
	Designation
	Company Stamp

#### **SECTION - G**

#### **GUIDANCE FOR E-TENDERING**

Instructions / Guidelines for electronic submission of the tenders have been annexed for assisting the Bidders to participate in e-Tendering.

#### 1. Registration of Bidder:

Any Bidder willing to take part in the process of e-Tendering will have to be enrolled & registered with the Government e-Procurement System through logging on to https://wbtenders.gov.in. The Bidder is to click on the link for e-Tendering site as given on the web portal.

#### 2. Digital Signature Certificate (DSC):

Each Bidder is required to obtain a Class-II or Class-III Digital Signature Certificate (DSC) for submission of tenders from the approved service provider of the National Informatics Centre (NIC) on payment of requisite amount. Details are available at the Web Site stated above. DSC is given as a USB e-Token.

3. The Bidder can search & download N.I.T. & BOQ electronically from computer once he logs on to the website mentioned above using the Digital Signature Certificate. This is the only mode of collection of Tender Documents.

#### 4. Participation in more than one work:

A prospective bidder shall be allowed to participate in the job either in the capacity of individual or as a partner of a firm. If, found to be applied severally in a single job all the applications will be rejected.

#### 5. Submission of Tenders:

Tenders are to be submitted through online to the website stated above in two folders at a time, one in Techno Commercial Proposal & the other is Financial Proposal before the prescribed date & time using the Digital Signature Certificate (DSC). The documents are to be uploaded virus scanned copy duly Digitally Signed. The documents will get encrypted (transformed into non readable formats)

The proposal should contain scanned copies of the following in two covers (folders).

#### **Techno Commercial Cover:**

#### Technical Document1 (scanned & join in pdf format then upload)

- 1. Copy of Demand Draft of Earnest Money Deposit (EMD)
- 2. Copy of Demand Draft of Tender Fee
- 3. Bid Form as per format (Section F)

### Technical Document2 (scanned & join in pdf format then upload)

1. NIT Declaration duly stamped & signed in bidder's letter head, Section - R

#### Technical Compliance (scanned & join in pdf format then upload)

- 1. Technical Specification With Compliance Statement (Section I)
- 2. Manufacturer Authorisation Form (Section P)

#### **Financial Cover:**

BOQ will be downloaded and same will be uploaded with quoted rates. While uploading BOQ file name shall remain unchanged. Absence of this document shall lead to summary rejection of the bid.

### NON-STATUTARY COVER (MY SPACE) CONTAIN FOLLOWING DOCUMENT:

(In each folder, scanned coy will be uploaded with single file having multiple pages)

S1. No.	Category Name	Sub Category Name	Sub Category Description	
A	CERTIFICATES	A1. CERTIFICATES	<ul> <li>GST Registration Number</li> <li>PAN</li> <li>Document as per Clause no. 2 of Section – C</li> </ul>	
В	COMPANY DETAILS	B1. COMPANY DETAILS 1	<ul> <li>Document as per Clause – 1 of Section – C</li> <li>Declaration as per Clause no.13 of Section – C</li> </ul>	
		B2. COMPANY DETAILS 2	<ul> <li>Company Profile (Not more than 3 pages)</li> <li>ISO Certificate as per Clause no. 10 of Section –</li> <li>C</li> </ul>	
С	CREDENTIAL	CREDENTIAL 1	Order copies as per Clause no. 4 of Section – C	
		CREDENTIAL 2	Product brochure     Other documents, if any	
D	DECLARATION	DECLARATION 1	<ul> <li>List of Clients as per format (Section – O)</li> <li>Financial Capability of Bidder as per format (Section – K)</li> </ul>	
		DECLARATION 2	Document as per Clause no. 11 of Section – C,     Format Section – N	
		DECLARATION 3	Bidder's Details as per format (Section – L)	
		DECLARATION 4	Details of Order as per format (Section – J)	
		DECLARATION 5	Declaration as per Clause no.5 of Section - C	
F	FINANCIAL INFO	P/L & BALANCE SHEET 2014-2015	P/L & BALANCE SHEET 2014-2015	
		P/L & BALANCE SHEET 2015-2016	P/L & BALANCE SHEET 2015-2016	
		P/L & BALANCE SHEET 2016-2017	P/L & BALANCE SHEET 2016-2017	

The hard copy of the total set of documents uploaded in e-Tender site except BOQ to be submitted in sealed envelope to Manager (Purchase), Webel Technology Ltd. before opening of Technical Bid. The envelope superscripted with words "Hard copy of document uploaded against Tender no. WTL/PAR/UTM/17-18/038 except BOQ".

### **SECTION - H**

### **BILL OF MATERIAL**

S1. No.	Item Description	Qty	Unit
1.	UTM / FIREWALL (UTM services should be quoted with 3 yrs support & services)	15	Nos.
2.	ANALYZER REPORTING SOFTWARE	15	Nos.

Bill of quantity may change at the time of ordering/execution of work. Final bill will be raised on actual consumption of all materials.

<u>Detailed Technical Specifications are given in Section – I</u>

#### **SECTION - I**

### TECHNICAL SPECIFICATION WITH COMPLIANCE STATEMENT

- Bidder should submit all relevant data sheet/brochure of all quoted items and should also available in respective OEM's official website.
- Bidder should indicate items mentioned in the OEM data sheet / brochure by marketing the serial no. as mentioned in minimum specification in the RFP.

	Minimum Specificat	tion of UTM / Firewall		
	Qty. : 15 Nos.			
	Make:			
	Model:			
SL. No.	Part No.	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)	Remarks
1	Integrated Security Appliance which is capable of supporting Firewall, VPN, IPS, Web filtering, IPv6 ready, Gateway Antivirus and e-Mail filtering capabilities should be supported which will be configured as per requirement at a later stage.			
2	Product support should be (24X7)			
3	Appliance based firewall, Should be VPNC, ICSA Firewall & Anti virus			
4	Vendor to support appliance for at least 3 years from the date of installation.			
5	Number of Network Interfaces to be mentioned exactly as supported by the device, Vendor to quote with minimum of (12) 10/100/1000 copper gigabit, 4x2.5 Gbe SFP, 4x2.5 GBE, 2 USB, 1 console interface.			
6	Appliance should have dedicated 1Gbe management interface			
7	Should support firewall throughput of at least 3 Gbps or higher			
8	Should support VPN throughput of at least 1.5 Gbps or higher			
9	Should support at least 225000 concurrent sessions and at least 15000 new sessions per second			
10	The device should not have license restriction on number of users			
11	Should support at least 1000 IPSec Site-to-Site VPN tunnels and 1000 no of IPSec Remote access VPN			
12	Should support at least 350 concurrent SSL VPN users			
13	The firewall should be able to support dynamic load balancing for data passing through the firewall. If external firewall load balancers are required same is to be mentioned.			
14	Dual WAN / ISP support: Should support automatic ISP failover as well as ISP load sharing and load balancing for outbound traffic.			

	The second and a second	I	1
	Traffic Management: option to configure traffic shaping on a per policy basis for specific		
15	application/specific networks and should be able to		
10	define guaranteed bandwidth and maximum		
	bandwidth per policy.		
1.0	Should not have 2 <sup>nd</sup> generation proxy inbuilt on to		
16	the appliance to avoid latency		
17	The appliance Should support 256 VLAN interfaces		
	(802.1q)		
18	Appliance should support IPSec NAT Traversal		
19	Should support OSPF, RIP V1 and V2 routing protocol.		
20	It should support IPV6		
21	Bandwidth Control / Restriction per IP Address group & Per policy should be available.		
22	Should Support NAT without degrading the		
	performance of the firewall		
00	Should support authentication using XAUTH /		
23	RADIUS, Active Directory, SSO, LDAP, Novell, internal user database, Terminal Services, Citrix		
24	Should have Layer 2 bridge or transparent mode		
	Should have at least 1.4 Gbps of IPS throughput or		
25	higher		
	IPS shall be able to detect incidents that originate		
26	from inside the network perimeter as well as from		
40	outside the network perimeter and shall be able to		
	take action on the basis of configured policies.		
27	Appliance should have atleast 22 classes of DOS & DDOS & scanning attacks and attack protection		
	Should not have any point of failure devices like		
28	hard drives inbuilt on the appliance rather should		
	support flash		
29	Should have all security functionalities inbuilt on single appliance		
	The IPS and or UTM should be configured in a		
30	manner, so that in case if the either fails the traffic		
	should not be affected, without any manual intervention.		
	Should do real time scanning rather than proxy		
31	base scanning of all the traffic passing through the		
	appliance.		
	Signatures should have a severity level defined to it		
32	so that it helps the administrator to understand and		
02	decide which signatures to enable for what traffic		
	(eg. for severity level: high, medium, low)		
33	Should be able to generate graphical reports on top		
	attacks, source for attack etc.  Should have the option to schedule reports for		
34	automatic generation & email it to admin		
	Vendor updates its attack signature database		
0.5	regularly and it should be configurable to update		
35	the signatures automatically without manual		
	intervention.		
	Vendor makes new attack signatures and new		
36	major software releases available for download		
-	from their Web site		
37	Should be a integrated solution with appliance based firewall on a single chassis with multi core		
	processor.		
		<u> </u>	

ı	l a 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	l l	1
00	Should not be an ASIC's based solution rather		
38	should be quad core or higher processor for faster		
	processing.		
39	The proposed solution should have minimum 600		
	Mbps of Anti malware throughput or higher		
	Antivirus should provide real-time detection of		
40	viruses and malicious code at the gateway for		
	SMTP, POP3,HTTP, FTP etc Internet traffic		
	The proposed solution should be licensed per unit		
41	as against per user		
	Should support full Deep packet inspection through		
42			
	put of 600 MBPS or higher.		
43	Vendor to declare IMIX internet mix for appliance		
	and should not be less than 700 MBPS		
	Vendor to declare UTM/Deep packet inspection		
44	throughput and should submit valid document for		
	the same		
4.5	Antivirus Gateway should have option to configure		
45	to respond to virus detection in several ways		
	Automatic Frequent updates of virus pattern files		
46	Should be available from the vendor with out		
	manual intervention		
	Should not buffer traffic before scanning for virus or		
47	ips.		
	Should have facility to block files based on file		
48	extensions		
49	Should be an unlimited user based appliance		
	Should have capability to scan unlimited file size		
50	without buffering them		
	The proposed solution should be scalable and offer		
	fault tolerance to safeguard against hardware		
51	failures. The failover should be capable of taking		
0.1	over the traffic with out any manual intervention		
	and session loss.		
	The solution should support load balancing for the		
52	AV or UTM ,for the traffic which needs to be		
34	scanned in case appliance fails		
	Should have reporting facility to generate reports		
53	on virus detected over different protocols, top		
	sources for viruses, destination for viruses, top		
	viruses etc		
	Web content filtering solution should work		
	independently without the need to integrate with		
54	proxy server, there should not be any proxy inbuilt		
	in to the UTM		
	Should have facility to block URLs based on		
55	categories		
	<u> </u>		
56	The proposed solution should be licensed per unit		
	as against per user.		
57	URL database should have at least 15 million sites		
	and 50 + categories.		
58	URL Database should be updated regularly by the		
36	OEM automatically		
	Should be able to block different categories/sites		
59	based on users/groups.		
	Should have facility to configurable policy options		
60	to block web sites based on banned words.		
	Should have application control and intelligence		
61			
01	inbuilt in the systems with out support of external device.		
	uevice.		

Application control should have more than 5500 + applications inbuilt and should have granular control over the application  Should have configurable policy options to define the URL exempt list  The solution should be able to block spywares /  The solution should have options to block java applies, activeX as well as cookies  Should have configurable speak of the control of the second of the solution should have options to block java applies, activeX as well as cookies  Should not allow down the performance of UTM on enabling anti spam  Should have configurable spam actions for detected spam mails  Should have configurable spam actions for detected spam mails  Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transpariently, and then re traffice for scanning transpariently, and then re  The solution should help to analyze/understand  Attacks over various protocole like http, ftp, SMTP of the solution should help to analyze/understand  The solution should help to analyze/understand  The solution should help to analyze/understand  Should have opions to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated of mail address  Should have options to generate reports in different formats	1	1	,	
control over the application  Should have configurable policy options to define the URL exempt list  The solution should be able to block spywares / adwares etc.  The solution Should have options to block java applets, active X as well as cookies  Vendor should have REL database of known spam sources to validate/check whether the mail is a spam or not  Should not allow down the performance of UTM on enabling anti spam mails  Should have configurable spam actions for detected spam mails  Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for searning transparently, and then re encrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand  Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destinations for attacks  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destinations for attacks  Should have configurable parameters to send alort emails based on event type.  Should have configurable parameters to send alort emails based on event type.  Should have configurable parameters to send alort emails based on event type.  Should have configurable parameters to send alort emails based on event type.  Should have configurable parameters to send alort emails based on event type.  Should have configurable parameters to send alort emails based on event type.  Should have configurable parameters to send		Application control should have more than 5500 +		
the UME exempt list  The solution should be able to block spywares / advates etc.  The solution should have options to block java applets, activeX as well as cookies  Vendor should have RBL database of known spam spam or not  Should not alow down the performance of UTM on enabling anti spam  Should have configurable spam actions for detected spam mails  Should have configurable spam actions for detected spam mails  logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for seanning transparently, and then re encrypt to send to destination if no threat found The solution should help to analyze/understand Attacks over various protocols like hitp, ftp, SMTP  to  The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks formation The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks sources and destination for attacks The solution should help to generate reports in different formats The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution sho	62	applications inbuilt and should have granular		
the UME exempt list  The solution should be able to block spywares / advates etc.  The solution should have options to block java applets, activeX as well as cookies  Vendor should have RBL database of known spam spam or not  Should not alow down the performance of UTM on enabling anti spam  Should have configurable spam actions for detected spam mails  Should have configurable spam actions for detected spam mails  logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for seanning transparently, and then re encrypt to send to destination if no threat found The solution should help to analyze/understand Attacks over various protocols like hitp, ftp, SMTP  to  The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks formation The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks sources and destination for attacks The solution should help to generate reports in different formats The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution sho		control over the application		
the URL exempt list The solution should be able to block spywares / adwares etc. The solution fishould have options to block java applets, activeX as well as cookies Vendor should have REL database of known spam sources to validate/check whether the mail is a spam or not Should not slow down the performance of UTM on enabling anti spam  Should have configurable spam actions for detected spam mails Logging and reporting solution should be supported. The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested. Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in tierms of which are the frequent attacks as well as top sources and destination for attacks  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report openeration  The solution should have configurable options to schedule the				
The solution should be able to block spywares / adverse stc.  The solution Should have options to block java applets, activeX as well as cookies  Vendor should have RBL database of known spam some of the support of the state of the support of the	63			
adwares etc.  The solution Should have options to block java applest, active X as well as cookies  Vendor should have RIL database of known spam sources to validate/check whether the mail is a spam or not should have RIL database of known spam sources to validate/check whether the mail is a spam mails or not should not slow down the performance of UTM on enabling anti spam as the spam mails a spam mails a logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV. IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found. The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand A flatacks over various protocols like http. ftp. SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different tormats  The solution should have configurable options to send the reports as a mall to the designated email address.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution sho		1		
The solution Should have options to block java applets, activeX as well as cookies  Vendor should have RRI database of known spam spam or not spam or not spam or not spam or not enabling anti spam  Should have configurable spam actions for detected spam mails  Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSI to decrypt HTTPS  That filter for seaming transparently, and then recurrently to send to destination if no threat found  The solution should have readymade templates to generate or stack reports, bandwidth report and the reports or attack reports, bandwidth report and the reports or attack reports, bandwidth report enables to generate reports or attack reports, bandwidth report enables to generate reports or attack reports, bandwidth report enables to generate reports in the interns of which are the frequent attacks as well as top sources and destination for attacks  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in different formats  The solution should have configurable options to sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated entwer to collect the logs  If separate server/appliance is required for the logging & reporting the solution.  The solution should be running its own syslog server or integrated entwer to collect the logs  If separate server/appliance	64	_ ·		
Applets, activeX as well as cookies				
Vendor should have RBL database of known spam spam or not  Should not slow down the performance of UTM on enabling anti spam Should have configurable spam actions for detected spam mails  Bould have configurable spam actions for detected spam mails  Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks formats  The solution should have configurable options to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  The solution should have configurable options to schedule the reports as mail to the designated email address available on the same platform  The solution should have configurable options to schedule the report send to the logging a reporting, the BOM & cost should be included in the proposed solution.  The solution should have configurable options to schedule the report send to the proposed solution.  The solution should have configurable options to schedule	65			
spam or not  Should not slow down the performance of UTM on enabling anti spam  Should have configurable spam actions for detected spam mails  Should have configurable spam actions for detected spam mails  Should have configurable spam actions for detected spam mails  Should have configurable spam actions for detected spam mails  Should supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSI, to decrypt HTTPS  That face for scanning transparently, and then reencrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand  Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configura				
spam or not  for on the configurable spam actions for detected spam mails  Should have configurable spam actions for detected spam mails  Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand  Attacks over various protocols like http, ftp, SMTP etc  the solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report as an amil to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report separation.  The solution should have configurable options to schedule the report send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report separation.  The solution should have configurable options to schedule the report send the report as a mail to the designated on the proposed solution.  The solution should have canning applicate for the logging & reporting, the BOM & cost should be included in the proposed solution.  Th				
Should not slow down the performance of UTM on enabling anti spam and should have configurable spam actions for detected spam mails  Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, DS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then reencrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  The solution should have configurable options to send the reports as a mail to the designated email address  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs if its parameters to set alert.  The solution should be running its own syslog server or integrated server to collect the logs if its parameters are parts in the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have configurable parameters in set alert.  The solution should be running its own syslog server or integrated server to collect the logs if its parameters in the logs if its parameters in the logs in the solution should have configurable parameters in the logs in the solution should have configurable parameters in the logs in the solution should have configurable parameters in the logs in the solution should	66	sources to validate/check whether the mail is a		
eabling anti spam  Bould have configurable spam actions for detected spam mails  Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then reencrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand  Aftacks over various protocols like http, tp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have sandboxing services available on the same platform  and the proposed solution.  The solution should have configurable options to generate reporting the BOM &		spam or not		
enabling ant spam  8 Should have configurable spam actions for detected spam mails  9 Logging and reporting solution should be supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  76 Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  9 Should have configurable parameters to send alert emails based on event type.  9 Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  10 The solution should have configurable options to schedule the report generation  11 The solution should have configurable options to schedule the report generation  12 The solution should have configurable options to schedule the report generation  13 The solution should have sonfigurable options to schedule the report generation  14 The solution should have sandboxing service savalable on the same platform  15 The solution should have sandboxing services available on the same platform  16 Should have configurable parameters to set should be included in the proposed solution.  17 The solution should have sandboxing services savalaboxing service should use atleast 3 scanning engine for scanning suspicious traffic  17	07	Should not slow down the performance of UTM on		
spam mails    Solid ging and reporting solution should be supported.	01	enabling anti spam		
spam mails    Solid ging and reporting solution should be supported.	00	Should have configurable spam actions for detected		
supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then reencrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc.  The solution should help to analyze/understand  Attacks over various protocols like http, ftp, SMTP etc.  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation on malware available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have and box in purposes	68			
supported.  The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then reencrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc.  The solution should help to analyze/understand  Attacks over various protocols like http, ftp, SMTP etc.  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation on malware available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have and box in purposes		Logging and reporting solution should be		
The solution should generate the reports for the frequested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then reencrypt to send to destination if no threat found. The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc.  The solution should help to analyze/understand. Attacks over various protocols like hitp, ftp, SMTP etc.  The solution should help to analyze/understand delive application usage in the network.  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks.  Should have options to generate reports in different formats.  The solution should have configurable options to send the reports as a mail to the designated email address.  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have configurable options to schedule the report generation.  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have andboxing service should be able to upload malicious file manually for sandboxing pulposes	69			
firewall, gateway level AV, IPS web filtering requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand  Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  for Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  If separate server/appliance is required for the logg if server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  By Sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
requested.  Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to send the reports as a mail to the designated email address  The solution should have configurable potions to send the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have andboxing service should be albeit on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	70			
Should support deep packet SSL to decrypt HTTPS traffice for scanning transparently, and then re encrypt to send to destination if no threat found  The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  Should have configurable options to schedule the report generation  If separate server/appliance is required for the logs if separate server/appliance is required for the logs ging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  At addoxing service should use atleast 3 scanning engine for scanning engines for sandboxing services available on the same platform end of the scanning engines for sandboxing should have have 100% NSIs labs recommendation on malware catch rate  Be daily for sandboxing purposes	10			
traffice for scanning transparently, and then re encrypt to send to destination if no threat found The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  If seloution should have configurable options to schedule the report generation  If seloution should be running its own syslog server or integrated server to collect the logs If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  By Should have sandboxing services available on the same platform  and her solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning s		- 1		
encrypt to send to destination if no threat found The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks Should have options to generate reports in different formats The solution should have configurable options to send the reports as a mail to the designated email address Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert. The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have something its own syslog server or integrated server to collect the logs if separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  At analoxing service should use atleast 3 scanning engine for scanning engines for sandboxing should have low some platform analoxing services should be adminished be able to upload malicious file manually for sandboxing purposes	71			
The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports a mail to the designated email address  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  and the proposed solution.  The solution should have sandboxing services available on the same platform  and the same platform sandboxing service should be and sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have low for sandboxing purposes	11			
generate reports like complete reports or attack reports, bandwidth report etc  The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  and The solution should have sandboxing services available on the same platform  and Should service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have loo% NSS labs recommendation on malware catch rate  and manually for sandboxing purposes				
reports, bandwidth report etc  The solution should help to analyze/understand  Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  If severe or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  available on the same platform  available on the same platform  and on the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  amin should be able to upload malicious file manually for sandboxing purposes	70	, , ,		
The solution should help to analyze/understand Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  Should have configurable options to schedule the report generation  It he solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the loginging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  available on the same platform  and sandboxing service should use atleast 3 scanning engine for scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	72			
Attacks over various protocols like http, ftp, SMTP etc  The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  analboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have loo% NSS labs recommendation on malware catch rate  and manually for sandboxing purposes				
the solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  and the proposed solution.  The solution should have sandboxing services available on the same platform  and sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have loo% NSS labs recommendation on malware catch rate  did manually for sandboxing purposes				
The solution should help to analyze/understand the live application usage in the network  Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  By sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  dimin should be able to upload malicious file manually for sandboxing purposes	73	Attacks over various protocols like http, ftp, SMTP		
Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  and sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  definition and the proposes and boxing should have 100% NSS labs recommendation on malware catch rate  address  Should have configurable options to set alert.  Should have 100% NSS labs recommendation on malware catch rate  address  And manually for sandboxing purposes		etc		
Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  and sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  definition and the proposes and boxing should have 100% NSS labs recommendation on malware catch rate  address  Should have configurable options to set alert.  Should have 100% NSS labs recommendation on malware catch rate  address  And manually for sandboxing purposes		The solution should help to analyze/understand the		
Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	74			
which are the frequent attacks as well as top sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
sources and destination for attacks  Should have options to generate reports in different formats  The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  79 Should have configurable parameters to set alert.  80 The solution should have configurable options to schedule the report generation  81 The solution should be running its own syslog server or integrated server to collect the logs  82 logging & reporting, the BOM & cost should be included in the proposed solution.  83 The solution should have sandboxing services available on the same platform  84 sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic  one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  86 admin should be able to upload malicious file manually for sandboxing purposes	75			
The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have loo% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	10			
The solution should have configurable options to send the reports as a mail to the designated email address  The solution should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic  one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
The solution should have configurable options to send the reports as a mail to the designated email address  Should have configurable parameters to send alert emails based on event type.  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	76			
Send the reports as a mail to the designated email address   Should have configurable parameters to send alert emails based on event type.				
Should have configurable parameters to send alert emails based on event type.  79 Should have configurable parameters to set alert.  80 The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  81 Sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  82 admin should be able to upload malicious file manually for sandboxing purposes				
Should have configurable parameters to send alert emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	TT			
emails based on event type.  Should have configurable parameters to set alert.  The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic  one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
emails based on event type.  79 Should have configurable parameters to set alert.  80 The solution should have configurable options to schedule the report generation  81 The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  82 logging & reporting, the BOM & cost should be included in the proposed solution  83 The solution should have sandboxing services available on the same platform  84 sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  86 admin should be able to upload malicious file manually for sandboxing purposes	78			
The solution should have configurable options to schedule the report generation  81 The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  82 In solution should have sandboxing services available on the same platform  83 Sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  84 Badmin should be able to upload malicious file manually for sandboxing purposes		emails based on event type.		
The solution should have configurable options to schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic  one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	79	Should have configurable parameters to set alert.		
schedule the report generation  The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic  one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
The solution should be running its own syslog server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution.  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	80			
server or integrated server to collect the logs  If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	81			
logging & reporting, the BOM & cost should be included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
included in the proposed solution  The solution should have sandboxing services available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	00			
The solution should have sandboxing services available on the same platform  84 sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  86 admin should be able to upload malicious file manually for sandboxing purposes	82			
available on the same platform  sandboxing service should use atleast 3 scanning engine for scanning suspicious traffic  one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
available on the same platform  84	83			
engine for scanning suspicious traffic  one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	<u> </u>			
one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes	84			
have 100% NSS labs recommendation on malware catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
catch rate  admin should be able to upload malicious file manually for sandboxing purposes				
admin should be able to upload malicious file manually for sandboxing purposes	85	have 100% NSS labs recommendation on malware		
manually for sandboxing purposes		catch rate		
manually for sandboxing purposes	96	admin should be able to upload malicious file		
	00			
51 Salicasoning Chymic Silvaic also have 670 laise	87	sandboxing engine should also have 0% false		
		January origina briotic and have 070 large		

	positive from NSS labs	
88	sandboxing service should not be appliance based rather on cloud	
89	admin should to receive detailed report of each & every file sent for sandboxing	
90	there should be an option to hold the file at gateway level until verdict for same is declared	
91	vendor to submit valid doc for NSS labs 100% catch rate of sandboxing engine	
92	The appliance should do re assembly free deep packet inspection of traffic passing through it.	
93	There should not be any file size limitation to be scanned at GAV level.	
94	Appliance should not have proxy inbuilt on to the appliance for content filtering purposes	
95	All the UTM functionalities along with IPSEC & SSL VPN functionalities should be on single platform	
96	All the UTM services should be quoted with 3 yrs support & services	
97	UTM services should consist of Gateway Anti virus, anti spyware, IPS, application control, intelligence & visualization, anti bot, geo IP filtering form day one	
98	24x7 support should be quoted	
99	24x7 support should be available from day one	

uthorized Signatory (Signature In full):
ame and title of Signatory:
town of the Commonwe
tamp of the Company:

### <u>SECTION - J</u>

### **DETAILS OF ORDERS EXECUTED BY BIDDER**

S1. No.	Order No.	Order Date	Order Value	Brief description of items and job details	Completed (Yes/NO)	Name of the Customer	Contact details of the Customer

Authorized Signatory (Signature In full):	
Name and title of Signatory:	
Stamp of the Company:	

### **SECTION - K**

### FINANCIAL CAPABILITY OF BIDDER

(Tender No. WTL/PAR/UTM/17-18/038)

### **FINANCIAL INFORMATION**

Sl. No.	Name of the Bidder	Turnover (Rs. / Crores)			
		2014-15	2015-16	2016-17	
1					

Authorized Signatory (Signature In full):	_
Name and title of Signatory:	
Stamp of the Company:	
Note:	

Submit the audited financial statement/ audited annual report of the last three financial years.

### SECTION - L

### **BIDDERS'S DETAILS**

	Name of the Firm	
1	Name of the Firm	
2	Registered Office Address	
	Contact Number	
	Fax Number	
	E-mail	
3	Correspondence / Contact address	
	Name & Designation of Contact person	
	Address	
	Contact Number	
	Fax Number	
	E-mail	
4	Is the firm a registered company? If yes, submit	
	documentary proof	
	Year and Place of the establishment of the company	
6	Former name of the company, if any	
7	Is the firm	
_	a Government/ Public Sector Undertaking	
	a propriety firm	
	a partnership firm (if yes, give partnership deed)	
	a limited company or limited corporation	
	a member of a group of companies, (if yes, give	
	name and address and description of other	
	companies)	
	a subsidiary of a large corporation (if yes give the	
	name and address of the parent organization). If the	
	company is subsidiary, state what involvement if	
	any, will the parent company have in the project.	
8	Is the firm registered with Sales Tax department? If yes,	
	submit valid VAT Registration certificate.	
9	Is the firm registered for Service Tax with Central Excise	
	Department (Service Tax Cell)? If yes, submit valid Service	
	Tax registration certificate.	
10	Total number of employees. Attach the organizational chart	
	showing the structure of the organization.	
11	Are you registered with any Government/ Department/	
	Public Sector Undertaking (if yes, give details)	
12	How many years has your organization been in business	
	under your present name? What were your fields when you	
	established your organization	
13	What type best describes your firm? (Purchaser reserves	
	the right to verify the claims if necessary)	
	■ Manufacturer	
	<ul> <li>Supplier</li> </ul>	
	System Integrator	
	■ Consultant	
	<ul> <li>Service Provider (Pl. specify details)</li> </ul>	
	<ul> <li>Software Development</li> </ul>	
	<ul> <li>Total Solution provider (Design, Supply ,</li> </ul>	
	Integration, O&M)	
	■ IT Company	
	L · J	1

14	Number of Offices in district head quarters in West Bengal	
15	Is your organization has ISO 9001:2008 certificates?	
16	List the major clients with whom your organization has been	
	/ is currently associated.	
17	Have you in any capacity not completed any work awarded	
	to you? (If so, give the name of project and reason for not	
	completing the work)	
18	Have you ever been denied tendering facilities by any	
	Government / Department / Public sector Undertaking?	
	(Give details)	

Authorized Signatory (Signature In full):
Name and title of Signatory:
Company Rubber Stamp:

### **SECTION - M**

### **PRE-BID MEETING QUERY**

Name o	Name of the Bidder:							
Queries	3							
Sl. No.	Section No.	Clause No.	Page No.	Queries				
before I	<b>Note:</b> The filled form to be submitted in XLS or PDF Format. There is a cut off date for receiving of queries before Pre Bid Meeting. Queries received after the cutoff period will not be accepted. The Purchaser reserves the right to respond all queries over e-mail.							
Authoriz	Authorized Signatory (Signature In full):							
Name a	Name and title of Signatory:							
Compai	Company Rubber Stamp:							

### SECTION - N

### SUPPORT SERVICE CENTER & MANPOWER DETAILS OF BIDDER

S1. Name of Place No.		Address	Name of Support Personnel	Contact Number	

Authorized Signatory (Signature In full):	
Name and title of Signatory:	
Company Rubber Stamp:	

### SECTION - O

### LIST OF CLIENTS OF SIMILAR ORDERS

Sl. No.	Name of the Client	Address	Contact Person	Designation	Contact Numbers

Authorized Signatory (Signature In full):	
Name and title of Signatory:	
Company Rubber Stamp:	

### SECTION - P

### **MANUFACTURER'S AUTHORIZATION FORM**

Date:				
To Webel Technology limited Plot-5, Block-BP, Sector-V Salt Lake <u>Kolkata-700 091</u>				
Ref: Tender No.: WTL/PAR/UTM/17-18/038 da	ated 08.02.2018			
WHEREAS	and	who are having do		facilities at
Products produced by us, for the Supply Requ	(here	inafter, the "Bidde ed with the above I	er") to submit a	bid of the following
When resold bywarranty terms.	, these produc	cts are subject to	our applicable	standard end user
We assure you that in the event of				
We also confirm that			provider/system	n integrator and can
We also confirm that the products quoted ar from the day of this letter. We assure availabile				
We also confirm that the material will be deliv	vered within 60 day	rs from the date of	placement of con	firmed order.
Name In	the capacity of			
Signed				
Duly authorized to sign the authorization for a	nd on behalf of			
Dated on day of	2018			
<b>Note</b> : This letter of authority must be on the le	etterhead of the Ma	nufacturer and dul	y signed by an au	uthorized signatory.

### **SECTION - Q**

### PROFORMA FOR PERFORMANCE BANK GUARANTEE

(On non-judicial stamp paper of appropriate value to be purchased in the name of executing Bank)

# PROFORMA OF BANK GUARANTEE FOR SECURITY DEPOSIT –CUM-PRFORMANCE GUARANTEE

Ref Bank Guarantee no
Date
PROFORMA OF BG FOR SECURITY DEPOSIT
KNOW ALL MEN BY THESE PRESENTS that in consideration of WEBEL TECHNOLOGY LIMTED, a Government of West Bengal Undertaking incorporated under the Companies Act, 1956 having its Registered office at Webel Bhavan, Block EP&GP, Sector V, Kolkata-700 091 (hereinafter called "The Purchaser") having agreed to accept from
dated
Purchaser such sum not exceeding the said sum ofRupees) only as may be specified in such demand, in the event of the Contractor failing or neglecting to execute fully efficiently and satisfactorily the order for Work Order no. ,dated
(3) WE further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said order as laid down in the said Work Order No dated including the warranty obligations and that it shall continue to be enforceable till all the dues of the Purchaser under or by virtue of the said Work Order No dated have been fully paid and its claims satisfied or is charged or till the Purchaser or its authorized representative certified that the terms and conditions of the said Work Order No dated have been fully and properly carried out by the said contractor and accordingly discharged the guarantee.  (4) We the Guarantor undertake to extend the validity of Bank Guarantee at the request of the contractor for further period of periods from time to time beyond its present validity period failing which we shall pay the Purchaser the amount of Guarantee.
(5) The liability under the Guarantee is restricted to Rs (Rupees only and will expire on and unless a claim in writing is presented to us or an action or suit to enforce the claim is filled against us within 6 months from all your rights will be forfeited and we shall be relieved of and discharged from all our liabilities (thereinafter)
(6) The Guarantee herein contained shall not be determined or affected by liquidation or winding up or insolvency or closer of the Contractor.

#### INSTRUCTIONS FOR FURNISHING BANK GUARANTEE

- 1. Bank Guarantee (B.G.) for Advance payment, Mobilization Advance, B.G. for security Deposit-cum-Performance Guarantee, Earnest Money should be executed on the Non- Judicial Stamp paper of the applicable value and to be purchased in the name of the Bank.
- 2. The Executor (Bank authorities) may mention the Power of Attorney No. and date of execution in his/her favour with authorization to sign the documents. The Power of Attorney is to be witnessed by two persons mentioning their full name and address.
- 3. The B.G. should be executed by a Nationalised Bank/ Scheduled Commercial Bank preferably on a branch located in Kolkata. B.G. from Co-operative Bank / Rural Banks is not acceptable.
- 4. A Confirmation Letter of the concerned Bank must be furnished as a proof of genuineness of the Guarantee issued by them.
- 5. Any B.G. if executed on Non-Judicial Stamp paper after 6 (six) months of the purchase of such stamp shall be treated as Non-valid.
- 6. Each page of the B.G. must bear signature and seal of the Bank and B.G. Number.
- 7. The content of the B.G. shall be strictly as Proforma prescribed by WTL in line with Purchase Order /LOI/ Work Order etc. and must contain all factual details.
- 8. Any correction, deletion etc. in the B.G. should be authenticated by the Bank Officials signing the B.G.
- 9. In case of extension of a Contract the validity of the B.G. must be extended accordingly.
- 10. B.G. must be furnished within the stipulated period as mentioned in Purchase Order / LOI / Work Order etc.
- 11. Issuing Bank / The Bidder are requested to mention the Purchase Order / Contract / Work Order reference along with the B.G. No. For making any future queries to WTL.

#### **SECTION - R**

### **NIT DECLARATION**

(Bidders are requested to furnish the Format given in this section, filling the entire Blank and to be submitted on Bidder's Letter Head)

To Webel Technology Limited Plot – 5, Block – BP, Sector -V, Salt Lake City, Kolkata – 700091.

Thanking you, we remain

Sub: Supply & Installation of UTM/Firewall in department Head Quarter, GoWB in Kolkata.

Dear Sir,

We the undersigned bidder/(s) declare that we have read and examined in details the specifications and other documents of the subject tender no. WTL/PAR/UTM/17-18/038 dated 08.02.2018 for Supply & Installation of UTM/Firewall in department Head Quarter, GoWB in Kolkata published by Webel Technology Limited in e-Tender website.

We further declare that we have agreed and accepted all the clauses / sub-clauses / formats / terms & conditions other requirements related to the said tender and we will abide by the same as mentioned in the tender document while participating and executing the said tender.

Yours faithfully
Signature
Name in full
Designation
Company Stamp
Dated, thisday of2018