

# WEBEL TECHNOLOGY LIMITED

## NOTICE INVITING e-TENDER

Online Tender documents are invited for implementation of WBSWAN Connectivity at 172 Government Directorates for implementation of e-office from reputed System Integrators having sufficient experience and credentials for successful completion of “**Similar Nature**” of work in a Government Department/PSU/Autonomous Body or any reputed organization. Bidder must have adequate Service Engineer for providing on-site warranty service within the stipulated time.

1.	Tender No. & Date	WTL/EOFF/CON/18-19/017 dated 17.01.2019
2.	Tender Version No.	1.0
3.	Brief description of material	Implementation of WBSWAN Connectivity at 172 Government Directorates for implementation of e-Office.
4.	Tender Fee	Rs.6000.00 (Rupees Six thousand only)
5.	Earnest Money Deposit	Rs.800000.00 (Rupees Eight lakhs only) in the form of Demand Draft from any Scheduled bank in favour of Webel Technology Limited payable at Kolkata
6.	Date of Downloading/Sale of Tender document	17.01.2019
7.	Pre-Bid Meeting date & time	25.01.2019 at 11.30 hrs <ul style="list-style-type: none"><li>• Only two persons for each intending bidder's organization will be allowed to attend the Pre Bid Meeting.</li><li>• The person should have proper authorization in respective company Letter Head.</li><li>• Only queries as per format (Section - O) reaching WTL by 24.01.2019 at 16.00 hrs will be taken for decision.</li><li>• Queries will be sent to Manager (Purchase) (<a href="mailto:arunava.saha@wtl.co.in">arunava.saha@wtl.co.in</a>) and copy to Ms. Anita Dey (<a href="mailto:anita.dey@wtl.co.in">anita.dey@wtl.co.in</a>) &amp; Ms. Soma Dey (<a href="mailto:soma@wb.gov.in">soma@wb.gov.in</a>).</li></ul>
8.	Bid Submission Start date & time	31.01.2019 at 14.00 hrs
9.	Last date & time of EMD & Tender Fee submission	08.02.2019 at 11.00 hrs
10.	Last date & time of Bid Submission	06.02.2019 at 12.00 hrs
11.	Date & time of Technical Bid Opening	08.02.2019 at 12.00 hrs
12.	Venue of Pre-Bid Meeting & submission of EMD & Tender Fee	WEBEL TECHNOLOGY LIMITED (A Govt. of West Bengal Undertaking) Plot - 5, Block – BP, Sector – V, Salt Lake City, Kolkata – 700091.
13.	Contact person	Mr. Arunava Saha, Contact no. 23673403-06, Ext. 212 Ms. Anita Dey, Contact no. 23673403-06, Ext. 231 Ms. Soma De, Contact no. (033) 23392277

## **WEBEL TECHNOLOGY LIMITED**

1. Intending bidder may download the tender documents from the website <https://wbtenders.gov.in> directly with the help of Digital Signature Certificate. Necessary cost of tender documents (tender application fee) may be remitted through Demand Draft issued from any Scheduled Bank in favour of "Webel Technology Limited", payable at Kolkata and also to be documented through e-filing. Cost of Earnest Money Deposit (EMD) may be remitted through Demand Draft issued from any Scheduled Bank in favour of "Webel Technology Limited", payable at Kolkata and also to be documented through e-filing. The original Demand Draft against Tender Application Fees & Earnest Money Deposit (EMD) should be submitted physically to the Manager (Purchase)/Manager (Finance), Webel Technology Limited, Plot – 5, Block – BP, Sector-V, Salt Lake City, Kolkata-700 091 under sealed cover on or before 11:00 Hrs of 08.02.2019.
2. Both Techno Commercial Bid and Financial Bid are to be submitted concurrently duly digitally signed in the website <https://wbtenders.gov.in>
3. Tender documents may be downloaded from website and submission of Techno Commercial Bid and Financial Bid will be done as per Time Schedule stated in Section – C of this Tender Document.
4. The Financial Bid of the prospective Bidder will be considered only if the Techno Commercial Bid of the bidder is found qualified by the Tender Committee. The decision of the 'Tender Committee' will be final and absolute in this respect. The list of Qualified Bidders will be displayed in the website.

# **WEBEL TECHNOLOGY LIMITED**

## **CONTENTS OF THE TENDER DOCUMENT**

The Tender document comprises of the following:

SECTION – A	SCOPE OF WORK & RESPONSIBILITY
SECTION – B	ELIGIBILITY CRITERIA
SECTION – C	DATE AND TIME SCHEDULE
SECTION – D	INSTRUCTION TO BIDDER
SECTION – E	BID FORM
SECTION – F	TECHNO COMMERCIAL EVALUATION & AWARDDING OF CONTRACT
SECTION – G	GUIDANCE FOR E-TENDERING
SECTION – H	BILL OF MATERIAL
SECTION – I	TECHNICAL SPECIFICATION WITH COMPLIANCE STATEMENT
SECTION – J	TECHNICAL CAPABILITY OF BIDDER
SECTION – K	FINANCIAL CAPABILITY OF BIDDER
SECTION – L	BIDDER'S DETAILS
SECTION – M	MANUFACTURER'S AUTHORIZATION FORM
SECTION – N	FORMAT FOR PRE-BID MEETING QUERY
SECTION – O	LIST OF CLIENTS OF SIMILAR ORDERS
SECTION – P	SUPPORT SERVICE CENTER & MANPOWER DETAILS OF BIDDER
SECTION – Q	PROFORMA FOR PERFORMANCE BANK GUARANTEE
SECTION – R	NIT DECLARATION

# **WEBEL TECHNOLOGY LIMITED**

## **SECTION – A**

### **SCOPE OF WORK & RESPONSIBILITY**

**Job title: Implementation of WBSWAN connectivity at 172 Government Directorates for implementation of e-office**

#### **ABOUT WBSWAN**

West Bengal State Wide Area Network (WBSWAN) is the triple play backbone network for data, voice and video communication throughout the state of West Bengal. Over this network Intranet, Internet and various e-Governance activities of the Government of West Bengal are being carried out.

WBSWAN network provides Data, Voice & Video Communication facilities from State Head Quarters at Kolkata up to all District (DHQ), Sub Division (SDHQ) and Block Headquarters (BHQ) over dedicated leased circuits / MPLS circuits from BSNL. The District Head Quarters are connected to the State Head Quarters in Writers' Building as well as Webel Bhavan, Salt Lake over dual fiber optic links (in fail-over mode), ensuring a smooth operation in case of failure of one SHQ due to some major problem / natural disaster, etc.

#### **Project Objective**

As per the decision taken by Government of West Bengal e-office is going to be implemented at all Government offices for speedy and paperless transactions. In the Phase I of the project, e-office implementation has been completed in 65 departments located in 36 buildings in Kolkata.

1. For Phase II of e-office implementation 172 directorate offices have been identified. There are 157 directorates located in different buildings in and around Kolkata and 15 offices at remote locations. Physical site survey done in 157 directorates, however, information of remote 15 offices have been obtained over phone.
2. Out of the 172 directorates, WBSWAN link exists and e-Office is operational in 65 directorates, however these offices require additional support with respect to extra Bandwidth, additional LAN/Switch ports, Firewall Security (if applicable), configuration management, etc.
3. There are 30 directorates where WBSWAN connectivity will not be feasible/required (17 directorates with very few users can be provided with e-Office access through VPN connectivity and 13 directorates where e-Office access will not be required now due to various reasons / lack of information).
4. Other 87 directorates will require new WBSWAN connectivity for accessing e –office either through new WBSWAN Links (39 new links) or LAN (in case of 48 directorates through existing/upgraded/new WBSWAN Links).
5. 4 existing WBSWAN Links need to be upgraded for the above purpose.
6. As per the guidelines received for e- office connectivity minimum 4 Mbps bandwidth per 8 users has been considered.
7. All equipment mentioned in BOQ will have 3 years' manufacturer's warranty from OEM/ SI (except UPS battery which will be supplied with 2 years on-site comprehensive warranty).

#### **Proposed Solution**

We are attaching the Schematic diagrams of the proposed Network architecture in case of buildings where multiple directorates are operational, WBSWAN link would be terminated in the most populated directorate and connectivity will be extended to other directorates in the building/ campus through OFC/copper LAN. In other directorates, WBSWAN link will be terminated to an L2 switch which will be uplinked to the existing switch(s) of the directorate. Departmental LAN, if necessary for e-office implementation is beyond the present scope of project, however, may be taken up separately.

**WBSWAN Integration:** Supply, install & integrate with existing system of WBSWAN is in the scope of L1 bidder.

**Acceptance:** After successful installation & Commissioning, installation report prepared by WTL (Webel Technology Limited), **signed and sealed** with date by appropriate authority of concerned departments.

Bill of material mentioned in the RFP is the estimated requirement.

# WEBEL TECHNOLOGY LIMITED

## ANNEXURE – I NEW WAN CONNECTIVITY MATRIX

SL. NO.	NAME OF THE DIRECTORATE	OFFICE ADDRESS OF THE DIRECTORATE	Bldg Name	WBSWAN status	B/W required (Mbps)	Service Provider
1	DIRECTORATE OF DAIRY DEVELOPMENT (2ADHO002)	64/99,Belgachia Road Kolkata Belgachia Ultadanga P.S Calcutta West Bengal		No	34 Mbps	BSNL
2	DIRECTORATE OF TEXTILES (SERICULTURE) (2AGHO002)	45 G. C. AVENUE KOLKATA SUTARKIN STREET BOWBAZAR Calcutta West Bengal	CSTC Building	10 Mbps WBSWAN terminated at STA	10 Mbps	BSNL
3	DIRECTORATE OF AGRICULTURAL MARKETING, WEST BENGAL(2AMHO002)	P-16 India Exchange Place Extn Kolkata Kolkata Lalbazar Calcutta West Bengal	3rd floor, KIT Building	Proposal Submitted for 34 Mbps	34 Mbps	BSNL
4	DIRECTORATE OF CO-OPERATIVE AUDIT(2COHO002)	11 A, MIRZA GHALIB STREET, KHADYA BHABAN, B BLOCK, 3RD FLOOR KOLKATA NEW MARKET NEW MARKET Calcutta West Bengal	3rd Floor (B Block), WRIDD Building, Khadya Bhavan	No	34 Mbps	BSNL
5	OFFICE OF THE COMMANDANT, BORDER WING HOME GUARD BN., WEST BENGAL(2DMHO006)	Office of the Commandant, BWHG Bn., W.B. Ghoshpara Road, Sukanta Pally. Halisahar Bijpur 24 Parganas(N) West Bengal	Outside Kolkata	No	4 Mbps	BSNL
6	OFFICE OF THE DIRECTOR GENERAL OF POLICE & COMMANDANT GENERAL, HOME GUARD, WEST BENGAL (2DMHO005)	Home Guard Head Quarter, EE-II, Sector-II, Salt Lake Salt Lake Sech Bhawan Bidhannagar North 24 Parganas(N) West Bengal		No	4 Mbps	BSNL
7	STATE COMMANDANT WBNVF DIRECTORATE (2DMHO004)	WBNVF Directorate Kalyani N.S.S. Kalyani Nadia West Bengal	Outside Kolkata	No	4 Mbps	BSNL
8	STATE COUNCIL OF EDUCATIONAL RESEARCH AND TRAINING (2ESHO868)	25/3, BALLYGUNGE CIRCULAR ROAD KOLKATA BALLYGUNGE BALLYGUNGE Calcutta West Bengal	1st & 3rd Floor	No	4 Mbps	BSNL
9	DIRECTORATE OF INDUSTRIAL TRAINING, KARIGORI BHABAN(2ETHO002)	Karigari Bhaban, 2nd Floor B/7, AA-III Newtown, Rajarhat 700160 Newtown 24 Parganas(N) West Bengal	Karigari Bhaban, WBSWAN exist	New Connectivity Required	34 Mbps	BSNL
10	PUBLIC SERVICE COMMISSION, WEST BENGAL (2FDHO006)	161-A, S P Mukherjee Road Kolkata Tollygunge Tollygunge Calcutta West Bengal	Ground to 9th Floor (except 1st and 2nd floor)	No	45 Mbps	BSNL
11	WEST BENGAL FIRE AND EMERGENCY SERVICES DIRECTORATE (2FEHO001)	13D MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta West Bengal		New 34 Mbps connectivity Required	34 Mbps	BSNL
12	DIRECTORATE OF PUBLIC INSTRUCTION (2HEHO001)	Bikash Bhaban, 7th & 8th Floor, East Block SALT LAKE CITY SECH BHAVAN BIDHANNAGAR NORTH 24 Parganas(N) West Bengal	Bikash Bhaban	Live in eOffice	34 Mbps	BSNL
13	STATE DRUG CONTROL & RESEARCH LABORATORY(2HFHO006)	2, CONVENT LANE KOLKATA TANGRA ENTALLY Calcutta West Bengal		New Connectivity Required	4 Mbps	BSNL
14	WEST BENGAL CLINICAL ESTABLISHMENT REGULATORY COMMISSION (2HFHO00949)	32 B. B. D. BAG(SOUTH) G.P.O. HARE STREET Calcutta West Bengal		New Connectivity Required, LAN done by PWD.	10 Mbps	BSNL
15	DIRECTORATE OF SECURITY, WEST BENGAL(2HHHO013)	13, LORD SINHA ROAD KOLKATA RUSSEL STREET SHAKESPEARE SARANI Calcutta West Bengal		New connectivity required	10 Mbps	BSNL
16	FORENSIC SCIENCE LABORATORY, GOVT. OF WEST BENGAL(2HHHO014)	37/1/2, BELGACHIA ROAD KOLKATA BELGACHIA TALA Calcutta West Bengal		New connectivity required	10 Mbps	BSNL
17	DIRECTORATE OF INDUSTRIES (2INHO001)	Shilpa Sadan, 4, Camac Street, 1st & 8th Floor Kolkata Park St. Shakespere Sarani Calcutta West Bengal	Shilpa Sadan	New connectivity reqd	10 Mbps	BSNL
18	STATIONERY OFFICE, GOVERNMENT OF WEST BENGAL(2INHO003)	2nd Floor, 38, Gopalnagar Road Kolkata Alipore Alipore Calcutta West Bengal	New Connectivity required	10 Mbps connectivity reqd	10 Mbps	BSNL

## WEBEL TECHNOLOGY LIMITED

19	WEST BENGAL GOVERNMENT PRESS KADAPARA (2INHO004)	1st Floor,46/1, NARKELDANGA MAIN ROAD KOLKATA PHOOLBAGAN PHOOLBAGAN Calcutta West Bengal		New Connectivity required	4 Mbps	BSNL
20	OFFICE OF THE LEGAL REMEMBRANCER (2JDHO001)	2 & 3, Kiran Shankar Roy Road KOLKATA G.P.O. KOLKATA HARE STREET Calcutta West Bengal		New Connectivity required	10 Mbps	BSNL
21	WEST BENGAL JUDICIAL ACADEMY (2JDHO005)	AA-III /B-10 NEWTOWN,3rd and 4th floor, RAJARHAT NEW TOWN ACTION AREA-III NEW TOWN 24 Parganas(N) West Bengal		New connectivity required	4 Mbps	BSNL
22	DIRECTORATE OF ESI(MB) SCHEME(2LBHO085)	2nd Floor,P 233 CIT SCHEME VIIM, BAGMARI ROAD. KOLKATA KANKURGACHI MANICKTALA Calcutta West Bengal		New Connectivity required	10 Mbps	BSNL
23	OFFICE OF THE CHIEF GOVT. ARCHITECT & EX-OFFICIO CHIEF ENGINEER,P.W.D (2PDHO002)	Bhabani Bhawan,(New Building), 7th Floor, 31/1, Belvedere Road Kolkata Alipore Alipore Calcutta West Bengal	Bhabani Bhawan	No	10 Mbps	BSNL
24	PUBLIC WORKS ROADS DIRECTORATE (2PDHO003)	825, Sarat Chatterjee Road Howrah Shibpur Shibpur Howrah West Bengal		New Connectivity required	10 Mbps	BSNL
25	DIRECTORATE OF ELECTRICITY (2POHO001)	11, NS ROAD, COLLECTORATE BUILDING KOLKATA , 1st Floor, KOLKATA HARE STREET Calcutta West Bengal	COLLECTORATE BUILDING	No	10 Mbps	BSNL
26	BACKWARD CLASSES WELFARE & TRIBAL DEVELOPMENT DIRECTORATE (2SCHO001)	BLOCK-CF, 217/A/1, SECTOR-I SALT LAKE BIDHANNAGAR CC BLOCK BIDHANNAGAR NORTH 24 Parganas(N) West Bengal	1st, 2nd & 3rd floor	No	10 Mbps	BSNL
27	INLAND WATER TRANSPORT DIRECTORATE (2TRHO004)	38 Beltala Road kolkata L.R Sarani Ballygunje Calcutta West Bengal	3rd Floor	New Connectivity required	4 Mbps	BSNL
28	TRANSPORTATION PLANNING AND TRAFFIC ENGINEERING DIRECTORATE(2TRHO001)	18 RABINDRA SARANI KOLKATA G.P.O. KOLKATA HARE STREET Calcutta West Bengal		NEW Connectivity required	10 Mbps	BSNL
29	DIRECTOR OF LOCAL BODIES(2UMHO001)	Poura Prasasan Bhavan, 3rd & 4th Floor, BD -1, Sector I, Salt lake -700064	Poura Prasashan Bhavan	New Connectivity required	10 Mbps	BSNL
30	DIRECTORATE OF INTEGRATED CHILD DEVELOPMENT SERVICES (2WCHO004)	Shaishali, 1st & 2nd Floor, DF Block, Sector - I, Salt Lake City Kolkata Sech Bhawan Bidhannagar North 24 Parganas(N) West Bengal	Shaishali Building, 1st & 2nd Floor , New building	New WAN connectivity required at 2nd floor	34 Mbps	BSNL
31	SWID (2WIHO002)	NIRMAN BHAWAN, 3rd FLOOR SALT LAKE CITY SECH BHAWAN BIDHANNAGAR 24 Parganas(N) West Bengal	NIRMAN BHAWAN	No	10 Mbps	BSNL
32	OFFICE OF THE SHERIFF OF CALCUTTA(2JDHO007)	3, ESPLANADE ROW WEST ,HIGH COURT BUILDING CALCUTTA G.P.O ,CALCUTTA HARE STREET Calcutta West Bengal	High Court	No	4 Mbps	BSNL
33	DIRECTORATE OF PENSION, PROVIDENT FUND & GROUP INSURANCE(2FDHO002)	Purta Bhawan, 2nd Floor Salt Lake Sech Bhawan Bidhannagar North 24 Parganas(N) West Bengal	Purta Bhawan	Yes	10 Mbps	BSNL
34	DIRECTORATE OF TREASURIES & ACCOUNTS, W.B.(2FDHO003)	Mitra Building, 3rd Floor, 8, Lyons Range Kolkata G P O, Kolkata Hare Street Calcutta West Bengal	Mitra Building, e-office running by WBSWAN backbone	Connected	4 Mbps	BSNL
35	DEPT + DIRECTORATE OF FISHERIES (2FIHO001)	BENFISH TOWER, GN-31,SECTOR-V SALT LAKE CITY SECH BHAWAN BIDHANNAGAR ELECTRONICS COMPLEX 24 Parganas (N) West Bengal	Mean Bhavan	Connected	34 Mbps	BSNL
36	MA&UD Directorate	ILGUS BHAVAN, HC BLOCK, SEC-III SALT LAKE IB-MARKET BIDHANNAGAR SOUTH 24 Parganas(N) West Bengal	ILGUS bhavan	Connected	4 Mbps	BSNL
37	DIRECTORATE OF P&RD(2PNHO001)	Jessop Building, 63, N. S. Road Kolkata GPO Burra Bazar Calcutta West Bengal	Jessop Building	New Connectivity	10 Mbps	BSNL
38	DIRECTORATE OF AR&AH(2ADHO001)	LB-2, SECTOR-III SALT LAKE CITY BIDHAN NAGAR IB MARKET BIDHAN NAGAR SOUTH 24 Parganas(N) West Bengal	Prani Sampad Bhavan	New Connectivity	34 Mbps	BSNL
39	Office of the Resident Commissioner, New Delhi	A/2 State Emporia Buildings, Baba Kharak Singh Marg, New Delhi	Banga Bhavan	New Connectivity	8 Mbps	BSNL

# WEBEL TECHNOLOGY LIMITED

40	Directorate of Civil Defense/DG of Civil Defense	81/2/2 Phears Lane, 1st Floor, Kolkata - 700012	Treasury Building	New Connectivity	10 Mbps	BSNL
----	--	---	-------------------	------------------	---------	------

## ANNEXURE - II

### DIRECTORATE WISE PASSIVE COMPONENT FOR E-OFFICE IMPLEMENTATION

Sl. No	NAME OF THE DIRECTORATE	Building name	SWAN Bandwidth Proposed	Connectivity Mode	Remarks	OFC LAN					Cat 6 LAN				
						6 core SM OFC	6 port LIU loaded	SC-IC patch cord	Termination box	Pigtail with connector	Cat 6 cable (boxes)	I/o with back box	Cat6 Patch cord 2 mtr factory crimped	Cat6 Patch cord 1 mtr, factory crimped	patch panel
1	DIRECTORATE OF AR&AH (2ADHO001)	Directorate of AR&AH ,	34 Mbps	WAN	Building LAN exists. Uplink from ground floor required at 2nd, 3rd , 4th floor	0	0	0	0	0	4	12	12	12	1
2	PROJECT ADMINISTRATOR & COORDINATOR, WFP-618 (2ADHO050)	PRANI SAMPAD BHAWAN, 3rd floor		OFC / copper LAN	UP link required from WBSWAN switch , Structured LAN already exits	0	0	0	0	0	1	0	0	2	1
3	DIRECTORATE OF DAIRY DEVELOPMENT (2ADHO002)		34 Mbps	WAN		0	0	0	0	0	2	10	10	10	1
4	DIRECTORATE OF AGRICULTURE (2AGHO001)	Jessop Building		OFC / copper LAN	70 mtrs from WBSWAN switch , uplink required	0	0	0	0	0	1	0	0	2	1
5	SMALL SAVINGS DIRECTORATE (2FDHO004)			Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
6	STATE REGISTRAR OF MONEY LENDERS, WEST BENGAL (2FDHO007)					Office not found	0	0	0	0	0	0	0	0	0
7	DIRECTORATE OF CORRECTIONAL SERVICES (2JLHO001)				Existing WBSWAN		0	0	0	0	0	0	0	0	0
8	DIRECTORATE OF P&RD (2PNHO001)			10 Mbps	WAN	3 BSNL broad bands present	0	0	0	0	0	3	10	10	10
9	DIRECTORATE OF TEXTILES (SERICULTURE) (2AGHO002)	CSTC Building	10 Mbps	WAN	10 Mbps New connectivity required	0	0	0	0	0	0	0	0	0	1
10	DIRECTORATE OF LEGAL METROLOGY (2CAHO001)				OFC/Copper LAN	LAN exist for 10 users. No WBSWAN connectivity 10 Mbps WBSWAN link exist at 1st floor(State Transport Authority). Link may be drawn from suggested new link at 2nd floor (Textiles)	0	0	0	0	0	3	10	10	10

# WEBEL TECHNOLOGY LIMITED

11	OFFICE OF THE COMMISSIONER FOR PERSONS WITH DISABILITIES (2WCHO002)			OFC / copper LAN	10 Mbps WBSWAN link exist at 1st floor(State Transport Authority). Link may be drawn from suggested new link at 2nd floor (Textiles). <b>No official communication received. Office will be shifted to new office</b>	0	0	0	0	0	2	10	10	10	1
12	DIRECTORATE OF DRUGS CONTROL (2HFHO007)	5th floor, KIT Building		OFC/copper LAN	No structured LAN, Uplink required + 10 LAN points	0	0	0	0	0	2	10	10	10	1
13	OFFICE OF THE REGISTRAR GENERAL OF MARRIAGES WEST BENGAL(2JDHO006)	KIT Building		Existing WBSWAN	Existing WBSWAN connectivity	0	0	0	0	0	0	0	0	0	0
14	DIRECTORATE OF AGRICULTURAL MARKETING, WEST BENGAL (2AMHO002)	P-16 India Exchange Place Extn Kolkata Kolkata Lalbazar Calcutta West Bengal	3rd floor, KIT Building	WAN	New connectivity + 10 LAN points	##	1	6	1	6	3	10	10	12	1
15	DIRECTORATE OF CONSUMER AFFAIRS & FAIR BUSINESS PRACTICES (2CAHO002)	2nd Floor, Kreta Suraksha Bhawan, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists (need to increase IP range), Already uplink connectivity exists from 3rd floor of Consumer Affairs	0	0	0	0	0	0	0	0	0	0
16	STATE CONSUMER DISPUTES REDRESSAL COMMISSION WEST BENGAL (2CAHO032)	Khadya Bhavan		Existing WBSWAN	Structured LAN Exists (need to increase IP range), Already uplink connectivity exists from 3rd floor of Consumer Affairs	0	0	0	0	0	0	0	0	0	0
17	WEST BENGAL RIGHT TO PUBLIC SERVICE COMMISSION (2CAHO0089)	4th floor, Kreta Suraksha Bhawan		Existing WBSWAN	Structured LAN Exists (need to increase IP range), Already uplink connectivity exists from 3rd floor of Consumer Affairs	0	0	0	0	0	0	0	0	0	0
18	DIRECTORATE OF CO-OPERATIVE AUDIT (2COHO002)	3rd Floor (B Block), WRI DD Building, Khadya Bhavan	34 Mbps	WAN	Structured LAN Exists, WAN connectivity to be established at this directorate	0	0	0	0	0	1	0	0	2	1
19	DIRECTORATE OF CONSUMER GOODS (2FSHO002)	3rd floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists, Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0	0	0	0	0
20	DIRECTORATE OF DDP&S (2FSHO001)	3rd floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists, Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0	0	0	0	0
21	DIRECTORATE OF FINANCE (2FSHO037)	Ground Floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists, Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

22	DIRECTORATE OF INSPECTION & QUALITY CONTROL (2FSHO011)	4th floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0	0	0	0	0
23	DIRECTORATE OF NCEC (2FSHO008)	3rd Floor (B Block), WRI DD Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr from DIRECTORATE OF CO-OPERATIVE AUDIT	0	0	0	0	0	1	0	0	2	1
24	DIRECTORATE OF RATIONING (2FSHO003)	2nd Floor ,Food & Supplies Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr. From Ground Floor server room	0	0	0	0	0	1	0	0	2	1
25	DIRECTORATE OF STATISTICS (2FSHO009)	WRIDD Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr. From Ground Floor server room	0	0	0	0	0	0	0	0	2	1
26	DIRECTORATE OF STORAGE (2FSHO005)	4th floor, Food & Supplies Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr. From Ground Floor server room	0	0	0	0	0	0	0	0	2	1
27	DIRECTORATE OF TEXTILES (2FSHO010)	3rd Floor (B Block), WRI DD Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr from DIRECTORATE OF CO-OPERATIVE AUDIT	0	0	0	0	0	1	0	0	2	1
28	DIRECTORATE OF TRANSPORTATION (2FSHO007)	2nd Floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0	0	0	2	0
29	OFFICE OF THE CONTROLLER OF SUGAR (2FSHO205)	5th Floor (B Block), WRI DD Building, Khadya Bhavan			Office not functioning	0	0	0	0	0	0	0	0	0	0
30	OFFICE OF THE SENIOR ACCOUNTS OFFICER (2FSHO006)	2nd Floor ,Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0	0	0	0	0
31	OFFICE OF THE LOKAYUKTA, WB (2HRHO008)	Khadya Bhavan			Office not found	0	0	0	0	0	0	0	0	0	0
32	WEST BENGAL INFORMATION COMMISSION (2HRHO007)	Khadya Bhavan		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
33	WEST BENGAL MINORITIES' COMMISSION (2MDHO003)	Ground Floor (A Block), WRI DD Building, Khadya Bhavan			Mr. Shakell Ahmed, IAS , member Secretary, confirmed any e-office service not required	0	0	0	0	0	0	0	0	0	0
34	ADDITIONAL CHIEF ENGINEER (R&D) (2WIHO079)	Khadya Bhavan			Office not found	0	0	0	0	0	0	0	0	0	0
35	WRDD(2WIHO003)	5th Floor (B Block), WRI DD Building, Khadya Bhavan		OFC / copper LAN	Uplink required	0	0	0	0	0	1	0	0	2	1
36	STATE CONSUMER DISPUTES REDRESSAL COMMISSION WEST BENGAL CIRCUIT BENCH ASANSOL (2CAHO00099)	Outside Kolkata			VPN recommended	0	0	0	0	0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

37	CO-OPERATION DIRECTORATE (2COHO001)	NS Building		Existing WBSWAN	LAN exist, 5 additional points to be done by us. Already connected to WBSWAN.Connected via PWD	0	0	0	0	0	2	10	10	10	1
38	DIRECTORATE OF MSME (2CSHO001)	NS Building		Existing WBSWAN	LAN exist. Already connected to WBSWAN	0	0	0	0	0	0	0	0	0	0
39	DIRECTORATE OF TEXTILES (HANDLOOM ETC) (2CSHO002)	NS Building		OFC/ Copper LAN	UP link required from WBSWAN switch at 6th Floor, Youth & Sports dte , Structured LAN already exists	0	0	0	0	0	1	0	0	2	1
40	ESTATE DIRECTORATE (2HOHO002)	NS Building		Existing WBSWAN	Live in e Office	0	0	0	0	0	0	0	0	0	0
41	HOUSE BUILDING LOAN OFFICE ATTACHED TO HOUSING DEPARTMENT (2HOHO0036)	NS Building		Existing WBSWAN	LAN exist. Already connected to WBSWAN	0	0	0	0	0	0	0	0	0	0
42	HOUSING DIRECTORATE (2HOHO001)	NS Building		Existing WBSWAN	LAN exist for 15 user and LAN connectivity for rest of the users in progress. Already connected to WBSWAN	0	0	0	0	0	0	0	0	0	0
43	ANTI CORRUPTION BRANCH, WEST BENGAL (2HRHO004)	NS Building		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
44	ADMINISTRATOR GENERAL AND OFFICIAL TRUSTEE OF WEST BENGAL (2JDHO009)	NS Building		OFC/ Copper LAN	3-4 PC connected to NIC (9th floor), 20 LAN points required. Uplink required	0	0	0	0	0	0	10	10	10	1
45	DIRECTORATE OF BOILERS (2LBHO001)	NS Building		Existing WBSWAN	LAN exist. Already connected to WBSWAN	0	0	0	0	0	0	0	0	0	0
46	DIRECTORATE OF EMPLOYEES' COMPENSATION, W.B. (2LBHO010)	NS Building		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
47	DIRECTORATE OF FACTORIES (2LBHO009)	NS Building		Existing WBSWAN	Connected via PWD	0	0	0	0	0	2	10	10	10	0
48	DIRECTORATE OF INDUSTRIAL TRIBUNALS (2LBHO037)	NS Building		OFC/ Copper LAN	Distance from WBSWAN POP 200m,No Lan exist(LAN survey done by PWD)	##	1	6	1	6	2	10	10	10	1
49	JUDGE,EMPLOYEES INSURANCE COURT, WEST BENGAL.(2LBHO130)	NS Building		OFC/ Copper LAN	Uplink to be done from ACB	0	0	0	0	0	1	0	0	2	1
50	LABOUR COMMISSIONERATE (2LBHO002)	NS Building		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
51	OFFICE OF THE DIRECTOR OF LAND RECORDS & SURVEYS, IBB, WB (2LDHO002)	NS Building		OFC/ Copper LAN	Uplink to be done, Distance from WBSWAN POP 70m,No LAN ,Internet Connection Via Dongle and one broadband Modem	0	0	0	0	0	3	10	10	10	1
52	OFFICE OF THE CE(HQ), PHE DTE (2PHHO003)	NS Building		OFC/ Copper LAN	Uplink to be done, No LAN, Internet Connection Via Vodafone	0	0	0	0	0	3	10	10	10	1
53	DIRECTORATE OF TOURISM (2TMHO001)	NS Building		OFC/ Copper LAN	Uplink to be done, LAN exist and Internet provided by PWD	0	0	0	0	0	1	0	0	2	0

# WEBEL TECHNOLOGY LIMITED

54	CENTRAL TRAINING INSTITUTE, GOTLU, ITAHAR, UTTAR DINAJPUR (2DMHO008)	Outside Kolkata			VPN recommended	0	0	0	0	0	0	0	0	0	0
55	DIRECTORATE OF CIVIL DEFENCE (2DMHO002)				During visit nobody was available for sharing information	0	0	0	0	0	0	0	0	0	0
56	DIRECTORATE OF DISASTER MANAGEMENT (2DMHO001)				Live in eOffice via PWD	0	0	0	0	0	0	0	0	0	0
57	OFFICE OF THE COMMANDANT, BORDER WING HOME GUARD BN., WEST BENGAL (2DMHO006)	Outside Kolkata	4 Mbps	WAN	No LAN throughout the building, No WBSWAN connectivity. Internet access by BSNL Broad band (4 Mbps). Structured cabling required	0	0	0	0	0	3	10	10	10	1
58	OFFICE OF THE DIRECTOR GENERAL OF POLICE & COMMANDANT GENERAL, HOME GUARD, WEST BENGAL (2DMHO005)		4 Mbps	WAN	1st, 2nd & 3rd Floor; LAN exists, WAN connectivity required at 1st floor of server room. (computer Room).Uplink required from WBSWAN connectivity to Existing RACK installed at computer room	0	0	0	0	0	0	0	0	2	1
59	STATE COMMANDANT WBNVF DIRECTORATE (2DMHO004)	Outside Kolkata	4 Mbps	WAN	No LAN throughout the building, No WBSWAN connectivity. Internet access by CITI cable NET. Structured cabling required	0	0	0	0	0	3	10	10	12	1
60	WEST BENGAL CIVIL EMERGENCY FORCE (2DMHO003)				Office Not Found	0	0	0	0	0	0	0	0	0	0
61	DIRECTORATE OF LIBRARY SERVICES (2EMHO002)	Bikash Bhaban			Existing WBSWAN	0	0	0	0	0	0	0	0	0	0
62	DIRECTORATE OF MASS EDUCATION EXTENSION (2EMHO001)	Bikash Bhaban			Existing WBSWAN	0	0	0	0	0	0	0	0	0	0
63	DIRECTORATE OF ACCOUNTS (2ESHO088)	Bikash Bhaban			OFC / copper LAN	##	1	6	1	6	0	0	0	2	1
64	DIRECTORATE OF SCHOOL EDUCATION(2ESHO001)	Bikash Bhaban			Under renovation, will be done later	0	0	0	0	0	3	10	10	12	1
65	DIRECTORATE OF PUBLIC INSTRUCTION (2HEHO001)	Bikash Bhaban	34 Mbps	WAN	New 34 Mbps connectivity reqd,	0	0	0	0	0	3	10	10	12	1
66	DIRECTORATE OF TECHNICAL EDUCATION (2HEHO002)	Bikash Bhaban			OFC LAN from DPI 8th floor	##	1	6	1	6	0	0	2	2	1
67	WEST BENGAL DISTRICT GAZETTEERS (2HEHO004)	Bikash Bhavan			OFC / copper LAN	0	0	0	0	0	3	10	10	10	1
68	STATE VIGILANCE COMMISSION, WEST BENGAL(2HRHO005)	Bikash Bhavan			Existing WBSWAN	0	0	0	0	0	0	0	0	0	0
69	DIRECTORATE OF MADRASAH EDUCATION (2MDHO001)	Bikash Bhaban			OFC / copper LAN	##	1	6	1	6	3	10	10	10	1

# WEBEL TECHNOLOGY LIMITED

70	OFFICE OF THE CHIEF ENGINEER, MUNICIPAL ENGINEERING DIRECTORATE (2UMHO003)	BIKASH BHAWAN , 1st Floor, Wing B		OFC / copper LAN	Cat6 LAN from 1st floor, wing B, Fire Dept. LAN connectivity Exits in the department	0	0	0	0	0	1	0	2	2	1
71	OFFICE OF THE SECRETARY, MUNICIPAL ENGINEERING DIRECTORATE (2UMHO004)	BIKASH BHAWAN , 1st Floor, Wing B		OFC / copper LAN	Cat6 LAN from 2nd floor, wing B, LAN connectivity Exits in the department	0	0	0	0	0	0	0	0	0	0
72	STATE COUNCIL OF EDUCATIONAL RESEARCH AND TRAINING (2ESHO868)	1st & 3rd Floor	4 Mbps	WAN	WAN connectivity required at 3rd floor of TECH LAB. LAN dose't exist.	0	0	0	0	0	3	10	10	10	1
73	DIRECTORATE OF INDUSTRIAL TRAINING, KARIGORI BHABAN (2ETHO002)	Karigari Bhaban, WBSWAN exist	34 Mbps	WAN	Structured LAN done by PWD.	0	0	0	0	0	1	0	0	2	1
74	DIRECTORATE OF TECHNICAL EDN & TRAINING ,KARIGORI BHABAN (2ETHO001)	Karigari Bhaban, WBSWAN exist		OFC / copper LAN	Uplink to be done, Structured LAN done by PWD.	0	0	0	0	0	0	0	0	2	1
75	DIRECTORATE OF VOCATIONAL EDN AND TRAINING, KARIGORI BHABAN (2ETHO003)	Karigari Bhaban, WBSWAN exist		OFC / copper LAN	Uplink to be done, Structured LAN done by PWD.	0	0	0	0	0	0	0	0	2	1
76	DIRECTORATE OF AGRICULTURAL INCOME TAX (2FDHO013)	Commercial Tax Building		Existing WBSWAN	LAN exists	0	0	0	0	0	0	0	0	0	0
77	DIRECTORATE OF COMMERCIAL TAXES (2FDHO008)	Commercial Tax Building		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
78	DIRECTORATE OF ELECTRICITY DUTY (2FDHO009)	Commercial Tax Building		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
79	DIRECTORATE OF ENTRY TAX (2FDHO011)				VPN recommended	0	0	0	0	0	0	0	0	0	0
80	DIRECTORATE OF PENSION, PROVIDENT FUND & GROUP INSURANCE (2FDHO002)	Purta Bhawan	To be upgraded to 4 Mbps	Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
81	DIRECTORATE OF REGISTRATION & STAMP REVENUE, WEST BENGAL (2FDHO010)	Fortuna Tower		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
82	DIRECTORATE OF STATE LOTTERIES (2FDHO012)			OFC / copper LAN	Uplink required from 9th Fl, Fortuna Tower (Director of Registration and Stamp Revenue)	0	0	0	0	0	1	0	0	2	1
83	DIRECTORATE OF TREASURIES & ACCOUNTS, W.B. (2FDHO003)	Mitra Building, e-office running by WBSWAN backbone		WAN	To be upgraded to 4 Mbps	0	0	0	0	0	0	0	0	0	0
84	EXCISE DIRECTORATE (2FDHO001)	e-office running by WBSWAN backbone		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
85	PUBLIC SERVICE COMMISSION, WEST BENGAL (2FDHO006)	Public Service commission, Ground Floor to 9th Floor (except 1st and 2nd floor)	45 Mbps	WAN	WAN connectivity required at 4th floor server room Uplink Required from WBSWAN connectivity to existing switch. 8 Mbps and 2 Mbps Internet bandwidth exists from BSNL and Airtel respectively	0	0	0	0	0	1	0	0	2	1
86	WEST BENGAL COMMERCIAL TAXES APPELLATE & REVISIONAL BOARD (2FDHO014)	Commercial Tax Building		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

87	WEST BENGAL FIRE AND EMERGENCY SERVICES DIRECTORATE (2FEHO001)		34 Mbps	WAN	Two Service Providers, 1.VODAFONE (10Mbps) 2.BSNL(10Mbps)	0	0	0	0	0	3	10	10	12	1
88	DIRECTORATE OF FISHERIES (2FIHO001)	Mean Bhavan		OFC / copper LAN	Structured LAN exists , Same complex but separate building 300 mrts. Approx	##	1	6	1	6	0	0	0	2	1
89	WEST BENGAL HEALTH RECRUITMENT BOARD (2HFHO010)	BENFISH TOWER	To be upgraded to 34 Mbps	OFC / Copper LAN	1st and 2nd floor of Benfish tower ,approx 110 Mtrs. From 8th Floor. UP link requied from WBSWAN switch 2 Buildings (Benfish Tower & Mean Bhavan) are situated in the same campus	##	2	12	2	12	3	10	10	12	2
90	DIRECTORATE OF FOOD PROCESSING INDUSTRIES (2FPHO002)	Mayukh Bhavan		Existing WBSWAN	Will be shifted to Benfish Tower	0	0	0	0	0	3	10	10	12	1
91	DIRECTORATE OF HORTICULTURE (2FPHO001)	Mayukh Bhavan, 4th floor		Will be shifted to Benfish Tower		0	0	0	0	0	3	10	10	12	1
92	SUNDARBAN DEVELOPMENT BOARD (2SAHO001)	Mayukh Bhavan, 1st Floor		Existing WBSWAN	Connected from Department of Sundarban Affairs	0	0	0	0	0	0	0	0	0	0
93	DIRECTORATE OF FORESTS (2FRHO001)	Aranya Bhawan, 1st to 6th floor			Structured LAN exits at the department, Approx 80 Mtrs. From 2nd Floor	0	0	0	0	0	1	0	0	2	1
94	PADMAJA NAIDU HIMALAYAN ZOOLOGICAL PARK (2FRHO0111)	Outside Kolkata			VPN recommended	0	0	0	0	0	0	0	0	0	0
95	ZOOLOGICAL GARDEN, ALIPORE (2FRHO092)				VPN recommended	0	0	0	0	0	0	0	0	0	0
96	INSTITUT DE CHANDERNAGOR (2HEHO006)	Outside Kolkata			VPN recommended	0	0	0	0	0	0	0	0	0	0
97	STATE ARCHIVES (2HEHO005)		34 Mbps	WAN	Proposal Submitted for new SWAN connectivity (34 Mbps)	0	0	0	0	0	3	10	10	12	1
98	DIRECTORATE OF AYURVEDA (2HFHO003)	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
99	DIRECTORATE OF HEALTH SERVICES (2HFHO001)	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
100	DIRECTORATE OF HOMOEOPATHY (2HFHO004)	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
101	DIRECTORATE OF MEDICAL EDUCATION (2HFHO002)	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
102	I S M DRUG CONTROL (2HFHO008)			VPN recommended		0	0	0	0	0	0	0	0	0	0
103	OFFICE OF THE SPECIAL OFFICER OF UNANI (2HFHO01142)	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
104	STATE DRUG CONTROL & RESEARCH LABORATORY (2HFHO006)		10 mbps	WAN		0	0	0	0	0	3	10	10	12	1

# WEBEL TECHNOLOGY LIMITED

105	WEST BENGAL CLINICAL ESTABLISHMENT REGULATORY COMMISSION (2HFHO00949)		10 Mbps	WAN	Requested us to send a letter to Secretary. Then they will talk to PWD regarding installation of rack, power points etc (Heritage Building)	0	0	0	0	0	3	10	10	12	1
106	DIRECTORATE OF ECONOMIC OFFENCES (2HHHO012)			Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
107	DIRECTORATE OF SECURITY, WEST BENGAL (2HHHO013)		10 Mbps	WAN	LAN exists, 10 extra LAN points required for the e-office project. WAN connectivity required at ground floor of computer room adjacent to the DC (HQ), Uplink required from WBSWAN connectivity to Existing RACK installed at computer room.	0	0	0	0	0	3	10	10	12	3
108	FORENSIC SCIENCE LABORATORY, GOVT. OF WEST BENGAL (2HHHO014)		10 Mbps	WAN		0	0	0	0	0	3	10	10	12	1
109	KOLKATA POLICE DIRECTORATE (2HHHO011)			Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
110	OFFICE OF THE CHIEF ELECTORAL OFFICER & EX-OFFICIO PRINCIPAL SECRETARY, WEST BENGAL (2HHHO017)			Live in e office via NIC		0	0	0	0	0	0	0	0	0	0
111	OFFICE OF THE REGISTRAR OF PUBLICATIONS, WEST BENGAL (2HHHO018)	WRITERS' BUILDINGS		Live in e office via PWD		0	0	0	0	0	0	0	0	0	0
112	RAJYA SAINIK BOARD (2HHHO016)	WRITERS' BUILDINGS		Live in e office via PWD		0	0	0	0	0	0	0	0	0	0
113	WEST BENGAL POLICE DIRECTORATE (2HHHO010)	Bhavani Bhavan			Separate order placed from WB Police HQ	0	0	0	0	0	0	0	0	0	0
114	DIRECTORATE OF BRICK PRODUCTION (2HOHO003)	Outside Kolkata			VPN recommended	0	0	0	0	0	0	0	0	0	0
115	ADMINISTRATIVE TRAINING INSTITUTE (2HRHO001)			Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
116	WEST BENGAL GROUP 'D' RECRUITMENT BOARD (2HRHO003)	Hidco Building			VPN recommended	0	0	0	0	0	0	0	0	0	0
117	DIRECTORATE OF ARCHAEOLOGY & MUSEUMS (2ICHO004)				VPN recommended	0	0	0	0	0	0	0	0	0	0
118	DIRECTORATE OF CULTURE (2ICHO002)	Nabanna		Live in e office via PWD		0	0	0	0	0	0	0	0	0	0
119	DIRECTORATE OF FILM (2ICHO003)	Nabanna		Live in e office via PWD		0	0	0	0	0	0	0	0	0	0
120	DIRECTORATE OF INFORMATION (2ICHO001)	Nabanna		Live in e office via PWD		0	0	0	0	0	0	0	0	0	0
121	DIRECTORATE OF INDUSTRIES (2INH0001)	Shilpa Sadan	10 Mbps	WAN	Structured LAN exist	0	0	0	0	0	1	0	0	2	2
122	DIRECTORATE OF MINES & MINERALS (2INH0002)	Shilpa Sadan		OFC / copper LAN	Uplink required, No LAN	##	1	6	1	6	3	10	10	12	1

# WEBEL TECHNOLOGY LIMITED

123	REGISTRAR OF FIRMS SOCIETIES & N.T.CORP.W.B. (2INH0006)	Todi Mansion		Cat 6 LAN		0	0	0	0	0	3	10	10	12	1
124	SECRETARY TO THE GOVERNORS' PRESS (2INH0007)			OFC / copper LAN	Uplink required	0	0	0	0	0	2	6	6	8	1
125	STATIONERY OFFICE, GOVERNMENT OF WEST BENGAL (2INH0003)	New Connectivity required	10 Mbps	WAN	10 LAN points required,Uplink required from WB Govt Press switch	##	1	6	1	6	3	10	10	12	1
126	WEST BENGAL GOVERNMENT PRESS ALIPORE (2INH0005)			OFC / copper LAN	10 LAN points required	0	0	0	0	0	3	10	10	12	1
127	WEST BENGAL GOVERNMENT PRESS COOCH BEHAR (2INH0008)	Outside Kolkata			VPN recommended	0	0	0	0	0	0	0	0	0	0
128	WEST BENGAL GOVERNMENT PRESS KADAPARA (2INH0004)		10 mbps	WAN	LAN exist , New WBSWAN connectivity Required	0	0	0	0	0	0	0	0	2	1
129	OFFICE OF CHIEF ENGINEER(DESIGN & RESEARCH) (2IWHO017)	JALASAMP AD BHAVAN, 1st Floor		OFC / copper LAN	35 Mtr. From Ground floor.	0	0	0	0	0	1	0	0	2	1
130	OFFICE OF CHIEF ENGINEER(NORTH EAST) (2IWHO001)	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
131	OFFICE OF CHIEF ENGINEER(NORTH) (2IWHO007)	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
132	OFFICE OF CHIEF ENGINEER(SOUTH WEST) (2IWHO003)	Outside Kolkata	2 Mbps	WAN	Under implementation by I&W dept	0	0	0	0	0	0	0	0	2	1
133	OFFICE OF CHIEF ENGINEER(SOUTH) (2IWHO005)	JALASAMP AD BHAVAN		OFC / copper LAN	45 Mtr. From ground floor	0	0	0	0	0	0	0	0	2	1
134	OFFICE OF CHIEF ENGINEER(TEESTA BARRAGE PROJECT) (2IWHO002)	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
135	OFFICE OF CHIEF ENGINEER(WEST) (2IWHO016)	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
136	OFFICE OF DIRECTOR OF PERSONNEL & EX-OFFICIO CHIEF ENGINEER (2IWHO004)	JALASAMP AD BHAVAN, 1st Floor (only one room) & 4th Floor		OFC / copper LAN	275 Mtr. (4th Floor) from Ground floor	##	1	6	1	6	0	0	0	0	1
137	OFFICE OF PROJECT DIRECTOR, SPMU, WBMIFMP (2IWHO0145)	JALASAMP AD BHAVAN, 9th Floor		OFC / copper LAN	675 Mtr. From ground floor	##	1	6	1	6	0	0	0	0	1
138	OFFICE OF THE SHERIFF OF CALCUTTA (2JDHO007)	High Court		OFC/ copper LAN	350 Mtrs FO link from existing POP at High Court (Case Monitoring cell)	0	0	0	0	0	3	10	10	12	1
139	OFFICE OF THE CHIEF JUDGE , CITY SESSIONS COURT , CALCUTTA (2JDHO00355)				No information shared because no official communications regarding e-office implementation have been received by them.	0	0	0	0	0	0	0	0	0	0
140	OFFICE OF THE LEGAL REMEMBRANCER (2JDHO001)		10 Mbps	WAN	10 LAN points required	0	0	0	0	0	3	10	10	12	1
141	OFFICE OF THE OFFICIAL ASSIGNEE OF CALCUTTA (2JDHO010)			VPN recommended		0	0	0	0	0	0	0	0	0	0
142	OFFICE OF THE OFFICIAL RECEIVER, HIGH COURT, CALCUTTA (2JDHO002)			VPN recommended		0	0	0	0	0	0	0	0	0	0
143	WEST BENGAL JUDICIAL ACADEMY (2JDHO005)		4 Mbps	WAN	New connectivity	0	0	0	0	0	3	10	10	12	1

# WEBEL TECHNOLOGY LIMITED

144	DIRECTORATE OF EMPLOYMENT (2LBHO003)			Live in e office via PWD		0	0	0	0	0	0	0	0	0	0	0
145	DIRECTORATE OF ESI(MB) SCHEME (2LBHO085)		10 Mbps	WAN	LAN required, New WBSWAN connectivity Required	0	0	0	0	0	3	10	10	12	1	
146	DIRECTORATE OF LAND RECORDS & SURVEYS (2LDHO001)	Survey Building		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0	0
147	REFUGEE RELIEF & REHABILITATION DIRECTORATE (2LDHO003)				No information shared because no official communications regarding e-office implementation have been received by them.	0	0	0	0	0	0	0	0	0	0	0
148	MINORITIES DEVELOPMENT AND WELFARE DIRECTORATE (2MDHO002)	Nabanna		Existing WBSWAN via PWD LAN		0	0	0	0	0	0	0	0	0	0	0
149	WAQF TRIBUNAL (2MDHO010)			VPN recommended		0	0	0	0	0	0	0	0	0	0	0
150	TEA DIRECTORATE (2NBHO00002)	Outside Kolkata		VPN recommended		0	0	0	0	0	0	0	0	0	0	0
151	OFFICE OF THE CHIEF GOVT. ARCHITECT & EX-OFFICIO CHIEF ENGINEER, P.W.D (2PDHO002)	Bhabani Bhawan	10 Mbps	WAN	10 LAN points required. New WBSWAN connectivity Required, the layer 3 equipment to be installed	0	0	0	0	0	3	10	10	12	1	
152	PUBLIC WORKS DIRECTORATE (2PDHO001)	Nabanna		Existing WBSWAN via PWD LAN		0	0	0	0	0	0	0	0	0	0	0
153	PUBLIC WORKS ROADS DIRECTORATE (2PDHO003)		10 Mbps	WAN		0	0	0	0	0	3	10	10	12	1	
154	PMU, WBDWSIP, PHE DTE (2PHHO00136)			VPN recommended		0	0	0	0	0	0	0	0	0	0	0
155	DIRECTORATE OF ELECTRICITY (2POHO001)	COLLECTORATE BUILDING	10 Mbps	WAN	32 nos. internal LAN done by Webel, No WBSWAN connectivity. Internet access by BSNL (10 Mbps, 1:1),	0	0	0	0	0	0	0	0	0	2	1
156	BUREAU OF APPLIED ECONOMICS & STATISTICS (2PSHO002)	JOINT ADMINISTRATIVE BUILDING		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0	0
157	DIRECTORATE OF EVALUATION, MONITORING & MANPOWER (2PSHO001)	JOINT ADMINISTRATIVE BUILDING		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0	0
158	BACKWARD CLASSES WELFARE & TRIBAL DEVELOPMENT DIRECTORATE (2SCHO001)	1st, 2nd & 3rd floor	10 Mbps	WAN	WAN connectivity required at 2nd floor server room. Uplink Required from WBSWAN connectivity to existing switch	0	0	0	0	0	0	0	2	2	1	
159	DIRECTORATE OF SHG&SE (2SHHO001)	East India House				0	0	0	0	0	0	0	0	0	0	0
160	INLAND WATER TRANSPORT DIRECTORATE (2TRHO004)	3rd Floor	4 Mbps	WAN	WAN connectivity required at 3rd floor.	0	0	0	0	0	3	10	10	12	1	
161	TRANSPORT DIRECTORATE (2TRHO00006)	Paribahan Bhavan II		Existing WBSWAN		0	0	0	0	0	3	10	10	12	1	
162	TRANSPORTATION PLANNING AND TRAFFIC ENGINEERING DIRECTORATE (2TRHO001)		10 Mbps	WAN	No WBSWAN connectivity. Unstructured LAN. Using BSNL Broadband	0	0	0	0	0	3	10	10	12	1	
163	DIRECTOR OF LOCAL BODIES (2UMHO001)	Purta bhavan	10 Mbps	WAN	Shifted to Poura Prasashan Bhavan	0	0	0	0	0	3	10	10	12	1	

# WEBEL TECHNOLOGY LIMITED

164	INSTITUTE OF LOCAL GOVERNMENT AND URBAN STUDIES (2UMHO002)	ILGUS bhavan	to be upgraded to 4 Mbps	WAN		0	0	0	0	0	0	0	0	0	0
165	DIRECTORATE OF CHILD RIGHTS & TRAFFICKING (2WCHO005)	Shaishali Building, 3rd floor		OFC / copper LAN	Approx distance 90 Mtr. Structured LAN Exits	0	0	0	0	0	1	0	0	2	1
166	DIRECTORATE OF INTEGRATED CHILD DEVELOPMENT SERVICES (2WCHO004)	Shaishali Building, 1st & 2nd Floor , New building	34 Mbps	WAN	Structured LAN Exists (internet connectivity through GPON with Sophos Firewall), 1st floor and 2nd floor internally connected through LAN	0	0	0	0	0	0	0	0	0	1
167	DIRECTORATE OF SOCIAL WELFARE (2WCHO001)	Shaishali Building, 1st & 2nd Floor , old building		OFC / copper LAN	Approx distance 200 Mtr.	##	1	6	1	6	0	0	0	2	1
168	OFFICE OF THE CONTROLLER OF VAGRANCY, WEST BENGAL (2WCHO003)	Purta Bhawan, Ground Floor (room no. 10, 11, 12)		OFC / copper LAN	350 Mtr. From Directorate of Pension Provident Fund & Group Insurance, Purta Bhawan, 2nd Floor	##	1	6	1	6	0	0	0	2	1
169	ADMINISTRATOR (CHIEF ENGINEER) TEESTA CADA SILIGURI (2WIHO310)	Outside Kolkata		VPN recommended		0	0	0	0	0	0	0	0	0	0
170	SWID (2WIHO002)	NIRMAN BHAWAN	10 Mbps	WAN	New connectivity	0	0	0	0	0	3	10	10	12	1
171	WBADMIP (2WIHO086)			WIP for 34 Mbps WBSWAN connectivity		0	0	0	0	0	0	0	0	0	0
172	DIRECTORATE OF YOUTH SERVICES (2YDHO001)	Standard Building, e-office running by WBSWAN backbone		Existing WBSWAN		0	0	0	0	0	0	0	0	0	0
	Total					3850	14	84	14	84	144	448	454	574	84

**WEBEL TECHNOLOGY LIMITED**

**ANNEXURE – III**

**DIRECTORATE WISE ACTIVE COMPONENT FOR E-OFFICE IMPLEMENTATION**

# WEBEL TECHNOLOGY LIMITED

Sl. No	NAME OF THE DIRECTORATE	OFFICE ADDRESS OF THE DIRECTORATE	Building name	SWAN Bandwidth Proposed	Connectivity Mode	Remarks	Router	L3 Switch	L2 Switch with 8 POE ports	OFC Module for Router/switch	Rack + 1 KVA online UPS	Firewall ( for multiple ISPs)
1	DIRECTORATE OF AR&AH (2ADHO001)	LB-2, SECTOR-III SALT LAKE CITY BIDHAN NAGAR IB MARKET BIDHAN NAGAR SOUTH 24 Parganas(N) WB	Directorate of AR&AH ,	34 Mbps	WAN	Connectivity required at 2nd, 3rd , 4th floor. Building LAN exists. Uplink from ground floor required	0	0	1	0	1	1
2	PROJECT ADMINISTRATOR & COORDINATOR, WFP-618 (2ADHO050)	PRANI SAMPAD BHAWAN, 3RD FLOOR LB-2, SECTOR-III, SALT LAKE IB MARKET BIDHANNAGAR SOUTH 24 Parganas(N), WB	PRANI SAMPAD BHAWAN, 3rd floor		OFC / copper LAN	UP link required from WBSWAN switch , Structured LAN already exists	0	0	1	0	1	0
3	DIRECTORATE OF DAIRY DEVELOPMENT (2ADHO002)	64/99,Belgachia Road Kolkata Belgachia Ultadanga P.S Calcutta WB		34 Mbps	WAN		1	0	1	0	1	1
4	DIRECTORATE OF AGRICULTURE (2AGHO001)	JESSOP BUILDING, 1ST FLOOR, 63, N. S. ROAD, KOLKATA BURRA BAZAR BURRA BAZAR Calcutta WB	Jessop Building		OFC / copper LAN	70 mtrs from WBSWAN switch , uplink required	0	0	1	0	1	0
5	SMALL SAVINGS DIRECTORATE (2FDHO004)	Jessop Building,63 N.S. Road, Ground Floor Kolkata G.P.O. Kolkata Burrabazar Calcutta WB	Jessop Building		Existing WBSWAN		0	0	0	0	0	0
6	STATE REGISTRAR OF MONEY LENDERS, WB (2FDHO007)	Jessop Building, 63, N.S.Road Kolkata G.P.O., Kolkata Burrabazar Calcutta WB	Jessop Building,			Office not found	0	0	0	0	0	0
7	DIRECTORATE OF CORRECTIONAL SERVICES (2JLHO001)	JESSOP BUILDING, 1ST FLOOR, 63 NS ROAD KOLKATA G.P.O., Kolkata BURRABAZAR Calcutta WB	Jessop Building,		Existing WBSWAN		0	0	0	0	0	0
8	DIRECTORATE OF P&RD (2PNHO001)	Jessop Building, 63, N. S. Road Kolkata GPO Burra Bazar Calcutta WB	Jessop Building	10 Mbps	WAN	3 BSNL broadband present	1	0	1	0	1	1
9	DIRECTORATE OF TEXTILES (SERICULTURE) (2AGHO002)	45 G. C. AVENUE KOLKATA SUTARKIN STREET BOWBAZAR Calcutta WB	CSTC Building	10 Mbps	WAN	10 Mbps New connectivity required	1	1	1	2	1	1
10	DIRECTORATE OF LEGAL METROLOGY (2CAHO001)	3rd & 4th Floor, 45-Ganesh Chandra Avenue Kolkata Dharmatala Bowbazar Calcutta WB	CSTC Building		OFC / Copper LAN	LAN exist for 10 users. No WBSWAN connectivity 10 Mbps WBSWAN link exist at 1st floor (State Transport Authority). Link may be drawn from suggested new link at 2nd floor (Textiles)	0	0	1	0	1	0
11	OFFICE OF THE COMMISSIONER FOR PERSONS WITH DISABILITIES (2WCHO002)	3rd Floor, 45, Ganesh Chandra Avenue Kolkata Dharmatala Bowbazar Calcutta WB	CSTC Building		OFC / copper LAN	10 Mbps WBSWAN link exist at 1st floor(State Transport Authority). Link may be drawn from suggested new link at 2nd floor (Textiles). <b>No official communication received. Office will be shifted to new office</b>	0	0	1	0	1	0

# WEBEL TECHNOLOGY LIMITED

12	DIRECTORATE OF DRUGS CONTROL (2HFHO007)	P-16, INDIA EXCHANGE PLACE EXTN., KIT BUILDINGS(5TH FLOOR) KOLKATA BOWBAZAR BOWBAZAR Calcutta WB	5th floor, KIT Building		OFC/cop per LAN	No structured LAN, Uplink required + 10 LAN points	0	0	1	0	1	0
13	OFFICE OF THE REGISTRAR GENERAL OF MARRIAGES WB (2JDHO006)	K.I.T. BUILDING (4TH FLOOR) KOLKATA C.R.AVENUE BOWBAZAR Calcutta WB	KIT Building		Existing WBSWAN	Existing WBSWAN connectivity	0	0	0	0	0	0
14	DIRECTORATE OF AGRICULTURAL MARKETING, WB (2AMHO002)	P-16 India Exchange Place Extn Kolkata Kolkata Lalbazar Calcutta WB	3rd floor, KIT Building	34 Mbps	WAN	New connectivity	1	1	1	2	1	1
15	DIRECTORATE OF CONSUMER AFFAIRS & FAIR BUSINESS PRACTICES (2CAHO002)	2nd Floor, Kreta Suraksha Bhawan, 11A, Mirza Ghalib Street Kolkata New Market New Market Calcutta WB	2nd Floor, Kreta Suraksha Bhawan, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists (need to increase IP range), Already uplink connectivity exists from 3rd floor of Consumer Affairs	0	0	0	0	0	0
16	STATE CONSUMER DISPUTES REDRESSAL COMMISSION WB (2CAHO032)	KRETA SURAKSHA BHAWAN GROUND FLOOR& 2nd floor KOLKATA NEW MARKET NEW MARKET Calcutta WB	Khadya Bhavan		Existing WBSWAN	Structured LAN Exists (need to increase IP range) ,Already uplink connectivity exists from 3rd floor of Consumer Affairs	0	0	0	0	0	0
17	WB RIGHT TO PUBLIC SERVICE COMMISSION (2CAHO0089)	11A, MIRZA GHALIB STREET NEW MARKET NEW MARKET Calcutta WB, 4th floor	4th floor, Kreta Suraksha Bhawan		Existing WBSWAN	Structured LAN Exists (need to increase IP range), Already uplink connectivity exists from 3rd floor of Consumer Affairs	0	0	0	0	0	0
18	DIRECTORATE OF CO-OPERATIVE AUDIT (2COHO002)	11 A, MIRZA GHALIB STREET, KHADYA BHABAN, B BLOCK, 3RD FLOOR KOLKATA NEW MARKET NEW MARKET Calcutta WB	3rd Floor (B Block), WRIDD Building, Khadya Bhavan	34 Mbps	WAN	Structured LAN Exists ,WAN connectivity to be established at this directorate	1	1	1	2	1	1
19	DIRECTORATE OF CONSUMER GOODS (2FSHO002)	KHADYA BHAWAN, 3RD FLOOR, 11A MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	3rd floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0
20	DIRECTORATE OF DDP&S (2FSHO001)	KHADYA BHAWAN, 3RD FLOOR, 11A MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	3rd floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0
21	DIRECTORATE OF FINANCE (2FSHO037)	11 A Mirza Ghalib Street KOLKATA NEW MARKET NEW MARKET Calcutta WB	Ground Floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0
22	DIRECTORATE OF INSPECTION & QUALITY CONTROL(2FSH O011)	KHADYA BHAWAN, 4TH FLOOR, 11A, MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	4th floor, Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0
23	DIRECTORATE OF NCEC (2FSHO008)	KHADYA BHAWAN, 4TH FLOOR, 11A, MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	3rd Floor (B Block), WRIDD Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr from DIRECTORATE OF CO-OPERATIVE AUDIT	0	0	1	0	1	0
24	DIRECTORATE OF RATIONING (2FSHO003)	KHADYA BHAWAN, 11A MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	2nd Floor ,Food & Supplies Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr. From Ground Floor server room	0	0	1	0	1	0

# WEBEL TECHNOLOGY LIMITED

25	DIRECTORATE OF STATISTICS (2FSHO009)	KHADYA BHAWAN CAMPUS, B BLOCK, 3RD FLOOR, 11A, MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	WRIDD Building, Khadya Bhavan		OFC / copper LAN	Uplink required	0	0	1	0	1	0
26	DIRECTORATE OF STORAGE (2FSHO005)	KHADYA BHAWAN, 4TH FLOOR, 11A, MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	4th floor, Food & Supplies Building, Khadya Bhavan		existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	1	0	1	0
27	DIRECTORATE OF TEXTILES (2FSHO010)	KHADYA BHAWAN, 11A MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	3rd Floor (B Block), WRIDD Building, Khadya Bhavan		OFC / copper LAN	Uplink required, 80 Mtr from DIRECTORATE OF CO-OPERATIVE AUDIT	0	0	1	0	1	0
28	DIRECTORATE OF TRANSPORTATION (2FSHO007)	KHADYA BHAWAN, 2ND FLOOR, 11A, MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	2nd Floor ,Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0
29	OFFICE OF THE CONTROLLER OF SUGAR (2FSHO205)	KHADYA BHAWAN, 11A MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	5th Floor (B Block), WRIDD Building, Khadya Bhavan			Office not functioning	0	0	0	0	0	0
30	OFFICE OF THE SENIOR ACCOUNTS OFFICER (2FSHO006)	KHADYA BHAWAN, 11A MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	2nd Floor ,Food & Supplies Building, Khadya Bhavan		Existing WBSWAN	Structured LAN Exists ,Already connected with WBSWAN backbone at server room ground floor	0	0	0	0	0	0
31	OFFICE OF THE LOKAYUKTA, WB (2HRHO008)	Block A, 4th Floor, Khadya Bhavan, 11A, Mirza Ghalib Street KOLKATA Khadya Bhavan New Market Calcutta WB	Khadya Bhavan			Office not found						
32	WB INFORMATION COMMISSION (2HRHO007)	11A, Mirza Ghalib Street KOLKATA Khadya Bhavan New Market Calcutta WB	Khadya Bhavan		Existing WBSWAN		0	0	0	0	0	0
33	WB MINORITIES' COMMISSION (2MDHO003)	KHADYA BHAWAN, 11A, MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB	Ground Floor (A Block), WRIDD Building, Khadya Bhavan			Mr. Shakell Ahmed, IAS , member Secretary, confirmed any e-office service not required	0	0	0	0	0	0
34	ADDITIONAL CHIEF ENGINEER (R&D) (2WIHO079)	11A MIRZA GHALIB ST. KOLKATA NEW MARKET NEW MARKET Calcutta WB	Khadya Bhavan			Office not found	0	0	0	0	0	0
35	WRDD (2WIHO003)	11A MIRZA GHALIB ST. KOLKATA NEW MARKET NEW MARKET Calcutta WB	5th Floor (B Block), WRIDD Building, Khadya Bhavan		OFC / copper LAN	Uplink required	0	0	1	0	1	0
36	STATE CONSUMER DISPUTES REDRESSAL COMMISSION WB CIRCUIT BENCH ASANSOL (2CAHO00099)	KSTP COMMUNITY HALL DHADKA DAKSHIN DHADKA ASANSOL NORTH Paschim Bardhaman WB	Outside Kolkata		VPN recommended		0	0	0	0	0	0
37	CO-OPERATION DIRECTORATE (2COHO001)	New Secretariat Building, Block-A, 4th Floor, 1 K.S. Roy Road KOLKATA N.S.Building HARE STREET Calcutta WB	NS Building		Existing WBSWAN	LAN exist, 5 additional points to be done by us. Already connected to WBSWAN. Connected via PWD	0	0	1	0	1	0
38	DIRECTORATE OF MSME (2CSHO001)	1, Kiran Shankar Roy Road , 9th floor, Kolkata G.P.O. Hare Street Calcutta WB	NS Building		Existing WBSWAN	LAN exist. Already connected to WBSWAN	0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

39	DIRECTORATE OF TEXTILES (HANDLOOM ETC) (2CSHO002)	5th & 7th Floor, New Secretariat Building, 1 K.S.Road, Kolkata-700001	NS Building		OFC/ Copper LAN	UP link required from WBSWAN switch at 6th Floor, Youth & Sports dte , Structured LAN already exists	0	0	1	0	1	0
40	ESTATE DIRECTORATE (2HOHO002)	Block-B, 1st Floor, New Secretariat Buildings, 1, K.S. Roy Road Kolkata N.S. Building Hare Street Calcutta WB	NS Building		Existing WBSWAN	Live in eOffice	0	0	0	0	0	0
41	HOUSE BUILDING LOAN OFFICE ATTACHED TO HOUSING DEPARTMENT (2HOHO0036)	1, K.S.ROY ROAD, N.S.BUILDING KOLKATA KOLKATA Calcutta WB	NS Building		Existing WBSWAN	LAN exist. Already connected to WBSWAN	0	0	0	0	0	0
42	HOUSING DIRECTORATE (2HOHO001)	BLOCK-A, 1ST FLOOR, N S BUILDING, 1, K S ROY RD. KOLKATA N.S.Building HARE STREET Calcutta WB	NS Building		Existing WBSWAN	LAN exist for 15 user and LAN connectivity for rest of the users in progress. Already connected to WBSWAN	0	0	0	0	0	0
43	ANTI CORRUPTION BRANCH, WB (2HRHO004)	NEW SECRETARIAT BUILDING, 9TH FLOOR, 1, K. S. RAY ROAD KOLKATA KOLKATA GPO ANTI CORRUPTION BRANCH Calcutta WB	NS Building		Existing WBSWAN		0	0	0	0	0	1
44	ADMINISTRATOR GENERAL AND OFFICIAL TRUSTEE OF WB (2JDHO009)	NEW SECRETARIAT BUILDING (10TH FLOOR), 1NO, KIRON SANKAR ROY ROAD KOLKATA NEW SECRETARIAT BUILDING POST OFFICE HARE STREET Calcutta WB	NS Building		OFC/ Copper LAN	3-4 PC connected to NIC (9th floor), 20 LAN points required.Uplink required	0	0	1	0	1	0
45	DIRECTORATE OF BOILERS (2LBHO001)	N.S.Building,8th Floor, 1,K.S. Roy Road Kolkata N.S.Building Post Office Hare Street Calcutta WB	NS Building		Existing WBSWAN	LAN exist. Already connected to WBSWAN	0	0	0	0	0	0
46	DIRECTORATE OF EMPLOYEES' COMPENSATION , W.B. (2LBHO010)	New Secretariat Building, 2nd Floor, Block-A, 1, K.S.Roy Road. Kolkata New Secretariat Building. Hare Street Calcutta WB	NS Building		Existing WBSWAN		0	0	0	0	0	0
47	DIRECTORATE OF FACTORIES (2LBHO009)	New Secretariat Building (8th Floor), 1 K.S. Roy Road Kolkata New Secretariat Building Hare Street Calcutta WB	NS Building		Existing WBSWAN	Connected via PWD	0	0	0	0	0	0
48	DIRECTORATE OF INDUSTRIAL TRIBUNALS (2LBHO037)	New Secretariat Building, 2nd Floor, Block-A, 1, K.S. Roy Road. Kolkata New Secretariat Buildings. Hare Street. Calcutta WB	NS Building		OFC/ Copper LAN	Distance from WBSWAN POP 200m, No Lan exist(LAN survey done by PWD)	0	0	1	2	1	0
49	JUDGE,EMPLOYEES INSURANCE COURT,WB. (2LBHO130)	9th Floor, New Secretariat Buildings., 1, K.S. Roy Road. Kolkata New Secretariat Buildings. Hare Street. Calcutta WB	NS Building		OFC/ Copper LAN	Uplink to be done from ACB	0	0	1	0	1	0
50	LABOUR COMMISSIONER ATE (2LBHO002)	New Secretariat Building, 11th floor, 1, Kiran Sankar Roy Road Kolkata New Secretariat Building Hare Street Calcutta WB	NS Building		Existing WBSWAN		0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

51	OFFICE OF THE DIRECTOR OF LAND RECORDS & SURVEYS, IBBD, WB (2LDHO002)	Room No. 3,4&6, 6th Floor, N.S. Buildings, 1 K.S. Roy Road Kolkata GPO, Kolkata Hare Street Calcutta WB	NS Building		OFC/ Copper LAN	Uplink to be done, Distance from WBSWAN POP 70m, No LAN, Internet Connection Via Dongle and one broadband Modem	0	0	1	0	1	0
52	OFFICE OF THE CE(HQ), PHE DTE (2PHHO003)	1, K.S. ROY ROAD, NS BUILDINGS, 7TH FLOOR KOLKATA GPO-KOLKATA HARE STREET Calcutta WB	NS Building		OFC/ Copper LAN	Uplink to be done, No LAN, Internet Connection Via Vodaphone	0	0	1	0	1	1
53	DIRECTORATE OF TOURISM (2TMHO001)	BLOCK-A, 3RD FLOOR, N S BUILDING, 1, K S ROY RD. KOLKATA G.P.O. KOLKATA HARE STREET Calcutta WB	NS Building		OFC/ Copper LAN	Uplink to be done, LAN exist and Internet provided by PWD	0	0	0	0	0	0
54	CENTRAL TRAINING INSTITUTE, GOTLU, ITAHAR, UTTAR DINAJPUR (2DMHO008)	Central Training Institute Gotlu Itahar Itahar Uttar Dinajpur WB	Outside Kolkata		VPN recommended		0	0	0	0	0	0
55	DIRECTORATE OF CIVIL DEFENCE (2DMHO002)	81/2/2, Phears lane Kolkata Bowbazar Bowbazar Calcutta WB				During visit nobody was available for sharing information	0	0	0	0	0	0
56	DIRECTORATE OF DISASTER MANAGEMENT (2DMHO001)	TRAN BHAWAN, 87 A, SN BANERJEE ROAD KOLKATA TALTALA TALTALA Calcutta WB			Live in eOffice via PWD		0	0	0	0	0	0
57	OFFICE OF THE COMMANDANT, BORDER WING HOME GUARD BN., WB (2DMHO006)	Office of the Commandant, BWHG Bn., W.B. Ghoshpara Road, Sukanta Pally. Halisahar Bijpur 24 Parganas(N) WB	Outside Kolkata	4 Mbps	WAN	No LAN throughout the building, No WBSWAN connectivity. Internet access by BSNL Broad band (4 Mbps). Structured cabling required	1	0	1	0	1	1
58	OFFICE OF THE DIRECTOR GENERAL OF POLICE & COMMANDANT GENERAL, HOME GUARD, WB (2DMHO005)	Home Guard Head Quarter, EE-II, Sector-II, Salt Lake Salt Lake Sech Bhawan Bidhannagar North 24 Parganas(N) WB		4 Mbps	WAN	1st, 2nd & 3rd Floor; LAN exists, WAN connectivity required at 1st floor of server room. (computer Room). Uplink required from WBSWAN connectivity to Existing RACK installed at computer room	1	0	1	0	1	1
59	STATE COMMANDANT WBNVF DIRECTORATE (2DMHO004)	WBNVF Directorate Kalyani N.S.S. Kalyani Nadia WB	Outside Kolkata	4 Mbps	WAN	No LAN throughout the building, No WBSWAN connectivity. Internet access by CITI cable NET. Structured cabling required	1	0	1	0	1	1
60	WB CIVIL EMERGENCY FORCE (2DMHO003)	106, CARRIE ROAD. HOWRAH B. GARDEN AJC BOSE, B. GARDEN Howrah WB				Office Not Found	0	0	0	0	0	0
61	DIRECTORATE OF LIBRARY SERVICES (2EMHO002)	BIKASH BHAWAN, 9TH FLOOR, NORTH BLOCK SALT LAKE SECH BHAWAN BIDHAN NAGAR NORTH 24 Parganas(N) WB	Bikash Bhaban		Existing WBSWAN		0	0	0	0	0	0
62	DIRECTORATE OF MASS EDUCATION EXTENSION (2EMHO001)	BIKASH BHAVAN, 9th FLOOR SALT LAKE SECH BHAVAN BIDHANNAGAR NORTH Calcutta WB	Bikash Bhaban		Existing WBSWAN		0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

63	DIRECTORATE OF ACCOUNTS (2ESHO088)	BikashBhaban. 2nd floor , Wing A, Salt Lake Sech Bhaban Bidhannagar(North) 24 Parganas(N) WB	Bikash Bhaban		OFC / copper LAN	OFC LAN from 7th floor, School Ed Dept, Wing A. LAN connectivity Exits in the department	0	0	1	2	1	0
64	DIRECTORATE OF SCHOOL EDUCATION (2ESHO001)	Bikash Bhaban. 7th floor Salt Lake Sech Bhaban Bidhannagar(North) 24 Parganas(N) WB	Bikash Bhaban			Under renovation, will be done later	0	0	1	0	1	0
65	DIRECTORATE OF PUBLIC INSTRUCTION (2HEHO001)	Bikash Bhaban, 7th & 8th Floor, East Block SALT LAKE CITY SECH BHAVAN BIDHANNAGAR NORTH 24 Parganas(N) WB	Bikash Bhaban	34 Mbps	WAN	New connectivity	1	1	1	2	1	1
66	DIRECTORATE OF TECHNICAL EDUCATION (2HEHO002)	Bikash Bhaban, 10th Floor, East Block Salt Lake City Sech Bhaban Bidhannagar North 24 Parganas(N) WB	Bikash Bhaban		OFC / copper LAN	OFC LAN from DPI 8th floor	0	0	1	0	1	0
67	WB DISTRICT GAZETTEERS (2HEHO004)	BIKASH BHAVAN, NORTH BLOCK, 8TH FLOOR , Wing A, SALT LAKE CITY BIDHANNAGAR NORTH 24 Parganas(N) WB	Bikash Bhavan		OFC / copper LAN	Cat 6 LAN from DPI 8th floor	0	0	1	0	1	0
68	STATE VIGILANCE COMMISSION, WB (2HRHO005)	Bikash Bhavan Salt Lake, Sector-II Nirman Bhavan Bidhannagar North 24 Parganas(N) WB	Bikash Bhavan		Existing WBSWAN	Live in eOffice	0	0	0	0	0	0
69	DIRECTORATE OF MADRASAH EDUCATION (2MDHO001)	Bikash Bhaban , 2nd Floor,Block B, Salt Lake Sech Bhaban Bidhannagar North 24 Parganas(N) WB	Bikash Bhaban		OFC / copper LAN	OFC LAN from Higher Education 6th Floor, wing A,	0	0	1	2	1	0
70	OFFICE OF THE CHIEF ENGINEER, MUNICIPAL ENGINEERING DIRECTORATE (2UMHO003)	BIKASH BHAWAN, SOUTH BLOCK, FIRST FLOOR SALT LAKE NIRMAN BHAWAN BIDHANNAGAR NORTH Calcutta WB	BIKASH BHAWAN , 1st Floor, Wing B		OFC / copper LAN	Cat6 LAN from 1st floor, wing B,Fire Dept. LAN connectivity Exits in the department	0	0	1	0	1	0
71	OFFICE OF THE SECRETARY, MUNICIPAL ENGINEERING DIRECTORATE (2UMHO004)	BIKASH BHAWAN, SOUTH BLOCK, FIRST FLOOR SALT LAKE NIRMAN BHAWAN BIDHANNAGAR NORTH Calcutta WB	BIKASH BHAWAN , 1st Floor, Wing B		OFC / copper LAN		0	0	0	0	0	0
72	STATE COUNCIL OF EDUCATIONAL RESEARCH AND TRAINING (2ESHO868)	25/3, BALLYGUNGE CIRCULAR ROAD KOLKATA BALLYGUNGE BALLYGUNGE Calcutta WB	1st & 3rd Floor	4 Mbps	WAN	WAN connectivity required at 3rd floor of TECH LAB.LAN dose't exist.	1	0	1	0	1	1
73	DIRECTORATE OF INDUSTRIAL TRAINING, KARI GORI BHABAN (2ETHO002)	Karigari Bhaban, 2nd Floor B/7,AA-III Newtown, Rajarhat 700160 Newtown 24 Parganas(N) WB	Karigari Bhaban, WBSWAN exist	34 Mbps	WAN	Structured LAN done by PWD.	1	0	1	0	1	1
74	DIRECTORATE OF TECHNICAL EDN & TRAINING ,KARIGORI BHABAN (2ETHO001)	Karigari Bhaban, 3rd Floor, B/7, Action Area-III, New Town Rajarhat New Town New Town 24 Parganas(N) WB	Karigari Bhaban, WBSWAN exist		OFC / copper LAN	Uplink to be done,Structured LAN done by PWD.	0	0	1	0	1	0
75	DIRECTORATE OF VOCATIONAL EDN AND TRAINING, KARIGORI BHABAN (2ETHO003)	Karigari Bhaban ,2 nd FloorB/7,AA-III Newtown, Rajarhat 700160 Newtown 24 Parganas(N) WB	Karigari Bhaban, WBSWAN exist		OFC / copper LAN	Uplink to be done,Structured LAN done by PWD.	0	0	1	0	1	0
76	DIRECTORATE OF AGRICULTURAL INCOME TAX (2FDHO013)	14, Beliaghata Road Annexue Building-III 6th floor Kikata Tangra Entally Calcutta WB	Commercial Tax Building		Existing WBSWAN	LAN exists	0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

77	DIRECTORATE OF COMMERCIAL TAXES (2FDHO008)	14, Beliaghata Road Kolkata Entally Entally Calcutta WB	Commercial Tax Building		Existing WBSWAN		0	0	0	0	0	0
78	DIRECTORATE OF ELECTRICITY DUTY (2FDHO009)	6th & 7th Floor, Annexe Building III, Commercial Tax Complx. Bldg, 14 Beliaghata Rd. Kolkata Entally Entally Calcutta WB	Commercial Tax Building		Existing WBSWAN		0	0	0	0	0	0
79	DIRECTORATE OF ENTRY TAX (2FDHO011)	2, BRABOURNE ROAD, 8TH FLOOR KOLKATA GPO, KOLKATA HARESTREET Calcutta WB			VPN recommended		0	0	0	0	0	0
80	DIRECTORATE OF PENSION, PROVIDENT FUND & GROUP INSURANCE (2FDHO002)	Purta Bhawan, 2nd Floor Salt Lake Sech Bhawan Bidhannagar North 24 Parganas(N) WB	Purta Bhawan	To be upgraded to 4 Mbps	Existing WBSWAN		0	0	0	0	0	0
81	DIRECTORATE OF REGISTRATION & STAMP REVENUE, WB (2FDHO010)	Fortuna Tower, 9th Floor, 23A, N.S. Road Kolkata G P O, Kolkata Hare Street Calcutta WB	Fortuna Tower		Existing WBSWAN		0	0	0	0	0	0
82	DIRECTORATE OF STATE LOTTERIES (2FDHO012)	69 Ganesh Chandra Avenue, 1st Floor, India House Kolkata Princep Street Bowbazar Calcutta WB			OFC / copper LAN	Uplink required from 9th Fl, Fortuna Tower ( Director of Registration and Stamp Revenue )	0	0	1	0	1	1
83	DIRECTORATE OF TREASURIES & ACCOUNTS, W.B. (2FDHO003)	Mitra Building, 3rd Floor, 8, Lyons Range Kolkata G P O, Kolkata Hare Street Calcutta WB	Mitra Building, e-office running by WBSWAN backbone		WAN	To be upgraded to 4 Mbps	0	0	0	0	0	1
84	EXCISE DIRECTORATE (2FDHO001)	32, B B Ganguly Street Kolkata Bowbazar Bowbazar Calcutta WB	e-office running by WBSWAN backbone		Existing WBSWAN		0	0	0	0	0	0
85	PUBLIC SERVICE COMMISSION, WB (2FDHO006)	161-A, S P Mukherjee Road Kolkata Tollygunge Tollygunge Calcutta WB	Public Service commission, Ground Floor to 9th Floor (except 1st and 2 nd floor)	45 Mbps	WAN	WAN connectivity required at 4th floor server room Uplink Required from WBSWAN connectivity to existing switch. 8 Mbps and 2 Mbps Internet bandwidth exists from BSNL and Airtel respectively	1	0	1	0	1	1
86	WB COMMERCIAL TAXES APPELLATE & REVISIONAL BOARD (2FDHO014)	14, Beliaghata Road Kolkata Tangra Entally Calcutta WB	Commercial Tax Building		Existing WBSWAN		0	0	0	0	0	0
87	WB FIRE AND EMERGENCY SERVICES DIRECTORATE (2FEHO001)	13D MIRZA GHALIB STREET KOLKATA NEW MARKET NEW MARKET Calcutta WB		34 Mbps	WAN	Two Service Providers, 1.VODAFONE (10Mbps) 2.BSNL(10Mbps)	1	0	1	0	1	1
88	DIRECTORATE OF FISHERIES (2FIHO001)	BENFISH TOWER, GN-31,SECTOR-V SALT LAKE CITY SECH BHAWAN BIDHANNAGAR ELECTRONICS COMPLEX 24 Parganas(N) WB	Mean Bhavan		OFC / copper LAN	Structured LAN exists, Same complex but separate building 300 mrts. Approx	0	1	1	4	1	1

# WEBEL TECHNOLOGY LIMITED

89	WB HEALTH RECRUITMENT BOARD (2HFHO010)	BENFISH TOWER, GN-31,SECTOR-V SALT LAKE CITY SECH BHAWAN BIDHANNAGAR ELECTRONICS COMPLEX 24 Parganas(N) WB	BENFISH TOWER	To be upgraded to 34 Mbps	OFC / Copper LAN	1st and 2nd floor of Benfish tower approx 110 Mtrs. From 8th Floor. UP link required from WBSWAN switch. 2 Buildings (Benfish Tower & Mean Bhavan) are situated in the same campus	0	0	2	0	2	0
90	DIRECTORATE OF FOOD PROCESSING INDUSTRIES (2FPHO002)	Mayukh, 4th Floor Salt Lake City Sech Bhawan Bidhannagar N 24 Parganas(N) WB	Mayukh Bhavan		Existing WBSWAN	Will be shifted to Benfish Tower	0	0	1	0	1	0
91	DIRECTORATE OF HORTICULTURE (2FPHO001)	Mayukh, 4th Floor Salt Lake City Sech Bhawan Bidhannagar N 24 Parganas(N) WB	Mayukh Bhavan, 4th floor		Existing WBSWAN	Will be shifted to Benfish Tower	0	0	1	0	1	0
92	SUNDARBAN DEVELOPMENT BOARD (2SAHO001)	Mayukh, 1st Floor Saltlake City Sech Bhawan Bidhannagar North 24 Parganas(N) WB	Mayukh Bhavan, 1st Floor		Existing WBSWAN	Connected from Department of Sundarban Affairs	0	0	0	0	0	0
93	DIRECTORATE OF FORESTS (2FRHO001)	Aranya Bhawan, Block-LA-10A, Sector-III Salt Lake Bidhannagar I B Market S.O. Bidhan Nagar 24 Parganas(N) WB	Aranya Bhawan, 1st to 6th floor			Structured LAN exits at the department, Approx 80 Mtrs. From 2nd Floor	0	0	1	0	1	0
94	PADMAJA NAIDU HIMALAYAN ZOOLOGICAL PARK (2FRHO00111)	P.N.H. ZOOLOGICAL PARK Darjeeling Darjeeling WB	Outside Kolkata		VPN recommended		0	0	0	0	0	0
95	ZOOLOGICAL GARDEN, ALIPORE (2FRHO092)	2, Alipore Road Kolkata Alipore Calcutta WB			VPN recommended		0	0	0	0	0	0
96	INSTITUT DE CHANDERNAGOR (2HEHO006)	Strand Road Chandernagore Hoogly WB	Outside Kolkata		VPN recommended		0	0	0	0	0	0
97	STATE ARCHIVES (2HEHO005)	6, BHAWANI DUTTA LANE KOLKATA CALCUTTA UNIVERSITY JORASANKO Calcutta WB		34 Mbps	WAN	Proposal Submitted for new SWAN connectivity (34 Mbps)	1	0	1	0	1	1
98	DIRECTORATE OF AYURVEDA (2HFHO003)	SWASTHYA BHAWAN GN-29, SECTOR-V, SALT LAKE CITY SECH BHAWAN BIDHANNAGAR ELECTRONICS COMPLEX 24 Parganas(N) WB	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0
99	DIRECTORATE OF HEALTH SERVICES (2HFHO001)	SWASTHYA BHAWAN GN-29, SECTOR-V, SALT LAKE CITY P.O.- SECH BHAWAN P.S.- BIDHANNAGAR ELECTRONICS COMPLEX 24 Parganas(N) WB	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0
100	DIRECTORATE OF HOMOEOPATHY (2HFHO004)	SWASTHYA BHAWAN GN-29, SECTOR-V, SALT LAKE CITY SECH BHAWAN BIDHANNAGAR ELECTRONICS COMPLEX 24 Parganas(N) WB	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

101	DIRECTORATE OF MEDICAL EDUCATION (2HFHO002)	SWASTHYA BHAWAN GN-29, SECTOR-V, SALT LAKE CITY SECH BHAWAN BIDHANNAGAR ELECTRONICS COMPLEX 24 Parganas(N) WB	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0
102	I S M DRUG CONTROL (2HFHO008)	205, VIVEKANANDA ROAD KOLKATA MANIKTALA MANIKTALA Calcutta WB			VPN recommended		0	0	0	0	0	0
103	OFFICE OF THE SPECIAL OFFICER OF UNANI (2HFHO01142)	Swasthya Bhawan, GN 29, Sector V Salt Lake Sech Bhawan Bidhannagar Electronics Complex 24 Parganas(N) WB	Swasthya Bhavan		Existing WBSWAN		0	0	0	0	0	0
104	STATE DRUG CONTROL & RESEARCH LABORATORY (2HFHO006)	2, CONVENT LANE KOLKATA TANGRA ENTALLY Calcutta WB		4 Mbps	WAN		1	0	1	0	1	1
105	WB CLINICAL ESTABLISHMENT REGULATORY COMMISSION (2HFHO00949)	32 B. B. D. BAG(SOUTH) G.P.O. HARE STREET Calcutta WB		10 Mbps	WAN	Requested us to send a letter to Secretary. Then they will talk to PWD regarding installation of rack, power points etc (Heritage Building)	1	0	1	0	1	1
106	DIRECTORATE OF ECONOMIC OFFENCES (2HHHO012)	5, COUNCIL HOUSE STREET KOLKATA BOWBAZAR HARE STREET Calcutta WB			Existing WBSWAN		0	0	0	0	0	0
107	DIRECTORATE OF SECURITY, WB(2HHHO013)	13, LORD SINHA ROAD KOLKATA RUSSEL STREET SHAKESPEARE SARANI Calcutta WB		10 Mbps	WAN	LAN exists, 10 extra LAN points required for the e-office project. WAN connectivity required at ground floor of computer room adjacent to the DC (HQ), named Mr. Soutam Banerjee (IPS). Uplink required from WBSWAN connectivity to Existing RACK installed at computer room.	1	0	3	4	3	1
108	FORENSIC SCIENCE LABORATORY, GOVT. OF WB (2HHHO014)	37/1/2, BELGACHIA ROAD KOLKATA BELGACHIA TALA Calcutta WB		10 Mbps	WAN		1	0	1	0	1	1
109	KOLKATA POLICE DIRECTORATE (2HHHO011)	18 LALBAZAR STREET KOLKATA GPO KOLKATA HARE STREET Calcutta WB			Existing WBSWAN		0	0	0	0	0	0
110	OFFICE OF THE CHIEF ELECTORAL OFFICER & EX-OFFICIO PRINCIPAL SECRETARY, WB (2HHHO017)	21, N. S. ROAD, BALMER LAWRIE BUILDING KOLKATA GPO, KOLKATA HARE STREET Calcutta WB			Live in e office via NIC		0	0	0	0	0	0
111	OFFICE OF THE REGISTRAR OF PUBLICATIONS, WB (2HHHO018)	BLOCK - G KOLKATA WRITERS' BUILDINGS HARE STREET Calcutta WB	WRITERS' BUILDINGS		Live in e office via PWD		0	0	0	0	0	0
112	RAJYA SAINIK BOARD (2HHHO016)	BLOCK - IV( 1ST FLOOR) KOLKATA WRITERS' BUILDINGS HARE STREET Calcutta WB	WRITERS' BUILDINGS		Live in e office via PWD		0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

113	WB POLICE DIRECTORATE (2HHO010)	BHABANI BHAWAN 31 BELVEDERE ROAD ALIPORE KOLKATA ALIPORE ALIPORE 24 Parganas(S) WB	Bhavani Bhavan			Separate order placed from WB Police HQ	0	0	0	0	0	1
114	DIRECTORATE OF BRICK PRODUCTION (2HOHO003)	Mechanised Brick Factory, Palta Barrackpore Noapara 24 Parganas(N) WB	Outside Kolkata		VPN recommended		0	0	0	0	0	0
115	ADMINISTRATIVE TRAINING INSTITUTE (2HRHO001)	Block FC Salt Lake, Sector-III IB Market Bidhannagar South 24 Parganas(N) WB			Existing WBSWAN		0	0	0	0	0	0
116	WB GROUP 'D' RECRUITMENT BOARD (2HRHO003)	HIDCO UTILITY BUILDING, ACTION AREA IIC NEW TOWN NEW TOWN Calcutta WB	Hidco Building		VPN recommended		0	0	0	0	0	0
117	DIRECTORATE OF ARCHAEOLOGY & MUSEUMS (2ICHO004)	33, CHITTA RANJAN AVENUE (4th FLOOR) KOLKATA JOGAJOG BHAWAN BARABAZAR Calcutta WB			VPN recommended		0	0	0	0	0	0
118	DIRECTORATE OF CULTURE (2ICHO002)	325 Sarat Chatterjee Road Howrah Shibpur Shibpur Howrah WB	Nabanna		Live in e office via PWD		0	0	0	0	0	0
119	DIRECTORATE OF FILM (2ICHO003)	325, Sarat Chatterjee Road Howrah Shibpur Shibpur Howrah WB	Nabanna		Live in e office via PWD		0	0	0	0	0	0
120	DIRECTORATE OF INFORMATION (2ICHO001)	325, Sarat Chatterjee Road Howrah Shibpur Howrah WB	Nabanna		Live in e office via PWD		0	0	0	0	0	0
121	DIRECTORATE OF INDUSTRIES (2INHO001)	Shilpa Sadan, 4, Camac Street, 1st & 8th Floor Kolkata Park St. Shakespere Sarani Calcutta WB	Shilpa Sadan	10 Mbps	WAN	Structured LAN exist	1	1	2	2	2	1
122	DIRECTORATE OF MINES & MINERALS (2INHO002)	Shilpa Sadan, 4, Camac Street, 2nd Floor Kolkata Park St. Shakespere Sarani Calcutta WB	Shilpa Sadan		OFC / copper LAN	Uplink required, No LAN	0	0	1	0	1	0
123	REGISTRAR OF FIRMS SOCIETIES & N.T.CORP.W.B. (2INHO006)	P-15, INDIA EXCHANGE PLACE EXTENTION,TODI MANSION, 8TH & 10TH FLOORS KOLKATA BOWBAZAR BOWBAZAR Calcutta WB	Todi Mansion		Existing WBSWAN ( Cat 6 LAN required from Internal Audit, 8th Floor)		0	0	1	0	1	1
124	SECRETARY TO THE GOVERNORS' PRESS (2INHO007)	2,Larkin Lane Kolkata Raj Bhaban Hare Street Calcutta WB			OFC / copper LAN	Uplink required	0	0	1	0	1	0
125	STATIONERY OFFICE, GOVERNMENT OF WB (2INHO003)	2nd Floor,38, Gopalnagar Road Kolkata Alipore Alipore Calcutta WB	New Connectivity required	10 Mbps	WAN	10 LAN points required,Uplink required from WB Govt Press switch , approx distance 90 Mtr.	1	0	1	0	1	1
126	WB GOVERNMENT PRESS ALIPORE (2INHO005)	1st Floor, 38,GOPALNAGAR ROAD KOLKATA ALIPORE ALIPORE Calcutta WB			OFC / copper LAN	10 LAN points required	0	0	1	2	1	0
127	WB GOVERNMENT PRESS COOCH BEHAR (2INHO008)	Silver Jubilee Rd. Cooch Behar Cooch Behar Kotwali Cooch-Behar WB	Outside Kolkata		VPN recommended		0	0	0	0	0	0
128	WB GOVERNMENT PRESS KADAPARA (2INHO004)	1st Floor,46/1, NARKELDANGA MAIN ROAD KOLKATA PHOOLBAGAN PHOOLBAGAN Calcutta WB		4 Mbps	WAN	LAN exist , New WBSWAN connectivity Required	1	0	1	0	1	1

# WEBEL TECHNOLOGY LIMITED

129	OFFICE OF CHIEF ENGINEER(DESIGN & RESEARCH) (2IWHO017)	JALASAMPAD BHAVAN SALT LAKE SECH BHAVAN BIDHANNAGAR NORTH 24 Parganas(N) WB	JALASAMPAD BHAVAN, 1st Floor		OFC / copper LAN	35 Mtr. From Ground floor.	0	0	1	0	1	1
130	OFFICE OF CHIEF ENGINEER(NORTH EAST) (2IWHO001)	JALAPATH BHAVAN, CLUB ROAD JALPAIGURI JALPAIGURI KOTWALI Jalpaiguri WB	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0
131	OFFICE OF CHIEF ENGINEER(NORTH) (2IWHO007)	GREEN PARK MALDA MOKDUMPUR ENGLISH BAZAR Malda WB	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0
132	OFFICE OF CHIEF ENGINEER (SOUTH WEST) (2IWHO003)	KHUSJUNGLE MIDNAPORE ABAS MIDNAPORE KOTWALI Midnapore(West) WB	Outside Kolkata	2 Mbps	WAN	Under implementation by I&W dept	1	0	1	0	1	0
133	OFFICE OF CHIEF ENGINEER(SOUTH) (2IWHO005)	JALASAMPAD BHAVAN SALT LAKE SECH BHAVAN BIDHANNAGAR NORTH 24 Parganas(N) WB	JALASAMPAD BHAVAN		OFC / copper LAN	45 Mtr. From ground floor	0	0	1	0	1	0
134	OFFICE OF CHIEF ENGINEER(TEESTA BARRAGE PROJECT) (2IWHO002)	TEESTA SECH BHAVAN, 2ND MILE, SEVOKE ROAD SILIGURI SILIGURI BHAKTINAGAR Darjeeling WB	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0
135	OFFICE OF CHIEF ENGINEER(WEST) (2IWHO016)	KANAINATSHAL BURDWAN SREEPALLY BURDWAN Purba Bardhaman WB	Outside Kolkata		Existing WBSWAN		0	0	0	0	0	0
136	OFFICE OF DIRECTOR OF PERSONNEL & EX-OFFICIO CHIEF ENGINEER (2IWHO004)	JALASAMPAD BHAVAN SALT LAKE SECH BHAVAN BIDHANNAGAR NORTH 24 Parganas(N) WB	JALASAMPAD BHAVAN, 1st Floor (only one room) & 4th Floor		OFC / copper LAN	275 Mtr. (4th Floor) from Ground floor	0	1	0	2	1	0
137	OFFICE OF PROJECT DIRECTOR, SPMU, WBMIFMP (2IWHO00145)	JALASAMPAD BHAVAN SALT LAKE SECH BHAVAN BIDHANNAGAR NORTH 24 Parganas(N) WB	JALASAMPAD BHAVAN, 9th Floor		OFC / copper LAN	675 Mtr. From ground floor	0	0	1	2	1	0
138	OFFICE OF THE SHERIFF OF CALCUTTA (2JDHO007)	3, ESPLANADE ROW WEST, HIGH COURT BUILDING CALCUTTA G.P.O ,CALCUTTA HARE STREET Calcutta WB	High Court	4 Mbps	WAN		1	0	1	0	1	0
139	OFFICE OF THE CHIEF JUDGE , CITY SESSIONS COURT , CALCUTTA (2JDHO00355)	2&3, BANKSHALL STREET, BICHAR BHAWAN, 1ST FLOOR KOLKATA G.P.O., KOLKATA HARE STREET Calcutta WB				No information shared because no official communications regarding e-office implementation have been received by them.	0	0	0	0	0	0
140	OFFICE OF THE LEGAL REMEMBRANCE R (2JDHO001)	2 & 3, Kiran Shankar Roy Road KOLKATA G.P.O. KOLKATA HARE STREET Calcutta WB		10 Mbps	WAN		1	0	1	0	1	1
141	OFFICE OF THE OFFICIAL ASSIGNEE OF CALCUTTA (2JDHO010)	3, BANK SHALL STREET ,2ND FLOOR CALCUTTA G.P.O ,CALCUTTA HARE STREET Calcutta WB			VPN recommended		0	0	0	0	0	0
142	OFFICE OF THE OFFICIAL RECEIVER, HIGH COURT, CALCUTTA (2JDHO002)	3 No. Bankshall Street Calcutta G.P.O, Calcutta Hare Street Calcutta WB			VPN recommended		0	0	0	0	0	0

# WEBEL TECHNOLOGY LIMITED

143	WB JUDICIAL ACADEMY (2JDHO005)	AA-III /B-10 NEWTOWN,3rd and 4th floor, RAJARHAT NEW TOWN ACTION AREA-III NEW TOWN 24 Parganas(N) WB		4 Mbps	WAN	New connectivity	1	0	1	0	1	1
144	DIRECTORATE OF EMPLOYMENT (2LBHO003)	Directorate of Employment, 67, Bentinck street, 4th Floor, kolkata-69. Kolkata Esplanade Hare Street Calcutta WB			Live in e office via PWD		0	0	0	0	0	0
145	DIRECTORATE OF ESI(MB) SCHEME (2LBHO085)	2nd Floor,P 233 CIT SCHEME VIIM, BAGMARI ROAD. KOLKATA KANKURGACHI MANICKTALA Calcutta WB		10 Mbps	WAN	LAN required, New WBSWAN connectivity Required	1	0	1	0	1	1
146	DIRECTORATE OF LAND RECORDS & SURVEYS (2LDHO001)	Survey Building, 35 Gopalnagar Rd. Kolkata Alipur Alipur 24 Parganas(S) WB	Survey Building		Existing WBSWAN		0	0	0	0	0	0
147	REFUGEE RELIEF & REHABILITATION DIRECTORATE (2LDHO003)	KARIGARI BHAWAN, B/7, ACTION AREA - III, RAJARHAT NEW TOWN KOLKATA NEW TOWN, ACTION AREA-III NEW TOWN Calcutta WB				No information shared because no official communications regarding e-office implementation have been received by them.	0	0	0	0	0	0
148	MINORITIES DEVELOPMENT AND WELFARE DIRECTORATE (2MDHO002)	NABANNA, 325 SARAT CHATTERJEE ROAD SHIBPUR SHIBPUR Howrah WB	Nabanna		Existing WBSWAN via PWD LAN		0	0	0	0	0	0
149	WAQF TRIBUNAL (2MDHO010)	125B, HEM CHANDRA NASKAR ROAD KOLKATA BELLAGHATA BELLAGHATA Calcutta WB			VPN recommended		0	0	0	0	0	0
150	TEA DIRECTORATE (2NBHO00002)	Vivekananada Bhawan Hill Cart Road, Siliguri Siliguri Darjeeling WB	Outside Kolkata		VPN recommended		0	0	0	0	0	0
151	OFFICE OF THE CHIEF GOVT. ARCHITECT & EX-OFFICIO CHIEF ENGINEER,P.W.D (2PDHO002)	Bhabani Bhawan,(New Building), 7th Floor, 31/1, Belvedere Road Kolkata Alipore Alipore Calcutta WB	Bhabani Bhawan	10 Mbps	WAN	10 LAN points required.New WBSWAN connectivity Required, the layer 3 equipment to be installed	1	1	1	2	1	1
152	PUBLIC WORKS DIRECTORATE (2PDHO001)	NABANNA, 8TH FLOOR, 325, SARAT CHATTERJEE RD. HOWRAH SHIBPUR SHIBPUR Howrah WB	Nabanna		Existing WBSWAN via PWD LAN		0	0	0	0	0	0
153	PUBLIC WORKS ROADS DIRECTORATE (2PDHO003)	825, Sarat Chatterjee Road Howrah Shibpur Shibpur Howrah WB		10 Mbps	WAN		1	0	1	0	1	1
154	PMU, WBDWSIP, PHE DTE (2PHHO00136)	09/1-0024, Utility Building, 1st Floor New Town New Town New Town 24 Parganas(N) WB			VPN recommended		0	0	0	0	0	0
155	DIRECTORATE OF ELECTRICITY (2POHO001)	11, NS ROAD, COLLECTORATE BUILDING KOLKATA , 1st Floor, KOLKATA HARE STREET Calcutta WB	COLLECTORATE BUILDING	10Mbps	WAN	32 nos. internal LAN done by Webel, No WBSWAN connectivity.Internet access by BSNL (10 Mbps, 1:1), 1 no. D-Link 24 port S/w, 12 U Rack exist	1	0	1	0	1	1

# WEBEL TECHNOLOGY LIMITED


156	BUREAU OF APPLIED ECONOMICS & STATISTICS (2PSHO002)	JOINT ADMINISTRATIVE BUILDING (5TH FLOOR), HC-7, SECTOR-III SALT LAKE CITY BIDHANNAGAR IB MARKET BIDHANNAGAR SOUTH 24 Parganas(N) WB	JOINT ADMINISTRATIVE BUILDING		Existing WBSWAN		0	0	0	0	0	0
157	DIRECTORATE OF EVALUATION, MONITORING & MANPOWER (2PSHO001)	JOINT ADMINISTRATIVE BUILDING( 3RD FLOOR), HC-7, SECTOR-III 3 SALT LAKE CITY BIDHANNAGAR IB MARKET BIDHANNAGAR SOUTH 24 Parganas(N) WB	JOINT ADMINISTRATIVE BUILDING		Existing WBSWAN		0	0	0	0	0	0
158	BACKWARD CLASSES WELFARE & TRIBAL DEVELOPMENT DIRECTORATE (2SCHO001)	BLOCK-CF, 217/A/1, SECTOR-I SALT LAKE BIDHANNAGAR CC BLOCK BIDHANNAGAR NORTH 24 Parganas(N) WB	1st, 2nd & 3rd floor	10 Mbps	WAN	WAN connectivity required at 2nd floor server room. Uplink Required from WBSWAN connectivity to existing switch	1	0	1	0	1	0
159	DIRECTORATE OF SHG&SE (2SHHO001)	East India House, 1st Floor, 20B Abdul Hamid Street Kolkata Esplanade SO Hare Street Calcutta WB	East India House				0	0	0	0	0	0
160	INLAND WATER TRANSPORT DIRECTORATE (2TRHO004)	38 Beltala Road kolkata L.R Sarani Ballygunje Calcutta WB	3rd Floor	4 Mbps	WAN	WAN connectivity required at 3rd floor.	1	0	1	0	1	1
161	TRANSPORT DIRECTORATE (2TRHO00006)	Paribahan Bhavan-II, CSTC Kasba Depot, E.M. Bye Pass kolkata Kasba kasba Calcutta WB	Paribahan Bhavan II		Existing WBSWAN		0	0	1	0	1	1
162	TRANSPORTATION PLANNING AND TRAFFIC ENGINEERING DIRECTORATE (2TRHO001)	18 RABINDRA SARANI KOLKATA G.P.O. KOLKATA HARE STREET Calcutta WB		10 Mbps	WAN	No WBSWAN connectivity. Un-structured LAN.Using BSNL Broadband	1	0	1	0	1	1
163	DIRECTOR OF LOCAL BODIES (2UMHO001)	purta bhavan, 1st floor salt lake seach bhavan bidhannagar north 24 Parganas(N) WB	Purta bhavan	10 Mbps	WAN	Shifted to Poura Prasashan Bhavan	1	0	1	0	1	1
164	INSTITUTE OF LOCAL GOVERNMENT AND URBAN STUDIES (2UMHO002)	ILGUS BHAVAN, HC BLOCK, SEC-III SALT LAKE IB-MARKET BIDHANNAGAR SOUTH 24 Parganas(N) WB	ILGUS bhavan	to be upgraded to 4 Mbps	WAN		0	0	0	0	0	1
165	DIRECTORATE OF CHILD RIGHTS & TRAFFICKING (2WCHO005)	Shaishali Building, 3rd Floor, DF Block, Sector - I Salt Lake City Sech Bhawan Bidhannagar North 24 Parganas(N) WB	Shaishali Building, 3rd floor		OFC / copper LAN	Approx distance 90 Mtr. Structured LAN Exits	0	0	1	0	1	0
166	DIRECTORATE OF INTEGRATED CHILD DEVELOPMENT SERVICES (2WCHO004)	Shaishali, 1st & 2nd Floor, DF Block, Sector - I, Salt Lake City Kolkata Sech Bhawan Bidhannagar North 24 Parganas(N) WB	Shaishali Building, 1st & 2nd Floor, New building	34 Mbps	WAN	Structured LAN Exists (internet connectivity through GPON with Sophos Firewall), 1st floor and 2nd floor internally connected through LAN	1	1	1	2	1	1
167	DIRECTORATE OF SOCIAL WELFARE (2WCHO001)	Shaishali, DF Block, Sector - I Salt Lake City Sech Bhawan Bidhannagar N 24 Parganas(N) WB	Shaishali Building, 1st & 2nd Floor, old building		OFC / copper LAN	Approx distance 200 Mtr.	0	0	1	0	1	0
168	OFFICE OF THE CONTROLLER OF VAGRANCY, WB (2WCHO003)	Purta Bhawan, 3rd Floor Salt Lake City Sech Bhawan Bidhannagar North 24 Parganas(N) WB	Purta Bhawan, Ground Floor (room no. 10, 11, 12)		OFC / copper LAN	350 Mtr. From Directorate of Pension Provident Fund & Group Insurance, Purta	0	1	1	2	1	1

# WEBEL TECHNOLOGY LIMITED

						Bhavan, 2nd Floor						
169	ADMINISTRATOR (CHIEF ENGINEER) TEESTA CADA SILIGURI (2WIHO310)	WRIDD ADMINISTRATIVE BUILDING ROOM NO. 4 SILIGURI KADAMTALA MATIGARA Darjeeling WB	Outside Kolkata		VPN recommen ded		0	0	0	0	0	0
170	SWID (2WIHO002)	NIRMAN BHAWAN, 3rd FLOOR SALT LAKE CITY SECH BHAWAN BIDHANNAGAR 24 Parganas(N) WB	NIRMAN BHAWAN	10 Mbps	WAN	New connectivity	1	0	1	0	1	1
171	WBADMP (2WIHO086)	ICMARD BUILDING, 5th FLOOR CIT SCHEME VIII (M) ULTADANGA ULTADANGA Calcutta WB			WIP for 34 Mbps WBSWAN connectiv ity		0	0	0	0	0	0
172	DIRECTORATE OF YOUTH SERVICES (2YDHO001)	Standard Building, 2nd Floor, 32/1, B.B.D. Bag (S) Standard Building, 2nd Floor, 32/1, BBD Bag (South), GPO, KOLKATA HARE STREET Calcutta WB	Standard Building, e- office running by WBSWAN backbone		Existing WBSWAN		0	0	0	0	0	0
	Total						35	10	81	36	84	44


# WEBEL TECHNOLOGY LIMITED

## ANNEXURE - IV



# WEBEL TECHNOLOGY LIMITED

## ANNEXURE - V



# **WEBEL TECHNOLOGY LIMITED**

## **SECTION – B**

### **ELIGIBILITY CRITERIA**

1. The bidder must be a company registered under Companies Act, 1956/2013 or Partnership or LLP or OPC or Proprietary Firm. Documentary (Certificate of incorporation/Relevant document) evidence to be submitted.
2. The bidder should have their presence in Kolkata with own office. Valid proof should be submitted along with the bid.
3. The bidder should have valid GST Registration Number & PAN. Bidder shall have to submit photocopy of the documents.
4. The bidder shall have executed “Similar Nature” of single order of an amount not less than Rs.1.50 Cr. in last three financial years (considering FY - 2015-16, 2016-17 & 2017-18) in Government Department/PSU/Autonomous Body any reputed organization. References order copy for the project to be provided.

**Or**

The bidder shall have executed “Similar Nature” of three orders an amount not less than Rs.2.50 Cr. in total in last three financial years (considering FY – 2015-16, 2016-17 & 2017-18) in Government Department/PSU/Autonomous Body/Any reputed organization. References order copy for the project to be provided.

5. Bidder should have local call center number. Call Center details with number & detailed escalation matrix to be submitted.
6. The bidder should have an average annual turnover of not less than Rs.20.00 Crore in the last three financial years (FY – 2015-16, 2016-17 & 2017-18). Bidder shall have to submit photocopy of Audited Accounts in support of their claim.
7. Bidder should submit Earnest Money Deposit (EMD) of Rs. 8,00,000.00 (Rupees Eight Lakhs only) in the form of Demand Draft from any Scheduled Bank in favour of Webel Technology Limited payable at Kolkata.
8. Bidder should submit Tender Fee of of Rs. 6,000.00 (Rupees Six thousand only) in the form of Demand Draft from any Scheduled Bank in favour of Webel Technology Limited payable at Kolkata.
9. Manufacturer’s tender specific authorizations for Networking Active components (Router, Switch, OFC module & Firewall), UPS system and passive components (network Rack of different size, fiber optic cable with components, CAT-6 cable, patch cord, I/O box & Patch panel) must be submitted as per format enclosed (Section - M).
10. The bidder shall have Quality Certificate (ISO 9001:2015). Copy of valid Certificate to be submitted.
11. The Bidder must have Support Service Center with manpower in Kolkata so that any call reported is attended within the response time. The detailed Support Service with manpower for bidder should be submitted as per format (Section –P).
12. The bidder shall submit Bid Form (Section – F) duly signed by the authorized signatory of the company as per the format enclosed. Deviation in format may not be accepted.
13. The bidder shall not have been blacklisted by any State/Central Government or PSU Organization or bilateral/multilateral funding agencies for breach of ethical conduct or fraudulent practices as on date of submission of the proposal (as per DIT guidance note issued on 26-Dec-2011). Declaration on bidder’s letter head to be submitted.

# **WEBEL TECHNOLOGY LIMITED**

## **SECTION – C**

### **DATE AND TIME SCHEDULE**

<b>Sl. No.</b>	<b>Particulars</b>	<b>Date &amp; Time</b>
1	Date of uploading of N.I.T. & other Documents (online) (Publishing Date)	17.01.2019
2	Documents download/sale start date (Online)	17.01.2019
3	Last Date and time of sending the queries (Offline)	24.01.2019 at 16.00 hrs
4	Pre Bid Meeting at WTL Office (Off Line)	25.01.2019 at 11.30 hrs
5	Corrigendum, if any will be published (On Line)	-
6	Bid Submission start date & time (On line)	31.01.2019 at 14.00 hrs
7	Last Date & time of submission of original Demand Draft/Pay Order for cost of Earnest Money Deposit (Off line)	08.02.2019 at 11.00 hrs
8	Last Date & time of submission of original Demand Draft/Pay Order for Tender Fee	08.02.2019 at 11.00 hrs
9	Bid Submission closing date & time (On line)	06.02.2019 at 12.00 hrs
10	Bid opening date & time for Technical Proposals (Online)	08.02.2019 at 12.00 hrs
11	Date of uploading the final list of Technically Qualified Bidder (online) after disposal of appeals, if any	-
12	Date for opening of Financial Bid (Online)	-

# WEBEL TECHNOLOGY LIMITED

## SECTION - E

### INSTRUCTION TO BIDDER

#### 1. DEFINITIONS

In this document, the following terms shall have following respective meanings:

**“Acceptance Test Document”** means a document, which defines procedures for testing the functioning of installed system. The document will be finalized with the contractor within 7 days of issuance of the Letter of Award.

**“Agreement”** means the Agreement to be signed between the successful bidder and Webel Technology Ltd. (WTL) including all attachments, appendices, all documents incorporated by reference thereto together with any subsequent modifications, the RFP, the bid offer, the acceptance and all related correspondences, clarifications, presentations.

**“Bidder”** means any firm offering the solution(s), service(s) and /or materials required in the RFP. The word Bidder when used in the pre award period shall be synonymous with Bidder, and when used after award of the Contract shall mean the successful Bidder.

**“Contract”** is used synonymously with Agreement.

**“Contract Price”** means the price to be paid to the Contractor for providing the Solution, in accordance with the payment terms.

**“Contractor”** means the Bidder whose bid to perform the Contract has been accepted by Tender Committee and is named as such in the Letter of Award.

**“Default Notice”** shall mean the written notice of Default of the Agreement issued by one Party to the other.

**“Installation”** Shall means implementation of WBSWAN Connectivity at 172 Government Directorates for implementation of e-office.

**“Fraudulent Practice”** means a misrepresentation of facts in order to influence a procurement process or the execution of a Contract and includes collusive practice among Bidders (prior to or after Bid submission) designed to establish Bid prices at artificial noncompetitive levels and to deprive the District e-Governance Society and eventually Gov. of W. Bengal of the benefits of free and open competition.

**“Good Industry Practice”** shall mean the exercise of that degree of skill, diligence and prudence which would reasonably and ordinarily be expected from a reasonably skilled and experienced Operator engaged in the same type of undertaking under the same or similar circumstances.

**“Government” / “Gov. of W. Bengal”** means the Government of West Bengal. **“GoI”** shall stand for the Government of India.

**“GoWB”** means Government of West Bengal

**“Personnel”** means persons hired by the Bidder as employees and assigned to the performance of the Infrastructure Solution or any part thereof.

**“Similar Nature of Work”** means implementation of WBSWAN / SWAN Connectivity.

**“Project”** Implementation of WBSWAN connectivity at 172 Government Directorates for implementation of e-office

**“Project Plan”** means the document to be developed by the Contractor and approved by Webel Technology Ltd., based on the requirements of the Contract and the Preliminary Project Plan included in the Contractor's bid. For the sake of clarity, the Agreed and Finalized Project Plan” refers to the version of the Project Plan submitted by the contractor after receiving the letter of Award and the same approved by Webel Technology Ltd. The project plan may be changed/ modified during the course of the project. Should the Project Plan conflict with the provisions of the Contract in any way, the relevant provisions of the Contract, including any amendments, shall prevail.

**“Services”** means the work to be performed by the Bidder pursuant to this Contract, as described in the detailed Scope of Work.

**“Interest rate”** means “364 days Government of India (GoI) Treasury Bills” rate.

**“Law”** shall mean any Act, notification, bye law, rules and regulations, directive, ordinance, order or instruction

# WEBEL TECHNOLOGY LIMITED

having the force of law enacted or issued by the Central Government and/or the Government of West Bengal or any other Government or regulatory authority or political subdivision of government agency.

“**LOI**” means issuing of Letter of Intent shall constitute the intention of the WTL to place the Purchase Order with the successful bidder.

“**Operator**” means the company providing the services under Agreement.

“**Requirements**” shall mean and include schedules, details, description, statement of technical data, performance characteristics, standards (Indian as well as International) as applicable and specified in the Contract.

“**DP**” means E-Gov, WB

“**Service**” means provision of Contracted service viz., operation, maintenance and associated services for DEPLOYED SYSTEMS as per Section titled “Scope of Work”

“**Termination Notice**” means the written notice of termination of the Agreement issued by WTL.

“**Uptime**” means the time period when specified services are available with specified technical and service standards as mentioned in section titled WARRANTY SUPPORT” “**%Uptime**” means ratio of 'up time' (in minutes) as mentioned in section titled “Warranty support”

“**Service Down Time**” (SDT) means the time period when specified services with specified technical and operational requirements as mentioned in section titled “WARRANTY SUPPORT” are not available to Gov. of W. Bengal and its user departments and organizations.

“**WTL**” means Webel Technology Limited a Govt. of W. Bengal undertaking.

## 2. PRE BID MEETING

Pre Bid Meeting will be held on 25.01.2019 at 11.30 hrs at premises of WTL. Bidder can send their queries as per format (Section - N) to Manager (Purchase) (arunava.saha@wtl.co.in) Ms. Anita Dey (anita.dey@wtl.co.in) and copy to Ms. Soma Dey (soma.dey@wtl.co.in). Only the queries received within the stipulated date prior to the Pre Bid Meeting will be answered. The entrance to the Pre Bid Meeting will be limited to two persons per bidder and carrying valid authorization letter on official letter head bearing company seal.

## 3. COST OF BIDDING

The bidder shall bear all costs associated with the preparation and submission of the bid and WTL will no case be responsible for those costs regardless of the conduct or outcome of the bidding process.

## 4. BID DOCUMENT

Bidder is expected to examine all instructions, forms, terms and requirement in the bid document. The invitation to bid together with all its attachment thereto shall be considered to be read, understood and accepted by the bidder unless deviations are specifically stated in the seriatim by the bidder. Failure to furnish all information required by the bid document or a bid not substantially responsive to the bid document in every respect may result of the bid.

## 5. AMENDMENT OF BID DOCUMENT

At any time prior to the deadline for submission of proposals, WTL reserves the right to add/modify/delete any portion of this document by issuance of an Corrigendum, which would be published on the website and will also be made available to the all the Bidder who have been issued the tender document. The Corrigendum shall be binding on all bidders and will form part of the bid documents.

## 6. MODIFICATION AND WITHDRAWAL OF BIDS

As per the bidding process available in the tender.

## 7. LANGUAGE OF BID & CORRESPONDENCE

The proposal will be prepared by the Bidder in English language only. All the documents relating to the proposal (including brochures) supplied by the firm should also be in English, and the correspondence between the Bidder & WTL will be in English language only. The correspondence by fax/E-mail must be subsequently confirmed by a duly signed formal copy.

## 8. BIDDER'S SOLUTION

The bidders are requested to study the Bill of Material supplied with this document carefully. While working out the solution the bidder has to work with the broad minimum specification provided in the tender

# **WEBEL TECHNOLOGY LIMITED**

documents, conforming to the model, make and Part number (wherever provided). While submitting the bid the bidder has to detail out all components needed to complete the system BOM. The bidder is required quote for each item retaining all major components/sub system detailed and specified. As the contractor will be responsible for smooth functioning of the system, availability of spares during the tenure of the warranty period have to be take care by the contractor to maintain the guaranteed uptime.

## **9. EARNEST MONEY DEPOSIT (EMD)**

The firm shall furnish an EMD of Rs.800000/- (Rupees Eight lakhs only) in the form of a demand draft from a Scheduled Bank payable at Kolkata and in favour of Webel Technology Limited. Any bid not accompanied with the EMD shall be rejected.

## **10. FORFEITURE OF EMD**

EMD made by Bidder may be forfeited under the following conditions: If Bidder withdraws the proposal before the expiry of validity period.

During the evaluation process, if a Bidder indulges in any such activity as would jeopardize the process, the decision of WTL regarding forfeiture of EMD shall be final and shall not be called upon question under any circumstances.

If Bidder violates any of the provisions of the terms and conditions of the proposal. In the case of a successful Bidder, if Bidder fails to:

- a) Accept the work order along with the terms and conditions.
- b) Furnish performance security.
- c) Violates any of the work conditions of this proposal or indulges in any such activities as would jeopardize the work.
- d) Submitting false/misleading information/declaration/documents/proof/etc.

The decision of WTL regarding forfeiture of EMD shall be final and shall not be called upon to question under any circumstances, besides, forfeiture of EMD even the Bidder will be deferred from participating in any job for a period of one year.

## **11. FORMS AND FORMATS**

The various inputs for the Techno Commercial as Financial Bids are to be submitted in the format specified. The bidder shall use the form, wherever specified, to provide relevant information. If form does not provide space for any required information, space at the end of the form or additional sheets shall be used to convey the said information. For all other cases, the bidder shall design a form to hold the required information.

## **12. LACK OF INFORMATION TO BIDDER**

The bidder shall be deemed to have carefully examined the Bid document to his entire satisfaction. Any lack of information shall not relieve the bidder of his responsibility to fulfil his obligation under the bid. If bidder has any queries relating to bid document then he can send the queries before the Pre Bid Meeting.

## **13. CONTRACT EXECUTION**

On receipt of the Letter of Award the contractor should submit a Performance Bank Guarantee (PBG) equivalent to 10% of the total contract value within three weeks from the date of receipt of Letter of Award/Order. The PBG should be valid for six month more than the warranty period. All delivery of the material will have to be completed within 56 days from the date of acceptance of contract and the contractor has to ensure all activities leading to the commissioning of the contract to be completed within 70 days from the date of award. Subsequent to the award of contract, the contractor will have to arrange for the requisite material as per BOM.

## **14. TIME SCHEDULE FOR DELIVERY & INSTALLATION**

The total delivery should be with 6-8 weeks from the date of Order and installation & commissioning will have to be completed within 10 weeks from the date of Order.

## **15. LIQUIDATED DAMAGE / PENALTY**

The job includes the supply and installation of materials mentioned in the tender document. In the event of failure to meet the job completion in stipulated date/time liquidated damage may be imposed on the contractor for sum not less than 0.5% of the contract value for that item/job for each week or part thereof, subject to a ceiling of 10% of the total contract value (excluding all taxes & duties and other charges). In the event of LD exceeds 10% of the order value, WTL reserves the right to terminate the contract and WTL will get the job completed by any other competent party. The difference of cost incurred by WTL will be recovered from the contractor and PBG will be invoked.

## **16. LIABILITY**

In case of a default on bidder's part or other liability, WTL shall be entitled to recover damages from the Contractor. In each such instance, regardless of the basis on which WTL is entitled to claim damages

# WEBEL TECHNOLOGY LIMITED

from the Contractor (including fundamental breach, negligence, misrepresentation, or other contract or tort claim), Contractor shall be liable for no more than:

- Payment referred to in the Patents and Copyrights clause.
- Liability for bodily injury (including death) or damage to real property and tangible personal property limited to that cause by the Contractor's negligence.
- As to any other actual damage arising in any situation involving non-performance by Contractor pursuant to or in any way related to the subject of this Agreement, the charge paid by WTL for the individual product or Service that is the subject of the Claim. However, the contractor shall not be liable for
- For any indirect, consequential loss or damage, lost profits, third party loss or damage to property or loss of or damage to data.

For any direct loss or damage that exceeds the total payment for Contract Price made or expected to be made to the Contractor hereunder.

## 17. PATENTS & COPYRIGHT

If a third party claims that a product delivered by the Contractor to WTL infringes that party's patent or copyright, the Contractor shall defend WTL against that claim at Contractor's expense and pay all costs, damages, and attorney's fees that a court finally awards or that are included in a settlement approved by the Contractor, provided that WTL.

- Promptly notifies Contractor in writing of the claim
- Allows Contractor to control and co-operate with Contractor in the defense and any related settlement negotiations.

Remedies: If such a claim is made or appears likely to be made, WTL would permit Contractor to enable WTL to continue to use the product, or to modify it, or replace it with one that is at least functionally equivalent. If Contractor determines that none of these alternatives is reasonably available, WTL agrees to return the product to Contractor on Contractor's written request. Contractor will then give WTL a credit equal to for a machine. WTL's net book value (provided WTL has followed generally accepted accounting principles for a generally available software product produced by Contractor (Program) the amount paid by WTL or 12 months charges (whichever is lesser) and for materials the amount paid by WTL for the materials. These will be Contractor's entire obligation regarding any claim of infringement.

## 18. SUSPENSION OF WORK

WTL shall have the power at any time and from time to time by notice to the Contractor to delay or suspend the progress of the work or any part of the work due to any other adequate reasons and on receipt of such notice the contractor shall forthwith suspend further progress of the work until further notice from WTL. The Contractor shall recommence work immediately after receiving a notice to do so from WTL. The whole or any part of the time lost for such delay or suspension shall, if WTL in its absolute discretion thinks fit, but not otherwise, be added to the time allowed for completion.

## 19. TERMS OF PAYMENT

Payment terms will be on back-to-back basis, i.e., payment will be made only on receipt of payment from relevant customer, i.e., e-Gov, WB.

## 20. GOVERNING LAWS

This contract should be governed by and interpreted by Arbitration clause in accordance with Laws in force in India. The courts at Kolkata shall have exclusive jurisdiction in all matters arising under the contract. The selected vendor shall keep himself fully informed of all current national, state and municipal law and ordinances. The selected vendor shall at their own expense, obtain all necessary permits and license and pay all fees and taxes required by law. These will be selected vendor's entire obligation regarding any claim of infringement. The selected vendor hereto agrees that it shall comply with all applicable union, state and local laws, ordinances, regulations and codes in performing its obligations hereunder, including the procurement of licenses, permits certificates and payment of taxes where required. The selected vendor shall establish and maintain all proper records (particularly, but without limitation, accounting records) required by any law, code/practice of corporate policy applicable to it from time to time including records and returns as applicable under labour legislation.

## 21. CORRUPT OR FRAUDULENT PRACTICE

The Tender Committee requires that the bidders under this Tender observe the highest standards of ethics during the procurement and execution of such contracts. For this purpose the definition of corrupt and fraudulent practices will follow the provisions of the relevant laws in force. The Tender Committee will reject a proposal for award if it detects that the bidder has engaged in corrupt or fraudulent practices in competing for the contract in question. The Tender Committee will declare a firm ineligible, either indefinitely or for a stated period of time, if it at any time determines that the firm has engaged in corrupt and fraudulent practices in competing for, or in executing, a contract.

## 22. BIDDING CLAUSE

# **WEBEL TECHNOLOGY LIMITED**

All decisions taken by the Tender Committee regarding the processing of this tender and award of contract shall be final and binding on all parties concerned.

The Tender Committee reserves the right:

- To vary, modify, revise, amend or change any of the terms and conditions mentioned above and,
- To reject any or all the Tender/s without assigning any reason whatsoever thereof or to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder(s) or any obligation to inform the affected bidder(s) of the grounds for such decision.

## **23. WORKMEN'S COMPENSATION**

In every case in which by virtue of the provision of the workmen's compensation Act 1923 or any other relevant acts and rules, compensation to a workmen employed by the contractor, is payable, then this should be done by the Contractor. If WTL is obliged to make any compensation under the said rules and acts, then the amount shall be recovered without prejudice, from the bills and due of the Contractor. WTL shall not be bound to contest any claim made against the Contractor in respect of workmen's compensation.

## **24. CONTRACTOR'S EMPLOYEES**

The Contractor shall comply with the provision of all labour legislation including the requirement of the payment of Wage Act 1936 and the rules framed there under and modifications thereof in respect of men employed by him in carrying out the contract. The Contractor must ensure that he complies with PF, ESI regulation for all his deployed employees. The Contractor shall see that all authorized Sub Contractors under him similarly complied with the above requirement.

## **25. SAFETY MEASURES**

The Contractor shall in the course of execution of the work take all necessary precaution for the protection of all persons and property. The Contractor shall take adequate measures to protect the work and prevent accident during the work. In the event of any accident to any person or persons or damage or injury of any description to any person or property due to failure on the part of the contractor in taking proper precautionary measures the contractor shall be responsible for and must make good the loss the damage at his own cost to the satisfaction of the department and employees of the department shall be indemnified from all claims or liabilities arising there from or any expenses incurred on account thereof.

## **26. EQUIPMENT**

All tools & tackles necessary for the work shall have to be procured by the contractor unless otherwise specified elsewhere in these tender documents. The equipment used by the contractor for a particular work must be appropriate for the type of work. The contractor shall maintain the equipment used on the work properly so that they are in good working condition. In no case shall the contractor use defective or imperfect equipment in the work. The contractor shall arrange to replace or repair all defective equipment so that the progress of the work is not hampered. No defective equipment should be left at the site of work and the department shall not be responsible for any loss or damage to any of these equipments during the course of the execution of the work.

## **27. SUB-CONTRACT**

The purchaser (WTL) does not recognize the existence of Sub-Contractors. The Contractor's responsibility is not transferable.

## **28. TERMINATION FOR DEFAULT**

WTL may without prejudice to any other remedy or right of claim for breach of contract by giving not less than 30 days written notice of default sent to the contractor, terminate the order in whole or in part. If the contractor materially fails to render any or all the services within the time period specified in the contract or any extension thereof granted by WTL in writing and fails to remedy its failure within a period of thirty days after receipt of default notice from WTL. If the project (delivery, commissioning as well as warranty maintenance support is not carried out according to specification due to deficiency in service as per terms of the contract. In such case WTL will invoke the amount held back from the contractor as PBG.

## **29. BANKRUPTCY**

If the contractor becomes bankrupt or have a receiving order made against him or compound with his creditors or being a corporation commence to be wound up, not being a voluntary winding up for the purpose only or amalgamation or reconstruction, or carry on their business under a receiver for the benefit of their creditors or any of them, WTL shall be at liberty to terminate the engagement forthwith without any notice in writing to the contractor or to the liquidator or receiver or to any person in whom the contractor may become vested and without any compensation to give such liquidator or receiver or other person the option of carrying out the engagement subject to their providing a guarantee for the due and faithful performance of the engagement up to an amount to be determined by WTL.

## **30. FORCE MAJEURE**

# **WEBEL TECHNOLOGY LIMITED**

It is hereby defined as any cause, which is beyond the control of the Contractor or WTL as the case may be, which such party could not foresee or with a reasonable amount of diligence could not have foreseen and which substantially affect the performance of the contract, such as

- War, Hostilities or warlike operations (whether a state of war be declared or not), invasion, act of foreign enemy and civil war.
- Rebellion, revolution, insurrection, mutiny, usurpation of civil or military, government, conspiracy, riot, civil commotion and terrorist area.
- Confiscation, nationalization, mobilization, commandeering or requisition by or under the order of any government or de facto authority or ruler, or any other act or failure to act of any local state or national government authority.
- Strike, sabotage, lockout, embargo, import restriction, port congestion, lack of usual means of public transportation and communication, industrial dispute, shipwreck, shortage of power supply epidemics, quarantine and plague.
- Earthquake, landslide, volcanic activity, fire flood or inundation, tidal wave, typhoon or cyclone, hurricane, nuclear and pressure waves or other natural or physical disaster.

If either party is prevented, hindered or delayed from or in performing any of its obligations under the Contract by an event of Force Majeure, then it shall notify the other in writing of the occurrence of such event and the circumstances of the event of Force Majeure within fourteen days after the occurrence of such event. The party who has given such notice shall be excused from the performance or punctual performance of its obligations under the Contract for so long as the relevant event of Force Majeure continues and to the extent that such party's performance is prevented, hindered or delayed.

The party or parties affected by the event of Force Majeure shall use reasonable efforts to mitigate the effect of the event of Force Majeure upto its or their performance of the Contract and to fulfill its or their obligation under the Contract but without prejudice to either party's right to terminate the Contract.

No delay or nonperformance by either party to this Contract caused by the occurrence of any event of Force Majeure shall.

- Constitute a default or breach of the contract.
- Give rise to any claim for damages or additional cost or expense occurred by the delay or non performance. If, and to the extent, that such delay or non performance is caused by the occurrence of an event of Force Majeure.

## **31. INSURANCE COVERAGE**

Appropriate insurance to cover all solution components for the transit period and until the time of its acceptance at the respective site is to be taken by the contractor. As the contractor will carry the risk for the material in his books during transit, the contractor should arrange insurance for the total system as period from the dispatch till Acceptance Test is successfully achieved. Further the contractor is to take all required insurance coverage in respect of all its personnel who shall be working on this engagement.

## **32. WARRANTY**

The Contractor will warranty that products supplied under the contract are newly made and are free from defects in the design, engineering and workmanship. The Contractor would be responsible for the up keep and maintenance of the infrastructure and necessary deliverables under the scope of work during the entire warranty period, i.e., 36 months from the date of final acceptance of the system by the customer. The Contractor shall not, without the express prior written consent of WTL, assign to any third party of the contract or part thereof. Service support for the entire warranty period will be on site and comprehensive (including spares) and free of cost for the entire warranty period.

## **33. WARRANTY SUPPORT**

The total system will be warranted against bad workmanship and manufacturing defects for 36 months from the date of acceptance of the system whole or part. Service support for the entire warranty period will be on site and comprehensive (including spares and all other support) and free of cost for the entire warranty period. The bidder should have a call centre in Kolkata. The contact details of the call centre must be furnished along with the bid. Any call logged with the service centre must be given a running docket number to the person reporting the call. Maximum response time – Next Business day. Call resolution time – 48 hrs maximum. If the uptime goes below the prescribed limit in any quarter, the same will be noted. At the scheduled end of the warranty period the total of such deviation will be done and the contractor will have to extend the warranty support by the default time. Penalty shall be deducted for deviation of warranty support.

## **34. PERFORMANCE BANK GUARANTEE (PBG)**

As a guarantee for timely delivery, installation and commissioning of equipment as well as performance of on-site warranty support, as mentioned in Bill of Material, from the date of final acceptance of systems and pertaining to proper running of the systems, the bidder will have to submit 10% of the contract value as security in the form of Performance Bank Guarantee from any nationalized bank as per format enclosed (Section – Q).

# **WEBEL TECHNOLOGY LIMITED**

## **35. PURCHASER'S RESPONSIBILITIES**

Refer Section – A (Scope of Work & Responsibility)

## **36. NO WAIVER OF RIGHTS**

Neither the inspection by WTL or any of their agents nor any order by WTL for payment of money or any payment for or acceptance of the whole or any part of the works by WTL, nor any extension of time, nor any possession taken by WTL shall operate as a waiver of any provision of the contract or of any power reserved to WTL, or any right to damages here in provided, nor shall any waiver of any breach in the contract be held to be a waiver of any other subsequent breach.

## **37. SI/BIDDER/CONTRACTOR'S RESPONSIBILITIES**

Refer Section – A (Scope of Work & Responsibility)

## **38. ENFORCEMENT OF TERMS**

The failure of either party to enforce at any time any of the provision of this contract or any rights in respect thereto or to exercise any option here in provided shall in no way be construed to be a waiver to such provisions, rights or options or in any way to affect the validity of the contract. The exercise by either party of any of its rights herein shall not preclude or prejudice either party from exercising the same or any other right it may have hereunder.

## **39. PERIOD OF VALIDITY OF OFFER**

For the purpose of placing the order, the proposals shall remain valid till 180 days. During the period of validity of proposals, the rates quoted shall not change. In exceptional circumstances, WTL may ask for extension of the period of validity and such a request shall be binding on Bidders. WTL's request and the response to such a request by various Bidders shall be in writing. A Bidder agreeing to such an extension will not be permitted to increase its rates.

## **40. TAXES & DUTIES**

- The prices shall be inclusive of all taxes & levies including GST and other statutory duties as applicable. Rate of taxes should be indicated separately in the Price Bid.
- Contract Price specified in Price Bid should be based on the taxes & duties and charges prevailing at the date one day prior to the last date of Bid submission.
- Statutory deduction, wherever applicable, shall be made from invoice as per government rules. Necessary certificate will be issued for such deductions.
- Bidder submitting a bid shall produce valid statutory documents / certificates with respect to GST, Income Tax, ROC, Prof. Tax, Trade License, etc. All such documents / certificates shall remain valid on the last date of tender submission.
- In case of inter-state transaction, WTL will provide "Waybill". However, statutory charges, if any will be borne by the bidder.
- GST component of the invoice of the bidder may be kept on hold in case there is any mismatch / irregularity in GST return filing on the part of the bidder.

## **41. DISCREPANCIES IN BID**

- Discrepancy between description in words and figures, the rate which corresponds to the words quoted by the bidder shall be taken as correct.
- Discrepancy in the amount quoted by the bidder due to calculation mistake of the unit rate then the unit rate shall be regarded as firm.
- Discrepancy in totaling or carry forward in the amount quoted by the bidder shall be corrected.

## **42. BID DUE DATE**

The online tender has to be submitted not later than the due date and time specified in the Important Dates Sheet. WTL may at its discretion on giving reasonable notice by fax, or any other written communication to all prospective bidders who have been issued the bid documents, extend the bid due date, in which case all rights and obligations of the WTL and the bidders, previously subject to the bid due date, shall thereafter be subject to the new bid due date as extended.

## **43. LATE BID**

Any proposal received by WTL after the deadline for submission of proposals may not be accepted.

## **44. OPENING OF BID BY WTL**

Bids shall be opened and downloaded electronically through operation of the process in the e-Tender portal in presence of Tender Committee. Bidders interested to remain present during electronic bid opening may attend the bid opening session at WTL premises at scheduled date & time.

# **WEBEL TECHNOLOGY LIMITED**

## **45. CONTACTING WTL**

Bidder shall not approach WTL officers beyond office hours and/or outside WTL office premises from the time of the Bid opening to the time of finalization of successful bidder. Any effort by bidder to influence WTL office in the decision on Bid evaluation, Bid comparison or finalization may result in rejection of the Bidder's offer. If the bidder wishes to bring additional information to the notice of WTL, it should be in writing following the procedure mentioned hereinabove.

## **46. WTL'S RIGHT TO REJECT ANY OR ALL BIDS**

WTL reserves the right to reject any bid and to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected bidder(s) or any obligation to inform the affected bidder(s) of the grounds for such decision.

## **47. BID CURRENCIES**

Prices shall be quoted in Indian Rupees, inclusive of all prevailing taxes, levies, duties, cess etc.

## **48. PRICE**

- Price should be quoted in the Price Bid format only. No deviation in any form in the Price Bid sheet is acceptable.
- Price quoted should be firm, inclusive of packing, forwarding, insurance and freight charges.
- Percentage/specified amount of taxes & duties should be clearly mentioned otherwise WTL reserves the right to reject such vague offer.
- Price to be quoted inclusive of supply, installation & commissioning charges.

## **49. CANVASSING**

Canvassing or support in any form for the acceptance of any tender is strictly prohibited. Any bidder doing so will render him liable to penalties, which may include removal of this name from the register of approved Contractors.

## **50. NON-TRANSFERABILITY OF TENDER**

This tender document is not transferable.

## **51. FORMATS AND SIGNING OF BID**

The original and all copies of the proposals shall be neatly typed and shall be signed by an authorized signatory(ies) on behalf of the Bidder. The authorization shall be provided by written Power of Attorney accompanying the proposal. All pages of the proposal, except for un-amended printed literature, shall be initialed by the person or persons signing the proposal. The proposal shall contain no interlineations, erase or overwriting. In order to correct errors made by the Bidder, all corrections shall be done & initialed with date by the authorized signatory after striking out the original words/figures completely.

## **52. WITHDRAWAL OF BID**

Bid cannot be withdrawn during the interval between their submission and expiry of Bid's validity period. Fresh Bid may be called from eligible bidders for any additional item(s) of work not mentioned herein, if so required.

## **53. INTERPRETATION OF DOCUMENTS**

If any bidder should find discrepancies or omission in the specifications or other tender documents, or if he should be in doubt as to the true meaning of any part thereof, he shall make a written request to the tender inviting authority for correction/clarification or interpretation or can put in a separate sheet along with his technical bid document.

## **54. SPLITTING OF THE CONTRACT AND CURTAILMENT OF WORK**

WTL reserve the right to split up and distribute the work among the successful bidders and to curtail any item of work in the schedule partly or fully.

## **55. PREPARATION OF TENDER**

Tender shall be submitted in accordance with the following instructions:

- a) Tenders shall be submitted in the prescribed forms. Digital signatures shall be used. Where there is conflict between the words and the figures, the words shall govern.
- b) All notations must be in ink or type written. No erasing or overwriting will be permitted. Mistakes may be crossed out and corrections typed or written with ink adjacent thereto and must be initialed in ink by the person or persons signing the tender.
- c) Tenders shall not contain any recapitulation of the work to be done. Alternative proposals will not be considered unless called for. No written, oral, telegraphic or telephonic proposals for modifications will be acceptable.

# **WEBEL TECHNOLOGY LIMITED**

- d) Tenders shall be uploaded as notified on or before the date and time set for the opening of tenders in the Notice Inviting Tenders.
- e) Tenders subject to any conditions or stipulations imposed by the bidder are liable to be rejected.
- f) Each and every page of the tender document must be signed with company seal by the bidder.

## **56. CLARIFICATION OF BIDS**

During evaluation of the bids, the Customer/Tender Committee, at its discretion may ask the bidder for clarification of its bid. The request for the clarification and the response shall be in writing (fax/email) and no change in the substance of the bid shall seek offered or permitted.

## **57. COMPLIANCE WITH LAW**

The contractor hereto agrees that it shall comply with all applicable union, state and local laws, ordinances, regulations and codes in performing its obligations hereunder, including the procurement of licenses, permits certificates and payment of taxes where required. The contractor shall establish and maintain all proper records (particularly, but without limitation, accounting records) required by any law, code/practice of corporate policy applicable to it from time to time including records and returns as applicable under labor legislation.

## **58. ERASURES OR ALTERNATIONS**

The offers with overwriting and erasures may make the tender liable for rejection if each of such overwriting/erasures/manuscript ions is not only signed by the authorized signatory of the bidder. There should be no hand-written material, corrections or alterations in the offer. Technical details must be completely filled up. Correct technical information of the product being offered must be filled in. Filling up of the information using terms such as "OK", "accepted", "noted", "as given in brochure/manual" is not acceptable. The Customer may treat offers not adhering to these guidelines as unacceptable. The Customer may, at its discretion, waive any minor non-conformity or any minor irregularity in the offer. This shall be binding on all bidders and the Tender Committee reserves the right for such waivers.

## **59. FINAL INSPECTION**

Final inspection will be carried by the authorized representative from WTL.

## **60. LOCATION DETAILS**

As mentioned in Scope of Work & Responsibility (Section – A).

## **61. QUALITY CONTROL**

- The contractor is obliged to work closely with WTL, act within its authority and abide by directive issued by them on implementation activities.
- The contractor will abide by the safety measures and free WTL from all demands or responsibilities arising from accident/loss of life, the cause of which is due to their negligence. The bidder will pay all indemnities arising from such incidents and will not hold WTL responsible.
- The contractor will treat as confidential all data and information about the system, obtained in the execution of its responsibilities in strict confidence and will not reveal such information to any party without the prior written approval of WTL.
- WTL reserves the right to inspect all phases of contractor's operation to ensure conformity to the specifications. WTL shall have engineers, inspectors or other duly authorized representatives made known to the contractor, present during the progress of the work and such representatives shall have free access to the work at all times. The presence or absence of representatives of WTL does not relieve the contractor of the responsibility for quality control in all phases.
- The Court of Kolkata only will have the jurisdiction to deal with and decide any legal matters or dispute whatsoever arising out of the contract.

## **62. DEEMED ACCEPTANCE**

Deliverables will be deemed to be fully and finally accepted by the Directorates has not submitted such Deliverable Review Statement to Bidder/Implementation Partner before the expiration of the 30-days review period, or when Directorate uses the Deliverable in its business, whichever occurs earlier ("Deemed Acceptance").

## **63. GENERAL TERMS**

- a) All the pages of the bid document including documents submitted therein must be duly signed and stamped failing which the offer shall be liable to be rejected.
- b) All the documents to be submitted by the bidder along with their offer should be duly authenticated by the person signing the offer and if at any point of time during procurement process or subsequently it is detected that documents submitted are forged/tampered/manipulated in any way, the total responsibility lies with the bidder and WTL reserves the full right to take action as may be deemed fit including rejection of the offer and such case is to be kept recorded for any future

## **WEBEL TECHNOLOGY LIMITED**

dealing with them.

- c) No Technical/Commercial clarification will be entertained after opening of the tender.
- d) Overwriting and erasures may make the tender liable for rejection if each of such overwriting/erasures/manuscript is not only signed by the authorized signatory of the bidder. All overwriting should be separately written and signed by the authorized signatory of the bidder.
- e) Quantity mentioned in the tender document is indicative only and orders shall be placed subject to actual requirement. WTL reserve the right to increase or decrease the quantity specified in the tender.
- f) WTL reserve the right to reject or accept or withdraw the tender in full or part as the case may be without assigning the reasons thereof. No dispute of any kind can be raised the right of buyer in any court of law or elsewhere.
- g) WTL reserve the right to ask for clarification in the bid documents submitted by the bidder. Documents may be taken if decided by the committee.
- h) No dispute by the bidders in regard to Technical/Commercial points will be entertained by WTL and decision taken by the Tender Committee will be final.
- i) Discrepancy in the amount quoted by the bidder due to calculation mistake, the unit rate shall be regarded as firm and the totaling or carry in the amount quoted by the bidder shall be corrected accordingly.
- j) The price offers shall remain firm within the currency of contract and no escalation of price will be allowed.
- k) The acceptance of the tender will rest with the accepting authority who is not bound to accept the lowest or any tender and reserves the right to reject in part or in full any or all tender(s) received and to split up the work among participants without assigning any reason thereof.
- l) The customer/WTL at its discretion may extend the deadline for the submission of Bids.
- m) The Court of Kolkata only will have the jurisdiction to deal with and decide any legal matters or dispute whatsoever arising out of the contract.

# **WEBEL TECHNOLOGY LIMITED**

## **SECTION – E**

### **BID FORM**

(Bidders are requested to furnish the Bid Form in the Format given in this section, filling the entire Blank and to be submitted on Letter Head in original)

To  
**Webel Technology Limited**  
**Plot – 5, Block – BP, Sector - V, Salt Lake City,**  
**Kolkata – 700091.**

#### **Sub: Implementation of WBSWAN connectivity at 172 Government Directorates for implementation of e-office**

Dear Sir,

We the undersigned bidder/(s), having read and examined in details the specifications and other documents of the subject tender no. WTL/EOFF/CON/18-19/017 dated 17.01.2019, do hereby propose to execute the job as per specification as set forth in your Bid documents.

1. The prices of all items stated in the bid are firm during the entire period of job irrespective of date of completion and not subject to any price adjusted as per in line with the bidding documents. All prices and other terms & conditions of this proposal are valid for a period of 180 (one hundred eighty) days from the date of opening of bid. We further declare that prices stated in our proposal are in accordance with your bidding.
2. We confirm that our bid prices include all other taxes and duties and levies applicable on bought out components, materials, equipments and other items and confirm that any such taxes, duties and levies additionally payable shall be to our account.
3. Earnest Money Deposit: We have enclosed EMD in the form of Demand draft for a sum of Rs. 800000/- (DD no. \_\_\_\_\_ dated \_\_\_\_\_ drawn on \_\_\_\_\_).
4. We declare that items shall be executed strictly in accordance with the specifications and documents irrespective of whatever has been stated to the contrary anywhere else in our proposal. Further, we agree that additional conditions, deviations, if any, found in the proposal documents other than those stated in our deviation schedule, save that pertaining to any rebates offered shall not be given effect to.
5. If this proposal is accepted by you, we agree to provide services and complete the entire work, in accordance with schedule indicated in the proposal. We fully understand that the work completion schedule stipulated in the proposal is the essence of the job, if awarded.
6. We further agree that if our proposal is accepted, we shall provide a Performance Bank Guarantee of the value equivalent to ten percent (10%) of the Order value as stipulated in Financial Bid (BOQ).
7. We agree that WTL reserves the right to accept in full/part or reject any or all the bids received or split order within successful bidders without any explanation to bidders and his decision on the subject will be final and binding on Bidder.

Dated, this .....day of .....2019

Thanking you, we remain,

**WEBEL TECHNOLOGY LIMITED**

Yours faithfully

.....  
Signature

.....  
Name in full

.....  
Designation

**Signature & Authorized Verified by**

.....  
Signature

.....  
Name in full

.....  
Designation

.....  
Company Stamp

# **WEBEL TECHNOLOGY LIMITED**

## **SECTION – F**

### **TECHNO COMMERCIAL EVALUATION & AWARDING OF CONTRACT**

#### **1. EVALUATION PROCEDURE**

- The Eligibility Criteria (Section - B) will be evaluated by Tender Committee and those qualify will be considered for further evaluation.
- The Tender Committee shall verify the Technical Specification (Technical Specification with Compliance Statement, Section – I) Deviation in specification shall not be allowed. Bidder qualified in Technical Specification shall be considered for further evaluation.
- After qualifying in Technical Specification, qualified bidders will only be considered for Financial Bid evaluation.

#### **2. FINAL EVALUATION**

Financial Proposal of the bidders qualifying in the evaluation of Technical specification will be evaluated. The bidder who has qualified in the Technical Specification evaluation and returns with lowest quote (L1) in financial bid would normally be awarded the contract subject to Post Qualification.

#### **3. AWARDING OF CONTRACT**

An affirmative Post Qualification determination will be prerequisite for award of the contract to the lowest quoted bidder. A negative determination will result in rejection of bidder's bid, in which event the WTL will proceed to the next lowest evaluated bidder to make a similar determination of that bidder's capability to perform satisfactorily. The successful bidder (s) will have to give security deposit in the form of Performance Bank Guarantee.

#### **4. POST QUALIFICATION**

The determination will evaluate the Bidder's financial, technical, design, integration, customization, production, management and support capabilities and will be based on an examination of the documentary evidence of the Bidder's qualification, as well as other information WTL deems necessary and appropriate. This determination may include visits or interviews with the Bidder's client's reference in its bid, site inspection, and any other measures. At the time of post-qualification, Directorate of es may also carry out tests to determine that the performance or functionality of the Information System offered meets those stated in the detailed Technical Specification.

Instructions / Guidelines for electronic submission of the tenders have been annexed for assisting the Bidders to participate in e-Tendering.

# **WEBEL TECHNOLOGY LIMITED**

## **SECTION – G**

### **GUIDANCE FOR E-TENDERING**

- **Registration of Bidder:**  
Any Bidder willing to take part in the process of e-Tendering will have to be enrolled & registered with the Government e-Procurement System through logging on to <https://wbtenders.gov.in>. The Bidder is to click on the link for e-Tendering site as given on the web portal.
- **Digital Signature Certificate (DSC):**  
Each Bidder is required to obtain a Class-II or Class-III Digital Signature Certificate (DSC) for submission of tenders from the approved service provider of the National Informatics Centre (NIC) on payment of requisite amount. Details are available at the Web Site stated above. DSC is given as a USB e-Token.
- The Bidder can search & download N.I.T. & BOQ electronically from computer once he logs on to the website mentioned above using the Digital Signature Certificate. This is the only mode of collection of Tender Documents.
- **Participation in more than one work:**  
A prospective bidder shall be allowed to participate in the job either in the capacity of individual or as a partner of a firm. If, found to be applied severally in a single job all the applications will be rejected.
- **Submission of Tenders:**  
Tenders are to be submitted through online to the website stated above in two folders at a time, one in Techno Commercial Proposal & the other is Financial Proposal before the prescribed date & time using the Digital Signature Certificate (DSC). The documents are to be uploaded virus scanned copy duly Digitally Signed. The documents will get encrypted (transformed into non readable formats)

The proposal should contain scanned copies of the following in two covers (folders).

#### **Techno Commercial Cover:**

##### **Technical Document1 (scanned & join in pdf format then upload)**

1. Copy of Demand Draft of Earnest Money Deposit (EMD)
2. Copy of Demand Draft of Tender Fee

##### **Technical Document2 (scanned & join in pdf format then upload)**

1. N I T Declaration (Section – R)
2. Bid Form as per format (Section – E)

##### **Technical Compliance (scanned & joins in pdf format then upload)**

1. Technical Specification With Compliance Statement (Section – I)
2. All the Manufacturer Authorisation Form (Section – M)

#### **Financial Cover:**

BOQ will be downloaded and same will be uploaded with quoted rates. While uploading BOQ file name shall remain unchanged. Absence of this document shall lead to summary rejection of the bid.

# **WEBEL TECHNOLOGY LIMITED**

## **NON-STATUTORY COVER (MY SPACE) CONTAIN FOLLOWING DOCUMENT:**

(In each folder, scanned copy will be uploaded with single file having multiple pages)

Sl. No.	Category Name	Sub Category Name	Sub Category Description
A	CERTIFICATES	A1. CERTIFICATES	<ul style="list-style-type: none"> <li>• GST Registration Certificate</li> <li>• PAN</li> <li>• Document as per Clause no. 2 of Section – C</li> </ul>
B	COMPANY DETAILS	B1. COMPANY DETAILS 1	<ul style="list-style-type: none"> <li>• Document as per Clause – 1 of Section – C</li> <li>• Declaration as per Clause no. 13 of Section – C</li> <li>• Document as per Clause – 5 of Section – C</li> </ul>
		B2. COMPANY DETAILS 2	<ul style="list-style-type: none"> <li>• Company Profile (Not more than 3 pages)</li> <li>• ISO Certificate as per Clause no. 10 of Section – C</li> </ul>
C	CREDENTIAL	CREDENTIAL 1	<ul style="list-style-type: none"> <li>• Order copies as per Clause no. 4 of Section – C</li> </ul>
		CREDENTIAL 2	<ul style="list-style-type: none"> <li>• Product brochure</li> <li>• Other documents, if any</li> </ul>
D	DECLARATION	DECLARATION 1	List of Clients as per format (Section – Q)
		DECLARATION 2	Financial Capability as per format (Section – K)
		DECLARATION 3	Bidder's Details as per format (Section –L)
		DECLARATION 4	Technical Capability as per format (Section – J)
		DECLARATION 5	Service Center as per format (Section –P)
F	FINANCIAL INFO	P/L & BALANCE SHEET 2015-2016	P/L & BALANCE SHEET 2015-2016
		P/L & BALANCE SHEET 2016-2017	P/L & BALANCE SHEET 2016-2017
		P/L & BALANCE SHEET 2017-2018	P/L & BALANCE SHEET 2017-2018

# WEBEL TECHNOLOGY LIMITED

## SECTION – H

### BILL OF MATERIAL

<b>A.</b>	<b>Active Materials</b>		
<b>Sl. No.</b>	<b>Item Description</b>	<b>Qty</b>	<b>Unit</b>
1	Router Cisco 4331/K9 or equivalent	35	Nos.
2	8x5xNBD, 3 years On-site Comprehensive warranty for Router. (warranty support certificate / document must be submitted along with the router)	35	Nos.
3	L3 Managed Switch WS-C3650-24TS-S or equivalent	10	Nos.
4	8x5xNBD, 3 years On-site Comprehensive warranty for L3 Switch (warranty support certificate / document must be submitted along with the switch)	10	Nos.
5	L2 Managed Switch with all POE ports Cisco SG 350- 28P-K9-EU or equivalent	81	Nos.
6	8x5xNBD, 3 years On-site Comprehensive warranty for L2 switch (warranty support certificate / document must be submitted along with the switch)	81	Nos.
7	OFC Module for Router / switch, GLC-LH-SMD with 3 years warranty (8x5 NBD support)	36	Nos.
8	1 KVA online UPS with 30 minutes back up with 3 years on-site comprehensive warranty (8x5 NBD support), Make: Emerson-Vertiv or equivalent	84	Nos.
9	UPS Battery : 12 V, 26 AH battery for running above mentioned UPS for 30 minutes back up on full load with 2 years warranty support (3 nos battery per UPS system), Make: Exide / Quanta	252	Nos.
10	UPS Battery Rack, OEM Make	84	Nos.
11	Interlink cable for UPS batteries, OEM Make	84	Sets
12	Firewall / UTM for security / multiple ISP links termination with 3 years on-site comprehensive warranty. Make: Sonicwall, Sophos or equivalent	44	Nos.

<b>B i</b>	<b>Passive Items</b>		
<b>Estimated Cabling cost for extension of WBSWAN link for e-office implementation</b>			
<b>Sl. No.</b>	<b>Item Description</b>	<b>Qty</b>	<b>Unit</b>
1	12U Rack of <b>usable depth minimum 600 mm</b> with cooling fan tray etc with 3 years warranty (8x5 NBD support), Make: D-Link / APW / VAL RACK or equivalent	10	Nos.
2	9U Rack of <b>usable depth minimum 600 mm</b> with cooling fan tray etc with 3 years warranty (8x5 NBD support), Make: D-Link / APW / VAL RACK or equivalent	25	Nos.
3	6U Rack of <b>usable depth minimum 600 mm</b> with cooling fan tray etc with 3 years warranty (8x5 NBD support), Make: D-Link / APW / VAL RACK or equivalent	48	Nos.
4	6 Core SM Fiber Optic Cable	4000	Mtr.
5	6 Port LIU Loaded	28	Nos.
6	SC-LC SM Patch Cord 3 mtr. Duplex	168	Nos.
7	Pigtail	168	Nos.
8	Laying of 6 Core Fiber Cable through PVC conduit / GI wire with necessary fittings . OTDR test report to be submitted	4000	Mtr.
9	Termination & Testing of Fiber at Both end	28	Nos.

<b>B ii</b>	<b>LAN cabling work with CAT - 6 cable</b>		
<b>Sl. No.</b>	<b>Item Description</b>	<b>Qty</b>	<b>Unit</b>
1	Supply of CAT- 6 cable	145	Boxes
2	I/O with back box	450	Nos.
3	CAT-6 Factory crimped Patch Cord 2 Mtr - Factory crimped	450	Nos.

## **WEBEL TECHNOLOGY LIMITED**

4	CAT-6 Factory crimped Patch cord 1 Mtr - Factory crimped	575	Nos.
5	24 PORT CAT - 6 Patch Panel - loaded	84	Nos.
6	Laying of CAT-6 cable through PVC conduit / casing (for exposed portion) (including supply of 20 mm. PVC conduit of ISI Grade) with RJ-45 crimping, termination, and establishing LAN connectivity as stated above; Pentascan test report to be submitted.	44225	Mtr.
7	Termination of I/O Box	450	Nos.

**Bill of quantity may change at the time of ordering/execution of work. Final bill will raise on actual consumption of all materials.**

# WEBEL TECHNOLOGY LIMITED

## SECTION - I

### TECHNICAL SPECIFICATION WITH COMPLIANCE STATEMENT

(TenderNo. WTL/EOFF/CON/18-19/017)

#### 1. Minimum Specification of Router with warranty support

<b>Qty.</b>	<b>35 Nos.</b>
<b>Make</b>	
<b>Model</b>	
<b>Part No.</b>	

Minimum Specification		Qty.	Specification (Quoted / Applicable - By the Bidder)	Complied (Yes / No)
Part No.	Description			
	Router: with a total of 3 onboard/built-in 10/100/1000 Mbps WAN/LAN ports), out of which at least 2 port should be fiber based ethernet interface and the remaining 1 port should be copper based Ethernet interface			
	Min. Power Supply 30 Watt AC			
	Default Advanced IP Services License having support for protocols like MPLS, IP SLA etc.			
	Should have minimum 4 GB DRAM from Day 1 with 100% scalability support			
	Should support minimum 4GB flash memory from Day 1			
	Router Rack mount Wall mount Kit			
	Blank faceplate for WIM slot			
	AC Power Cord for India			
	Router UNIVERSAL software			
	Fiber module to be added as per the Distribution Matrix published in the RFP			
	Warranty for Router 8x5xNBDx3 years on-site comprehensive			

#### 2. Minimum Specification of L3 Switch with warranty support

<b>Qty.</b>	<b>10 Nos.</b>
<b>Make</b>	
<b>Part No.</b>	
<b>Model</b>	

Minimum Specification		Qty.	Specification (Quoted / Applicable - By the Bidder)	Complied (Yes / No)
Part No.	Description			
	Switch L3 10/100/1000 Mbps BASE-T 24 Port Managed +4 * 1G SFP based interface			
	Warranty for Switch 8x5xNBDx3 Years on-site comprehensive			
	Fiber module to be added as per the Distribution Matrix published in the RFP			
	Universal Software for the switch to be supplied from day 1			
	250W AC Power Supply from Day 1			

## WEBEL TECHNOLOGY LIMITED

India AC Type A Power Cable to be supplied from Day 1				
---	--	--	--	--

### 3. Minimum Specification of L2 Switch with warranty support

<b>Qty.</b>	81 Nos.
<b>Make</b>	
<b>Model</b>	
<b>Part No.</b>	

Minimum Specification		Qty.	Specification (Quoted / Applicable - By the Bidder)	Complied (Yes / No)
Part No.	Description			
	<b>Switch L2 10/100/1000 Mbps 24 Port Managed +4 * 1G ethernet ( 2 should be combo port)</b>			
	Warranty for Switch 8x5xNBDx3 Years on-site comprehensive			
	Fiber module to be added as per the Distribution Matrix published in the RFP			
	India AC Type A Power Cable to be supplied from Day 1			

### 4. Specification for 1 KVA True On Line UPS System with 30 mins Battery Backup

<b>Qty.</b>	84 Nos.
<b>Make</b>	
<b>Model</b>	
<b>Part No.</b>	

Minimum Specification		Specification (Quoted / Applicable - By the Bidder)	Complied (Yes / No)
Specification	Description		
UPS Rating	1kVA / 800W		
UPS Type	IGBT Based True On Line Double Conversation UPS System		
Input Voltage	UPS having Single Phase input with the voltage Range 160VAC To 280VAC		
Input Power Factor	>0.95 for both single phase		
Input Frequency	50Hz / 60Hz		
Output Voltage	230V Single Phase		
Output Frequency	50Hz $\pm$ 0.5Hz		
Output vTHD	<=3% for Linear Load, <=7% for non linear load		
LCD Display	UPS Should be LCD Status Display		
Special Protection	A 10kA / 380 Jules Surge Protective Device with response time of < 0.5 nano seconds UL listed will have to provided at the Input of the UPS System		
Battery Bank	Battery bank will be suitable for 30 mins battery backup minimum 936VAH. Battery type will be SMF VRLA only. Battery make Exide / Quanta.		
Certificate Required	i) UPS Manufacturer's ISO 9001: 2008 certicate ii. UPS Manufacturer's ISO 14001 certificate iii.NABL accredited Test Laboratory certificate for the offered UPS system, same model and rating		

## WEBEL TECHNOLOGY LIMITED

<p>ii) If Bidder is not the Manufacturer then Tender Specific Authorization Should be provided along with the tender. Otherwise bidder will be technically rejected. The Bidder's average annual turnover shall be at least INR 15cores in each of the last three financial years viz; 2011-12, 2012-13 and 2013-14. the bidder shall have positive net worth of at least INR 3 cores as on 31st March 2013. A certified document by the chartered Accountant stating the net worth and average annual turnover of the Bidder has to be submitted.</p>	
--	--

### 5. Specification for UTM / Firewall

<b>Qty.</b>	<b>44 Nos.</b>
<b>Make</b>	
<b>Model</b>	
<b>Part No.</b>	

Minimum Specification		Specification (Quoted / Applicable - By the Bidder)	Complied (Yes / No)
Sl. No.	Description		
1	Vendor to support appliance for at least 3 years from the date of purchase order.		
2	Number of Network Interfaces to be mentioned exactly as supported by the device, Vendor to quote with minimum of (12) 10/100/1000 copper gigabit, 4x2.5 Gbe SFP, 4x2.5 GBE, 2 USB, 1 console interface.		
3	Appliance should have dedicated 1Gbe management interface		
4	Should support firewall throughput of at least 3 Gbps or higher		
5	Should support VPN throughput of at least 1.5 Gbps or higher		
6	Should support at least 225000 concurrent sessions and at least 15000 new sessions per second		
7	The device should not have license restriction on number of users		
8	Should support at least 1000 IPSec Site-to-Site VPN tunnels and 1000 no of IPSec Remote access VPN		
9	Should support at least 350 concurrent SSL VPN users		
10	The firewall should be able to support dynamic load balancing for data passing through the firewall , If external firewall load balancers are required same is to be mentioned.		
11	Dual WAN/ISP support: Should support automatic ISP failover as well as ISP load sharing and load balancing for outbound traffic.		
12	Traffic Management: option to configure traffic shaping on a per policy basis for specific application/specific networks and should be able to define guaranteed bandwidth and maximum bandwidth per policy.		
13	Should not have 2nd gen proxy inbuilt on to the appliance to avoid latency		
14	The appliance Should support 256 VLAN interfaces		

## WEBEL TECHNOLOGY LIMITED

	(802.1q)		
15	Appliance should support IPSec NAT Traversal		
16	should support OSPF, RIP V1 and V2 routing protocol.		
17	It should support IPV6		
18	Bandwidth Control/ Restriction per IP Address group & Per policy should be available.		
19	Should Support NAT without degrading the performance of the firewall		
20	Should support authentication using XAUTH/RADIUS, Active Directory, SSO, LDAP, Novell, internal user database, Terminal Services, Citrix		
21	Should have Layer 2 bridge or transparent mode		
22	should have at least 1.4 Gbps of IPS throughput or higher		
23	IPS shall be able to detect incidents that originate from inside the network perimeter as well as from outside the network perimeter and shall be able to take action on the basis of configured policies.		
24	Appliance should have atleast 22 classes of DOS & DDOS & scanning attacks and attack protection		
25	Should not have any point of failure devices like hard drives inbuilt on the appliance rather should support flash		
26	Should have all security functionalities inbuilt on single appliance		
27	The IPS and or UTM should be configured in a manner, so that in case if the either fails the traffic should not be affected , without any manual intervention.		
28	Should do real time scanning rather than proxy based scanning of all the traffic passing through the appliance.		
29	Signatures should have a severity level defined to it so that it helps the administrator to understand and decide which signatures to enable for what traffic (eg. for severity level: high, medium, low)		
30	Should be able to generate graphical reports on top attacks, source for attack etc.		
31	Should have the option to schedule reports for automatic generation & email it to admin		
32	Vendor updates its attack signature database regularly and it should be configurable to update the signatures automatically without manual intervention.		
33	Vendor makes new attack signatures and new major software releases available for download from their Web site		
34	Should be a integrated solution with appliance based firewall on a single chasis with multicore processor.		
35	Should not be an ASIC's based solution rather should be quad core or higher processor for faster processing.		
36	The proposed solution should have minimum 600 Mbps of Anti malware throughput or higher		

## WEBEL TECHNOLOGY LIMITED

37	Antivirus should provide real-time detection of viruses and malicious code at the gateway for SMTP, POP3, HTTP, FTP etc Internet traffic		
38	The proposed solution should be licensed per unit as against per user		
39	Should support full Deep packet inspection through put of 600 MBPS or higher.		
40	Vendor to declare IMIX internet mix for appliance and should not be less than 700 MBPS		
41	Vendor to declare UTM/Deep packet inspection throughput and should submit valid document for the same		
42	Antivirus Gateway should have option to configure to respond to virus detection in several ways		
43	Automatic Frequent updates of virus pattern files Should be available from the vendor with out manual intervention		
44	Should not buffer traffic before scanning for virus or ips.		
45	Should have facility to block files based on file extensions		
46	Should be an unlimited user based appliance		
47	Should have capability to scan unlimited file size without buffering them		
48	The proposed solution should be scalable and offer fault tolerance to safeguard against hardware failures. The failover should be capable of taking over the traffic with out any manual intervention and session loss.		
49	The solution should support load balancing for the AV or UTM ,for the traffic which needs to be scanned in case appliance fails		
50	Should have reporting facility to generate reports on virus detected over different protocols, top sources for viruses, destination for viruses, top viruses etc		
51	Web content filtering solution should work independently without the need to integrate with proxy server, there should not be any prxoy inbuilt in to the UTM		
52	Should have facility to block URLs based on categories		
53	The proposed solution should be licensed per unit as against per user.		
54	URL database should have at least 15 million sites and 50 + categories.		
55	URL Database should be updated regularly by the OEM automatically		
56	Should be able to block different categories/sites based on users/groups.		
57	Should have facility to configurable policy options to block web sites based on banned words.		
58	Should have application control and intelligence inbuilt in the systems with out support of external device.		
59	Application control should have more than 5500 + applications inbuilt and should have granular		

## WEBEL TECHNOLOGY LIMITED

	control over the application		
60	Should have configurable policy options to define the URL exempt list		
61	The solution should be able to block spywares/adwares etc.		
62	The solution Should have options to block java applets, activeX as well as cookies		
63	Vendor should have RBL database of known spam sources to validate/check whether the mail is a spam or not		
64	Should not slow down the performance of UTM on enabling anti spam		
65	Should have configurable spam actions for detected spam mails		
66	Logging and reporting solution should be supported.		
67	The solution should generate the reports for the firewall, gateway level AV, IPS web filtering requested.		
68	Should support deep packet SSL to decrypt HTTPS traffic for scanning transparently, and then re encrypt to send to destination if no threat found		
69	The solution shall have readymade templates to generate reports like complete reports or attack reports, bandwidth report etc		
70	The solution should help to analyze / understand attacks over various protocols like http, ftp, SMTP etc		
71	The solution should help to analyze / understand the live application usage in the network		
72	Should have options to generate reports in terms of which are the frequent attacks as well as top sources and destination for attacks		
73	Should have options to generate reports in different formats		
74	The solution should have configurable options to send the reports as a mail to the designated email address		
75	Should have configurable parameters to send alert emails based on event type.		
76	Should have configurable parameters to set alert.		
77	The solution should have configurable options to schedule the report generation		
78	The solution should be running its own syslog server or integrated server to collect the logs		
79	If separate server/appliance is required for the logging & reporting, the BOM & cost should be included in the proposed solution..		
80	The solution should have sandboxing services available on the same platform		
81	sandboxing service should use at least 3 scanning engine for scanning suspicious traffic		
82	one of the scanning engines for sandboxing should have 100% NSS labs recommendation on malware		

## WEBEL TECHNOLOGY LIMITED

	catch rate		
83	admin should be able to upload malicious file manually for sandboxing purposes		
84	sandboxing engine should also have 0% false positive from NSS labs		
85	sandboxing service should not be appliance based rather on cloud		
86	admin should to receive detailed report of each & every file sent for sandboxing		
87	there should be an option to hold the file at gateway level until verdict for same is declared		
88	vendor to submit valid doc for NSS labs 100% catch rate for sandboxing engine		
89	The appliance should do re assembly free deep packet inspection of traffic passing through it.		
90	There should not be any file size limitation to be scanned at GAV level.		
91	Appliance should not have proxy inbuilt on to the appliance for content filtering purposes		
92	All the UTM functionalities along with IPSEC & SSL VPN functionalities should be on single platform		
93	All the UTM services should be quoted with 3 yrs support & services		
94	UTM services should consist of Gateway Anti virus, anti spyware, IPS , application control, intelligence & visualization, anti bot , geo IP filtering from day one		
95	24x7 support should be quoted		
96	24x7 support should be available from day one		
97	no 8x5 support accepted.		

### 6. Minimum Specification of CAT 6 UTP Cable

<b>Qty.</b>	145 boxes
<b>Make</b>	
<b>Model</b>	
<b>Part No.</b>	

Sl. No.	Minimum Specification	Specification (Quoted / Applicable -by the bidder)	Complied (Yes / No)
1	Unshielded Twisted Pair, Category 6, ANSI/TIA 568C.2 & ISO/IEC 11801 2nd edition.		
2	23 AWG Solid bare copper		
3	LSZH jacket complying to: Fire rating IEC 60332-3-22 Acid gas IEC 60754-2, Smoke density IEC 61034-2 (test reports to be submitted with bid)		
4	Cross-member (+) fluted Spline.		
5	Shall be connector channel certified by Intertek (ETL) labs for ANSI / TIA 568-C.2 and ISO / IEC 11801 CAT6 requirement tested to 600Mhz. (Intertek certificate for ETL4 connector channel should be submitted)		

## WEBEL TECHNOLOGY LIMITED

6	Performance spec minimum 600 MHz to be mentioned in datasheet; Factory test reports for cable shall be available in OEM website using unique print on cable or packaging.			
7	ROHS Compliant			
8	Shall have ISO9001:2015 & ISO14001 certified manufacturing facility in India.			
9	Product shall have at least 2 RCDD certified technical manpower support available in India from OEM.			
10	All Copper and Fiber components must be from same OEM.			
11	OEM should have online access to the test reports for supplied cables.			

### 7. Minimum Specification of CAT 6 24 Port Fully Loaded JACK

#### PANEL

<b>Qty.</b>	<b>84 Nos.</b>
<b>Make</b>	
<b>Model</b>	
<b>Part No.</b>	

Sl. No.	Minimum Specification	Specification (Quoted / Applicable - by the bidder)	Complied (Yes / No)
1	24-port, Modular, 1U, Unshielded Twisted Pair, PCB based, Category 6, ANSI/ TIA 568-C.2 and ISO/IEC 11801		
2	Port identification numbers on the front of the panel		
3	IDC: Suitable for 22-24 AWG stranded and solid wire compatible with both 110 & Krone punch down tools.		
4	Each port/jack on the panel should be individually removable on field from the panel.		
5	Configured with individually replaceable CAT-6 Jacks		
6	Integrated bend-limiting and strain-relief unit for cable entry on each port.		
	<b>Jack Connector Specification:</b>		
7	Plastic Housing: ABS, UL94V-0 rated		
8	Contact Material: Copper Alloy		
9	Contact Plating: 50µ" Gold plated on plug contact area		
10	Plug Retention Force: 15 lb.		
	<b>IDC Connector Specification:</b>		
11	Plastic Housing: Polycarbonate, UL94V-0 rated or equivalent		
12	IDC cap: ABS, UL 94V -0		
13	Contact Material: Copper Alloy		
14	Wire Accommodation: 22-24 AWG solid		
15	<b>Termination Pattern:</b> T568 A and B;		
16	Brand and company together presence in India should be for last 10 years.		
17	Manufacturing: Shall have ISO9001:2015 & 14001 certified manufacturing facility in India.		
18	Product shall have RCDD certified technical manpower support available in India from OEM		

## WEBEL TECHNOLOGY LIMITED

19	ROHS / ELV Compliant	
----	----------------------	--

### 8. Minimum Specification of CAT 6 Information Outlet (with Keystone, Back Box & Single Face & Single Port Face Plate)

<b>Qty.</b>	450 Nos.
<b>Make:</b>	
<b>Model</b>	
<b>Part No.</b>	

Sl. No.	Minimum Specification	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)
1	Single Port		
2	Write on labels in transparent plastic window – supplied with plate		
3	Face Plate with shutter		
4	Should be able to support variety of jacks – UTP		
5	Category 6, TIA568 C.2-1 – 250MHz		
6	All information outlets for 100 W, 22-24 AWG copper cable shall:		
7	Shutter is on face plate		
8	Insertion force: 20N max (IEC 60603-7-4)		
9	Information outlet (RJ45 jack) should be covered under UL / ETL listed.		
10	Information outlet should have integrated with bent limiting and strain-relief unit		
	<b>Jack Specification:</b>		
11	Plastic Housing: PCB Based, Polycarbonate / PVC, or equivalent, UL94V-0 rated or equivalent		
12	Operating Life: Minimum 750 insertion cycles as per IEC 60603-7.		
13	Contact Material: Copper alloy		
14	Contact Plating: 50 microns gold on plug contact area		
15	OEM should be ISO9001 and ISO14001 certified for design, development for LAN & WAN products.		
16	Brand and company together presence in India should be for last 10 years.		
17	Shall have ISO 9001:2015 & ISO 14001 certified manufacturing facility in India.		

### 9. Minimum Specification of CAT - 6 (1 Mtr.) Patch Cord

<b>Qty.</b>	575 Nos.
<b>Make:</b>	
<b>Model</b>	
<b>Part No.</b>	

Sl. No.	Minimum Specification	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)
1	Category 6 UTP Patch Cord – 1 mtr		
2	The Patch Cord shall, at a minimum comply with proposed ANSI / TIA / EIA- 568-C.2-1 & ISO/IEC 11801 Commercial Building Cabling Standards Transmission Performance Specifications for 4 pair 100W Category 6 Cabling.		

## WEBEL TECHNOLOGY LIMITED

3	Conductor size: 22- 24 AWG 7 / 32, stranded copper conductors 100 Ohm		
4	Factory fitted Strain relief boots on either side , Cable OD : 6 mm		
5	Contact blade: Phosphor bronze or equivalent		
6	Contact plating: 50μ" Gold		
7	Plug dimensions & tolerance scompliant with FCC Part 68 .500 and IEC 60603-7		
8	Shallhave ISO9001:2015 & ISO 14001 certified manufacturing facility in India.		
9	OEM should be ISO9001 and ISO14001 certified for design, development for LAN & WAN products.		
10	Brand and company together presence in India should be for last 10 years.		

### 10. Minimum Specification of CAT 6 (2 Mtr.) Patch Cord

<b>Qty.</b>	<b>450 Nos.</b>
<b>Make:</b>	
<b>Model</b>	
<b>Part No.</b>	

Sl. No.	Minimum Specification	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)
1	Category 6 UTP Patch Cord – 2 mtr		
2	The Patch Cord shall, ataminimum comply with proposed ANSI / TIA / EIA- 568-C.2-1 & ISO/IEC 11801 Commercial Building Cabling Standards Transmission Performance Specifications for 4 pair 100W Category 6 Cabling.		
3	Conductor size: 22- 24 AWG 7 / 32, stranded copper conductors 100 Ohm		
4	Factory fitted Strain relief boots on either side , Cable OD : 6 mm		
5	Contact blade: Phosphor bronze or equivalent		
6	Contact plating: 50μ" Gold		
7	Plugdimensions & tolerances compliant with FCCPart68.500andIEC 60603-7		
8	ShallhaveISO9001:2015 &ISO14001certifiedmanufacturingfacilityin India.		
9	OEM should be ISO9001 and ISO14001 certified for design, development for LAN & WAN products.		
10	Brand and company together presence in India should be for last 10 years.		

### TECHNICAL SPECIFICATION FOR SINGLEMODE FIBER COMPONENTS

#### 11. Minimum Specification of 6 Core Fiber outdoor / Indoor armored SM cable, OS2

<b>Qty.</b>	<b>4000 Mtr.</b>
<b>Make:</b>	
<b>Model</b>	
<b>Part No.</b>	

SI. No.	Minimum Specification	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)
---------	-----------------------	---	---------------------

## WEBEL TECHNOLOGY LIMITED

1	6 fiber Single Mode, Armoured, Loose-tube, Gel filled cable complying to ISO/IEC 11801, EN50173, ANSI/TIA 568-C.3; suitable for use in direct burial, outdoor ducts and backbone cabling		
2	Single Mode, 9/125-micron primary coated buffers, OS2 (IEC 60793-2-50, B1.3 and ITU T G652.d)		
3	Armour : Corrugated Steel Tape Armour of min. 0.15 mm thickness		
4	Cable Construction Type : BELLCORE GR 20 / IEC 794-1		
5	Attenuation @ 1310nm <=0.34 db / Km MAX		
6	Attenuation @1550nm <=0.22 db / Km MAX		
7	Attenuation @ 1380-1386nm <= 0.31db/Km		
8	Loose tube material : Single PBTP Loose tube filled with water blocking Thixotropic gel		
9	Jacket material : HDPE outer jacket 2mm thickness or better		
10	Strength members: water Swellable glass yarn strength members		
11	Tensile Strength : 1250 N		
12	Crush Resistance : 3000 N		
13	Min Proff Strength (Kpsi) : 100		
14	Cable Diameter : 10.0 + - 0.5 mm		
15	Operating Temp : -40 Degree C to +70 Degree C		
16	Single mode fiber should be equivalent or higher to 652.D standard and single mode OS2.		
	"3rd Party Tests: Must be approved by Intertek ETL labs/ any Govt Labs. (Certificate to be submitted in due course).		
17	:2008 & ISO 14001 certified manufacturing facility in Shall have ISO 9001India.		
18	Support : Product shall have minimum 1 RCDD certified manpower in India along with local OEM technical manpower available in West Bengal.		
19	Compatibility: All Copper and Fiber component must be from same OEM.		

### 12. Minimum Spec for 6U Fully Loaded Rack Mountable LIU

<b>Qty.</b>	<b>28 Nos.</b>
<b>Make:</b>	
<b>Model</b>	
<b>Part No.</b>	

SI. No.	Minimum Specification	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)
1	Fiber patch panel shall be for use with standard cabling or blown fiber systems and have 19" mounting facility with movable drawer and integrated fiber management		
2	Material power coated steel housing drawer style easy access.		
3	Density: Port Density: 1U: 6 Port Fiber terminations. Shall have capacity for upto 24 fiber terminations.		
4	Termination type: LIU shall have knocks-outs to enable termination of loose-tube or tight buffered cables		
5	Standard Compliance: ISO 11801 and ANSI/TIA 568-C		

## WEBEL TECHNOLOGY LIMITED

6	Adapter: Duplex type. Shall be supplied as 6 or 12 fiber SC SM adapter plate.		
7	Pigtail: SC SM type fiber pigtails, 900 micron buffer, 1.5 mtr long to be supplied with shelf.		

### 13. Minimum Spec for SC SM Pigtail

<b>Qty.</b>	<b>168 Nos.</b>
<b>Make:</b>	
<b>Model</b>	
<b>Part No.</b>	

SI. No.	Minimum Specification	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)
1	Fiber Optic Pigtail, 9/125 Singlemode, SC/PC to pigtail, 900 μm, 1.5 m, white, LSZH		
2	Ferrule Material: Ceramic		
3	Return Loss, minimum 45 dB		
4	Insertion Loss: <0.3dB		

### 14. Minimum Spec for SC to LC Patch Cord

<b>Qty.</b>	<b>168 Nos.</b>
<b>Make:</b>	
<b>Model</b>	
<b>Part No.</b>	

Sr No.	Minimum Specification	Specification (Quoted / Applicable – by the bidder)	Complied (Yes / No)
1	SC to LC Duplex tuned Fiber Optic Patch Cord 3 Mtr, 9/125 Micron		
2	Cable Diameter : 3.6 mm twin zip		
3	Insertion Loss : MAX .3 db		
4	Return Loss :> 45 db		
5	Temperature Range : -25 Degree C to +70 Degree C		
6	ROHS/ELV Compliant		

Bidder should submit all relevant data sheet/brochure of all quoted items and should also available in respective OEM's official website.

Bidder should indicate items mentioned in the OEM data sheet / brochure by marketing as mentioned in minimum specification in the RFP

Authorized Signatory (Signature In full): \_\_\_\_\_

Name and title of Signatory: \_\_\_\_\_

Stamp of the Company: \_\_\_\_\_

# WEBEL TECHNOLOGY LIMITED

## SECTION – J

### TECHNICAL CAPABILITY OF BIDDER

(Tender No. WTL/EOFF/CON/18-19/017)

Sl. No.	Project Name	Start Date	End Date / Status	Brief description of project & scope of work (implementation,	Type of project	Approx value of the project	Contact details of the Customer

Authorized Signatory (Signature In full): \_\_\_\_\_

Name and title of Signatory: \_\_\_\_\_

Stamp of the Company: \_\_\_\_\_

**Note:**

- A. Type of Project shall indicate the implementation of services (Supply & Installation of Network Active Components).
- B. Scope of work shall indicate whether it is implementation, Operation or maintenance.
- C. Submit Customer Order Copy details of the order indicating the project value, customer contact details.

# WEBEL TECHNOLOGY LIMITED

## SECTION - K

### FINANCIAL CAPABILITY OF BIDDER

(Tender No. WTL/EOFF/CON/18-19/017)

#### FINANCIAL INFORMATION

Sl. No.	Name of the Bidder	Turnover (Rs. / Crores)		
		2015-16	2016-17	2017-18
1				

Authorized Signatory (Signature In full): \_\_\_\_\_

Name and title of Signatory: \_\_\_\_\_

Stamp of the Company: \_\_\_\_\_

**Note:**

Submit the audited financial statement/ audited annual report of the last three financial year

# WEBEL TECHNOLOGY LIMITED

## SECTION - L

### BIDDER'S DETAILS

(Tender No. WTL/EOFF/CON/18-19/017)

1	Name of the Firm	
2	Registered Office Address	
	Contact Number	
	Fax Number	
	E-mail	
3	Correspondence / Contact address	
	Name & Designation of Contact person	
	Address	
	Contact Number	
	Fax Number	
	E-mail	
4	Is the firm a registered company? If yes, submit documentary proof	
	Year and Place of the establishment of the company	
6	Former name of the company, if any	
7	Is the firm <ul style="list-style-type: none"><li>▪ a Government/ Public Sector Undertaking</li><li>▪ a propriety firm</li><li>▪ a partnership firm (if yes, give partnership deed)</li><li>▪ a limited company or limited corporation</li><li>▪ a member of a group of companies, (if yes, give name and address and description of other companies)</li><li>▪ a subsidiary of a large corporation (if yes give the name and address of the parent organization). If the company is subsidiary, state what involvement if any, will the parent company have in the project.</li></ul>	
8	Is the firm registered with Sales Tax department? If yes, submit valid GST Registration certificate.	
9	Is the firm registered for Service Tax with Central Excise Department (Service Tax Cell)? If yes, submit valid Service Tax registration certificate.	
10	Total number of employees. Attach the organizational chart showing the structure of the organization.	
11	Are you registered with any Government/ Department/ Public Sector Undertaking (if yes, give details)	
12	How many years has your organization been in business under your present name? What were your fields when you established your organization	
13	What type best describes your firm? (Purchaser reserves the right to verify the claims if necessary) <ul style="list-style-type: none"><li>▪ Manufacturer</li><li>▪ Supplier</li><li>▪ System Integrator</li><li>▪ Consultant</li><li>▪ Service Provider (Pl. specify details)</li><li>▪ Software Development</li><li>▪ Total Solution provider (Design, Supply , Integration, O&amp;M)</li><li>▪ IT Company</li></ul>	
14	Number of Offices in district head quarters in West Bengal	
15	Is your organization has ISO 9001:2008 certificates?	
16	List the major clients with whom your organization has been	

# WEBEL TECHNOLOGY LIMITED

	/ is currently associated.	
17	Have you in any capacity not completed any work awarded to you? (If so, give the name of project and reason for not completing the work)	
18	Have you ever been denied tendering facilities by any Government / Department / Public sector Undertaking? (Give details)	

Authorized Signatory (Signature In full): \_\_\_\_\_

Name and title of Signatory: \_\_\_\_\_

Company Rubber Stamp: \_\_\_\_\_

# WEBEL TECHNOLOGY LIMITED

## SECTION – M

### MANUFACTURER'S AUTHORIZATION FORM

Date:

To  
**Webel Technology Limited**  
**Plot-5, Block-BP, Sector-V Salt Lake**  
**Kolkata-700 091**

**Ref: Tender No.: WTL/EOFF/CON/18-19/017 dated 17.01.19.**

WHEREAS \_\_\_\_\_ who are official producers of  
\_\_\_\_\_ and having production facilities at  
\_\_\_\_\_ do hereby authorize  
\_\_\_\_\_ located at  
\_\_\_\_\_ (hereinafter, the "Bidder") to submit a bid of the following  
Products produced by us, for the Supply Requirements associated with the above Invitation for Bids.

When resold by \_\_\_\_\_, these products are subject to our applicable standard end user warranty terms.

We assure you that in the event of \_\_\_\_\_, not being able to fulfill its obligation as our Service Provider in respect of our standard Warranty Terms we would continue to meet our Warranty Terms through alternate arrangements.

We also confirm that \_\_\_\_\_ is our authorized service provider/system integrator and can hence provide maintenance and upgrade support for our products.

We also confirm that the products quoted are on our current product list and are not likely to be discontinued with in from the day of this letter. We assure availability of spares for the products for the next two years after warranty period.

We also confirm that the material will be delivered within 60 days from the date of placement of confirmed order.

Name \_\_\_\_\_ In the capacity of \_\_\_\_\_

Signed \_\_\_\_\_

Duly authorized to sign the authorization for and on behalf of \_\_\_\_\_

Dated on \_\_\_\_\_ day of \_\_\_\_\_ 2019

**Note:** This letter of authority must be on the letterhead of the Manufacturer and duly signed by an authorized signatory.

WTL/EOFF/CON/18-19/017

# WEBEL TECHNOLOGY LIMITED

## SECTION – N

### PRE BID MEETING QUERY

(Tender No. WTL/EOFF/CON/18-19/017)

Name of the Bidder:

Queries

Sl. No.	Section No.	Clause No.	Page No.	Queries

**Note:** The filled form to be submitted in XLS or PDF Format. There is a cut off date for receiving of queries before Pre Bid Meeting. Queries received after the cutoff period will not be accepted. The Purchaser reserves the right to respond all queries over e-mail.

Authorized Signatory (Signature In full): \_\_\_\_\_

Name and title of Signatory: \_\_\_\_\_

Company Rubber Stamp: \_\_\_\_\_





# WEBEL TECHNOLOGY LIMITED

## SECTION – O

### PROFORMA FOR PERFORMANCE BANK GUARANTEE

(On non-judicial stamp paper of appropriate value to be purchased in the name of executing Bank)

#### PROFORMA OF BANK GUARANTEE FOR SECURITY DEPOSIT –CUM-PERFORMANCE GUARANTEE

Ref ..... Bank Guarantee no.....

Date.....

#### PROFORMA OF BG FOR SECURITY DEPOSIT

KNOW ALL MEN BY THESE PRESENTS that in consideration of WEBEL TECHNOLOGY LIMITED, a Government of West Bengal Undertaking incorporated under the Companies Act, 1956 having its Registered office at Webel Bhavan, Block EP&GP, Sector V, Kolkata-700 091 (hereinafter called "The Purchaser") having agreed to accept from \_\_\_\_\_ (hereinafter called "The Contractor") Having its Head Office at \_\_\_\_\_, a Bank guarantee for Rs. \_\_\_\_\_ in lieu of Cash Security Deposit for the due fulfillment by the Contractor of the terms & conditions of the Work Order No. \_\_\_\_\_ dated \_\_\_\_\_ issued by the Purchaser for \_\_\_\_\_ (hereinafter called "the said work order \_\_\_\_\_ dated \_\_\_\_\_)". We \_\_\_\_\_ (Name & detailed address of the branch) (hereinafter called "the Guarantor") do hereby undertake to indemnify and keep indemnified the Purchaser to the extent of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_) only against any loss or damage caused to or suffered by the Purchaser by reason of any breach by the Contractor of any of the terms and conditions contained in the said Work Order No. \_\_\_\_\_ dated \_\_\_\_\_ of which breach the opinion of the Purchaser shall be final and conclusive.

(2) AND WE, \_\_\_\_\_ DO HEREBY Guarantee and undertake to pay forthwith on demand to the Purchaser such sum not exceeding the said sum of \_\_\_\_\_ Rupees \_\_\_\_\_) only as may be specified in such demand, in the event of the Contractor failing or neglecting to execute fully efficiently and satisfactorily the order for \_\_\_\_\_ Work Order no. \_\_\_\_\_, dated \_\_\_\_\_

(3) WE \_\_\_\_\_ further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said order as laid down in the said Work Order No. \_\_\_\_\_ dated \_\_\_\_\_ including the warranty obligations and that it shall continue to be enforceable till all the dues of the Purchaser under or by virtue of the said Work Order No. \_\_\_\_\_ dated \_\_\_\_\_ have been fully paid and its claims satisfied or is charged or till the Purchaser or its authorized representative certified that the terms and conditions of the said Work Order No. \_\_\_\_\_ dated \_\_\_\_\_ have been fully and properly carried out by the said contractor and accordingly discharged the guarantee.

(4) We \_\_\_\_\_ the Guarantor undertake to extend the validity of Bank Guarantee at the request of the contractor for further period of periods from time to time beyond its present validity period failing which we shall pay the Purchaser the amount of Guarantee.

(5) The liability under the Guarantee is restricted to Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_) only and will expire on \_\_\_\_\_ and unless a claim in writing is presented to us or an action or suit to enforce the claim is filled against us within 6 months from \_\_\_\_\_ all your rights will be forfeited and we shall be relieved of and discharged from all our liabilities (thereinafter)

(6) The Guarantee herein contained shall not be determined or affected by liquidation or winding up or insolvency or closer of the Contractor.

(7) The executants has the power to issue this guarantee on behalf of Guarantor and holds full and valid power of Attorney granted in his favour by the Guarantor authorizing him to execute the Guarantee.

# WEBEL TECHNOLOGY LIMITED

(8) Notwithstanding anything contained herein above, our liability under this guarantee is restricted to Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_) only and our guarantee shall remain in force up to \_\_\_\_\_ and unless a demand or claim under the guarantee is made on us in writing on or before \_\_\_\_\_ all your rights under the guarantee shall be forfeited and we shall be relieved and discharged from all liabilities there under.

WE, \_\_\_\_\_ lastly undertake not to revoke this guarantee during the currency except with the previous consent of the Purchaser in writing. In witness whereof we \_\_\_\_\_ have set and subscribed our hand on this \_\_\_\_\_ day of \_\_\_\_\_.

SIGNED, SEALED AND DELIVERED

\_\_\_\_\_  
(Stamp of the executants)

WITNESS

1) \_\_\_\_\_

2) \_\_\_\_\_

(Name & address in full with Rubber Stamp)

# **WEBEL TECHNOLOGY LIMITED**

## **INSTRUCTIONS FOR FURNISHING BANK GUARANTEE**

1. Bank Guarantee (B.G.) for Advance payment, Mobilization Advance, B.G. for security Deposit-cum-Performance Guarantee, Earnest Money should be executed on the Non- Judicial Stamp paper of the applicable value and to be purchased in the name of the Bank.
2. The Executor (Bank authorities) may mention the Power of Attorney No. and date of execution in his/her favour with authorization to sign the documents. The Power of Attorney is to be witnessed by two persons mentioning their full name and address.
3. The B.G. should be executed by a Nationalised Bank/ Scheduled Commercial Bank preferably on a branch located in Kolkata. B.G. from Co-operative Bank / Rural Banks is not acceptable.
4. A Confirmation Letter of the concerned Bank must be furnished as a proof of genuineness of the Guarantee issued by them.
5. Any B.G. if executed on Non-Judicial Stamp paper after 6 (six) months of the purchase of such stamp shall be treated as Non-valid.
6. Each page of the B.G. must bear signature and seal of the Bank and B.G. Number.
7. The content of the B.G. shall be strictly as Proforma prescribed by WTL in line with Purchase Order /LOI/ Work Order etc. and must contain all factual details.
8. Any correction, deletion etc. in the B.G. should be authenticated by the Bank Officials signing the B.G.
9. In case of extension of a Contract the validity of the B.G. must be extended accordingly.
10. B.G. must be furnished within the stipulated period as mentioned in Purchase Order / LOI / Work Order etc.
11. Issuing Bank / The Bidder are requested to mention the Purchase Order / Contract / Work Order reference along with the B.G. No. For making any future queries to WTL.

**WEBEL TECHNOLOGY LIMITED**

**SECTION – R**

**NIT DECLARATION**

(Bidders are requested to furnish the Format given in this section, filling the entire Blank and to be submitted on Bidder’s Letter Head)

To  
**Webel Technology Limited**  
**Plot – 5, Block – BP, Sector -**  
**V, Salt Lake City,**  
**Kolkata – 700091.**

**Sub: Implementation of WBSWAN Connectivity at 172 Government Directorates for implementation of e-Office.**

Dear Sir,

We the undersigned bidder/(s) declare that we have read and examined in details the specifications and other documents of the subject tender no. WTL/EOFF/CON/18-19/017 dated 17.01.2019 for Implementation of WBSWAN Connectivity at 172 Government Directorates for implementation of e-Office.

We further declare that we have agreed and accepted all the clauses / sub-clauses / formats / terms & conditions other requirements related to the said tender and we will abide by the same as mentioned in the tender document while participating and executing the said tender.

Thanking you, we remain  
Yours faithfully

.....  
Signature

.....  
Name in full

.....  
Designation

.....  
Company Stamp

Dated, this .....day of .....2019